

Name of journal: *World Journal of Diabetes*

ESPS Manuscript NO: 13634

Columns: MINIREVIEWS

43

## **Role of peroxisome proliferator-activated receptors gene polymorphisms in type 2 diabetes and metabolic syndrome**

Chen Dong, Hui Zhou, Chong Shen, Lu-Gang Yu, Yi Ding, Yong-Hong Zhang, Zhi-Rong Guo

### **Abstract**

Metabolic syndrome (MetS) and type 2 diabetes mellitus (T2DM) are the serious public health problems worldwide. Moreover, it is estimated that MetS patients have about five-fold greater risk of the T2DM development compared with people without the

### Match Overview

1	Internet 154 words crawled on 18-Apr-2009 <a href="http://diabetes.diabetesjournals.org">diabetes.diabetesjournals.org</a>	2%	
2	Internet 158 words crawled on 04-Jun-2014 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	2%	
3	CrossCheck 94 words Yang, L.L. "Association Between Two Common Polymorphisms of PPAR $\alpha$ Gene and Metabolic Syndrome Panel..."	1%	
4	Internet 96 words crawled on 16-May-2011 <a href="http://www.lipidworld.com">www.lipidworld.com</a>	1%	
5	Internet 72 words crawled on 11-May-2009 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%	
6	Internet 62 words crawled on 17-Mar-2014 <a href="http://jbiomedsci.com">www.jbiomedsci.com</a>	1%	
7	Internet 57 words crawled on 06-Nov-2013 <a href="http://www.science.gov">www.science.gov</a>	1%	
8	CrossCheck 55 words N. Granup. "Variation in the peroxisome proliferator-activated receptor $\delta$ gene in relation to common metabolic traits in"	1%	
9	CrossCheck 51 words Raquel Villegas. "Peroxisome Proliferator-Activated Receptor Delta (PPARD) Genetic Variation and Type 2 Diabetes i"	1%	
10	Internet 46 words crawled on 19-Mar-2014	1%	



receptors gene polymorphisms in type 2 diabetes and metabolic syndrome



网页 图片 新闻 视频 更多 · 搜索工具

找到约 184,000 条结果 (用时 0.91 秒)

### Google 学术 : Role of peroxisome proliferator-activated receptors gene polymorphisms in type 2 diabetes and metabolic syndrome

... analysis of peroxisome proliferator-activated receptor ... - Ek - 被引用次数 : 303

... polymorphism of the peroxisome proliferator-activated ... - Eriksson - 被引用次数 : 166

... 2 diabetes mellitus: peroxisomal proliferator-activated ... - Bays - 被引用次数 : 510

### Association between PRO12ALA polymorphism of the ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : A Motavallian - 2013 - 被引用次数 : 3 - 相关文章

Peroxisome proliferator-activated receptor (PPARs) have been identified as ...

peroxisome proliferator-activated receptor-GAMMA 2 gene, type 2 diabetes mellitus ...

state, and endothelial dysfunction collectively known as the metabolic syndrome ...

diabetic patients with insulin resistance shows the prominent role of genetic ...

### PubMed Result

[www.ncbi.nlm.nih.gov/pubmed?cmd=Link&dbFrom...](http://www.ncbi.nlm.nih.gov/pubmed?cmd=Link&dbFrom...) - 翻译此页

[Frequency of the Pro 12Ala polymorphism of PPARgamma2 gene in Ukrainian population and its possible role in development of metabolic syndrome]. ... of the PPAR gamma2 gene and their haplotypes with obesity and type 2 diabetes]. ...

Peroxisome proliferator-activated receptor gamma polymorphism Pro12Ala is ...

### Rs3856806 - SNPedia

[www.snpedia.com/index.php/Rs3856806](http://www.snpedia.com/index.php/Rs3856806) ▾ 翻译此页

2015年1月5日 - Gene and Type 2 Diabetes Risk: A Case-Control Study of a

[网页](#) [图片](#) [新闻](#) [视频](#) [更多](#) [搜索工具](#)

找到约 183,000 条结果 (用时 0.66 秒)

**Google 学术: Role of peroxisome proliferator-activated receptors gene polymorphisms in type 2 diabetes and metabolic syndrome**

... analysis of peroxisome proliferator-activated receptor- ... - Ek - 被引用次数: 303

... polymorphism of the peroxisome proliferator-activated ... - Eriksson - 被引用次数: 166

... 2 diabetes mellitus: peroxisomal proliferator-activated ... - Bays - 被引用次数: 511

**Association between PRO12ALA polymorphism of the ...**

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: A Motavallian - 2013 - 被引用次数: 3 - 相关文章

Peroxisome proliferator-activated receptor (PPARs) have been identified as ...

peroxisome proliferator-activated receptor-GAMMA 2 gene, type 2 diabetes mellitus ...

state, and endothelial dysfunction collectively known as the metabolic syndrome ...

diabetic patients with insulin resistance shows the prominent role of genetic ...

**PubMed Result**

[www.ncbi.nlm.nih.gov/pubmed?cmd=Link&dbFrom...](http://www.ncbi.nlm.nih.gov/pubmed?cmd=Link&dbFrom...) - 翻译此页

[Frequency of the Pro 12Ala polymorphism of PPARgamma2 gene in Ukrainian population and its possible role in development of metabolic syndrome]. ... of the PPAR gamma2 gene and their haplotypes with obesity and type 2 diabetes]. ... Peroxisome