



24091-Review

Quotes Included
Bibliography Included11%
SIMILAR**Name of Journal:** *World Journal of Diabetes***ESPS Manuscript NO:** 24091**Manuscript Type:** Minireviews**Neuroendocrine hormone amylin in diabetes****Xiao-Xi Zhang, Yan-Hong Pan, Yan-Mei Huang, Hai-Lu Zhao,****Abstract**

The neuroendocrine hormone amylin, also known as islet amyloid polypeptide (IAPP), is co-localized, co-packaged 11 and co-secreted with insulin from adult

Match Overview

- | | | |
|--|------------------------------|----|
| 1 | CrossCheck 49 words | 2% |
| Gafni, Ari. "Structural Modifications of Proteins During Aging", <i>Journal of the American Geriatrics Society</i> , 1997 | | 2% |
| 2 | CrossCheck 37 words | 1% |
| A. CLARK, "İslet amyloid in type 2 (non-insulin-dependent) diabetes", <i>Apmis</i> , 01/1996 | | 1% |
| 3 | CrossCheck 31 words | 1% |
| Janciauskienė, S.. "Fibrillar Islet Amyloid Polypeptide Differentially Affects Oxidative Mechanisms and Lipoprotein Uptake in Diabetic Patients", <i>Diabetes Care</i> , 01/2008 | | 1% |
| 4 | CrossCheck 30 words | 1% |
| Guan, Jing, Hai-Lu Zhao, Yi Sui, Lan He, Heng-Man Lee, Fernand M.M. Lai, Peter C.Y. Tong, and Juliana C.N. Chan | | 1% |
| 5 | Publications 28 words | 1% |
| Woerle, Hans J. Albrecht, Max Linke, Rai. "Impaired hypoglycemia-induced delay in gastric emptying in patients with type 2 diabetes", <i>Diabetologia</i> , 03/2008 | | 1% |
| 6 | CrossCheck 27 words | 1% |
| G. J. S. Cooper. "Is type 2 diabetes an amyloidosis and does it really matter (to patients)?", <i>Diabetologia</i> , 03/13/2010 | | 1% |



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 227,000 条结果 (用时 0.69 秒)

Google 学术: The Neuroendocrine Hormone Amylin in Diabetes

... in type 1 and type 2 diabetes mellitus: a physiological ... - Weyer - 被引用次数: 139

... hyperglucagonemia in patients with type 1 diabetes - Fineman - 被引用次数: 103

... benefit of replacing amylin, a second β -cell hormone - Edelman - 被引用次数: 73

Amylin - Wikipedia, the free encyclopedia

<https://en.wikipedia.org/wiki/Amylin> ▾ 翻译此页

Amylin, or islet amyloid polypeptide (IAPP), is a 37-residue peptide hormone. ... Amylin functions as part of the endocrine pancreas and contributes to glycemic ... of the human hormone leptin, and pramlintide, which is Amylin's diabetes drug ...

Optimizing diabetes treatment using an amylin analogue.

www.ncbi.nlm.nih.gov/pubmed/18268000 - 翻译此页

作者: SV Edelman - 2008 - 被引用次数: 13 - 相关文章

Diabetes treatment has traditionally focused on correcting insulin deficiency using ...

Amylin, a neuroendocrine hormone secreted in response to nutrient intake, ...

Hormones of the Pancreas - RCN

[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 210,000 条结果 (用时 0.60 秒)

Google 学术: Neuroendocrine hormone amylin in diabetes

... in type 1 and type 2 **diabetes mellitus**: a physiological ... - Weyer - 被引用次数: 139

... hyperglucagonemia in patients with type 1 **diabetes** - Fineman - 被引用次数: 106

... benefit of replacing **amylin**, a second β -cell hormone - Edelman - 被引用次数: 74

Amylin - Wikipedia, the free encyclopedia

<https://en.wikipedia.org/wiki/Amylin> ▾ 翻译此页

Amylin, or islet amyloid polypeptide (IAPP), is a 37-residue peptide **hormone**. ... One of the defining features of Type 2 **diabetes** is insulin resistance. ... **Amylin** functions as part of the **endocrine** pancreas and contributes to glycemic control.

Optimizing diabetes treatment using an amylin analogue.

www.ncbi.nlm.nih.gov/pubmed/18268000 - 翻译此页

作者: SV Edelman - 2008 - 被引用次数: 13 - 相关文章

Diabetes treatment has traditionally focused on correcting insulin deficiency using ...

Amylin, a neuroendocrine hormone secreted in response to nutrient intake, ...

Amylin replacement therapy in patients with insulin ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/16751351 ▾ 翻译此页

作者: SK Owen - 2006 - 被引用次数: 5 - 相关文章

[全部](#) [图片](#) [新闻](#) [视频](#) [更多](#) [搜索工具](#)

找到约 205,000 条结果 (用时 0.59 秒)

Google 学术: Neuroendocrine hormone amylin in diabetes

- ... in type 1 and type 2 **diabetes mellitus**: a physiological ... - Weyer - 被引用次数: 139
- ... hyperglucagonemia in patients with type 1 **diabetes** - Fineman - 被引用次数: 106
- ... benefit of replacing **amylin**, a second β -cell **hormone** - Edelman - 被引用次数: 74

Amylin - Wikipedia, the free encyclopedia

<https://en.wikipedia.org/wiki/Amylin> ▾ 翻译此页

Amylin, or islet amyloid polypeptide (IAPP), is a 37-residue peptide **hormone**. ... One of the defining features of Type 2 **diabetes** is insulin resistance. ... Amylin functions as part of the **endocrine** pancreas and contributes to glycemic control.

Optimizing diabetes treatment using an amylin analogue.

www.ncbi.nlm.nih.gov/pubmed/18268000 翻译此页

作者: SV Edelman - 2008 - 被引用次数: 13 - 相关文章

Diabetes treatment has traditionally focused on correcting insulin deficiency using ...

Amylin, a **neuroendocrine hormone** secreted in response to nutrient intake, ...

Amylin replacement therapy in patients with insulin ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/16751351 ▾ 翻译此页

作者: SK Owen - 2006 - 被引用次数: 5 - 相关文章

Amylin replacement therapy in patients with insulin-requiring type 2 **diabetes**. ... An "indirect" mechanism--amylin (a **neuroendocrine hormone** also secreted from ...

Unresolved challenges with insulin therapy in type 1 and ...

www.ncbi.nlm.nih.gov/pubmed/12079621 ▾ 翻译此页

作者: SV Edelman - 2002 - 被引用次数: 74 - 相关文章