

Name of Journal: *World Journal of Diabetes*

ESPS Manuscript NO: 27530

Manuscript Type: Systematic Reviews

Barriers that practitioners face when initiating insulin therapy in general practice settings and how they can be overcome

Abdulaziz Bin rsheed, Ian Chenoweth

Abstract

AIM

To explore primary care physicians' perspectives on possible barriers to the use of insulin.

Match Overview

1	Internet 32 words crawled on 04-Mar-2015 www.ncbi.nlm.nih.gov	1%
2	Internet 18 words crawled on 26-Apr-2012 www.accreu.ca	<1%
3	Internet 17 words crawled on 29-Mar-2016 www.mdpi.com	<1%
4	Publications 17 words Ghadiri-Anari, Akram; Fazelipour, Zahra and Mohammad Mohammadi, Seyed. "Insulin Refusal in Iranian Patients ..."	<1%
5	Crossref 13 words "Symposium, Workshop and Debate", Journal of Diabetes Investigation, 2012.	<1%
6	Internet 12 words crawled on 15-Mar-2015 uknowledge.uky.edu	<1%
7	Internet 12 words crawled on 00-Mar-2016	<1%

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 112,000 条结果（用时 0.79 秒）

A qualitative study on healthcare professionals' perceived barr...

bmcfampract.biomedcentral.com/articles/10.../1471-2296-13-2... ▾ [翻译此页](#)

作者: YK Lee - 2012 - 被引用次数: 19 - 相关文章

Healthcare professionals consisting of **general practitioners** (n = 11), family medicine ...

Healthcare professionals should be trained how to **initiate insulin** and ... on what **barriers** the multi-ethnic Malaysian patients with type 2 diabetes **face** when ... in Malaysia and **can** be **initiated** at either primary or secondary care **settings**.

Barriers and facilitators to evidence based care of type 2 diabe...

implementationscience.biomedcentral.com/.../1748-5908-4-41 ▾ [翻译此页](#)

作者: G Goderis - 2009 - 被引用次数: 25 - 相关文章

2009年7月22日 - To evaluate the **barriers** and facilitators to high-quality diabetes care as typical Belgian healthcare **setting**, but we believe that **they** are the expression of a ... assumptions and feelings **can be overcome** by paying attention to them and ... the initiation and adjustment of **insulin therapy in general practice**. b.

[PDF] Barriers in Initiating Insulin Treatment in Type 2 ... - JSciM...

www.jscimedcentral.com/.../familymedicine-2-1034.pdf ▾ [翻译此页](#)

2015年4月3日 - **barriers** of **initiating** insulin for patients with Type II Diabetes among **general practitioners** and family physicians in primary care **settings**. Method: This qualitative study was composed of 3 focus groups of **General Practitioners** ... Conclusion: **Overcoming barriers** to the **initiation of insulin therapy** will require.

Potential barriers to the use of health services among ... - Fam...

fampra.oxfordjournals.org/content/23/3/325.full ▾ [翻译此页](#)

作者: E Scheppers - 2006 - 被引用次数: 363 - 相关文章

2006年2月13日 - Ethnic minority patients seem to be confronted with **barriers** when using **Barriers can** present themselves to patients, health care providers and the Also, referral rates from a **general practice** to radiological examinations may be higher, ... Examples of **setting** goals are the planning of care, **treatment** and ...



Barriers that practitioners face when initiating insulin therapy in general pra



All

News

Images

Shopping

Videos

More ▾

Search tools

About 47,800 results (1.39 seconds)

Barriers and facilitators to evidence based care of type 2 diabetes ...

www.ncbi.nlm.nih.gov/.../PMC27195... ▾ National Center for Biotechnology Information ▾
by G Goderis - 2009 - Cited by 27 - Related articles

Jul 22, 2009 - Optimal use of guidelines in **general practice** demands specific in **starting insulin therapy**, whereas before I would never **initiate insulin therapy**. ... However, these **barriers** were perceived as something that **could be overcome** by in the 'usual' **setting** in our country felt frustrated, partly because **they** felt ...

Roles and relationships between health professionals involved in ...

www.ncbi.nlm.nih.gov/.../PMC39097... ▾ National Center for Biotechnology Information ▾
by JA Manski-Nankervis - 2014 - Cited by 6 - Related articles

Jan 31, 2014 - 21 **general practitioners**, practice nurses, diabetes nurse educators and ... Despite evidence that it is safe to **initiate insulin** in **general practice** [15-17] and it ... health professionals [21-23] **can** result in delays to **starting this treatment**. ... **They** may work in primary care, secondary care **settings** or both, but are ...

A qualitative study on healthcare professionals' perceived barriers to ...

bmcfampract.biomedcentral.com/articles/10.1186/1471-2296-13-28 ▾
by YK Lee - 2012 - Cited by 22 - Related articles

Healthcare professionals consisting of **general practitioners** (n = 11), family medicine ... Healthcare professionals should be trained how to **initiate insulin** and ... on what **barriers** the multi-ethnic Malaysian patients with type 2 diabetes face when ... in Malaysia and **can be initiated** at either primary or secondary care **settings**.

[PDF] Barriers in Initiating Insulin Treatment in Type 2 ... - JSciMed Central

<https://www.jscimedcentral.com/FamilyMedicine/familymedicine-2-1034.pdf> ▾

Apr 3, 2015 - **barriers** of **initiating** insulin for patients with Type II Diabetes among **general practitioners** and family physicians in primary care **settings**. Method: This qualitative study was composed of 3 focus groups of **General Practitioners** ... Conclusion: **Overcoming barriers** to the **initiation of insulin therapy** will require.

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 128,000 条结果 (用时 0.79 秒)

A qualitative study on healthcare professionals' perceived barriers to ...

<https://bmcfampract.biomedcentral.com/articles/10.1186/1471-2296-13-28> ▾ [翻译此页](#)

作者: YK Lee - 2012 - 被引用次数: 23 - 相关文章

Healthcare professionals consisting of **general practitioners** (n = 11), family medicine ... Healthcare professionals should be trained how to **initiate insulin** and ... on what **barriers** the multi-ethnic Malaysian patients with type 2 diabetes **face** when ... in Malaysia and **can** be **initiated** at either primary or secondary care **settings**.

Barriers to, and facilitators in, introducing integrated diabetes care in ...

bmjopen.bmj.com ▸ Volume 3, Issue 8 ▾ [翻译此页](#)

作者: S Mc Hugh - 2013 - 被引用次数: 14 - 相关文章

2013年8月19日 - Currently in Ireland, some people are entitled to **free acute GP** care ... **shared care** between general **practitioners** (GPs) and hospitals, "We're **starting** people on **insulin** who really need it and **they** feel so much better. **settings** and countries in terms of how to **overcome** these **barriers**. [twitter](#) · [face-](#)

Roles and relationships between health professionals involved in ...

www.ncbi.nlm.nih.gov ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) ▾ [翻译此页](#)

作者: JA Manski-Nankervis - 2014 - 被引用次数: 6 - 相关文章

2014年1月31日 - 21 general **practitioners**, practice nurses, diabetes nurse educators and ... Despite evidence that it is safe to **initiate insulin** in **general practice** [15-17] and it ... health professionals [21-23] **can** result in delays to **starting** this **treatment**. ... **They** may work in primary care, secondary care **settings** or both, but are ...

Barriers and facilitators to evidence based care of type 2 diabetes ...

www.ncbi.nlm.nih.gov ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) ▾ [翻译此页](#)

作者: G Goderis - 2009 - 被引用次数: 27 - 相关文章

2009年7月23日 - Optimal use of guidelines in **general practice** demands specific ... in **starting insulin**