



29478-Review

Quotes Included
Bibliography Included3%
SIMILARName of Journal: *World Journal of Diabetes*

ESPS Manuscript NO: 29478


Manuscript Type: Editorial

"Diabetic ketoacidosis: Treatment in the intensive care unit or general medical/surgical ward?"

Yamely Mendez, Salim Surani, Joseph Varon

Abstract

Diabetic ketoacidosis (DKA) is defined as an acute metabolic disorder, which is characterized by an increased presence of circulating ketones, and the development of ketoacidosis in the presence of hyperglycemia. This syndrome occurs as a result of insulin deficiency. Patients can be dramatically ill, however, with aggressive treatment, most patients can recover rapidly. Despite being a low-risk condition, the development of acidosis, is one of the criteria to admit these patients to the intensive care unit (ICU) for close monitoring, and recognition of complications that could result from the use of aggressive therapy, such as continuous infusions of insulin. In some institutions, DKA is treated in the emergency department and general medical/surgical wards to avoid ICU overcrowding.

Match Overview

1	Internet 21 words crawled on 24-Apr-2016 agelessphysio.com	2%
2	Internet 14 words crawled on 17-Mar-2016 www.atlanta2020.com	1%
3	Internet 9 words crawled on 23-Jan-2015 nutritionevidencelibrary.gov	1%

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 27,400 条结果 (用时 0.94 秒)

Managing diabetic ketoacidosis in non-intensive care unit setting - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: R Karoli - 2011 - 被引用次数: 9 - 相关文章

The patients in group 2 were **treated** with subcutaneous insulin lispro 2 hourly and ... risk of **DKA** during catabolic stress of acute infections, **surgery**, and trauma. ... Many patients with **DKA** may require admission to **intensive care unit** either ... or because of unavailability of infusion pumps in the **general medical wards**. In this ...

Evaluation of Ward Management of Diabetic Ketoacidosis - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: BD Nemecek - 2014 - [被引用次数: 3](#) - 相关文章

Diabetic ketoacidosis (DKA) is a potentially life-threatening manifestation of type 1 ... of the MUSC protocol was validated in a population of cardiothoracic **surgery** patients. ... Monitoring **treatment** safety, both in the **ICU** and on **medicine wards**, ... **treated on general medicine wards** compared to patients **treated in the ICU**.

Intensive care unit - Wikipedia, the free encyclopedia

https://en.wikipedia.org/wiki/Intensive_care_unit ▾ [翻译此页](#)

Pediatric patients are **treated** in this **intensive care unit** for life-threatening **medical** problems such as asthma, influenza, **diabetic ketoacidosis**, or traumatic brain ...

nursing interventions in the intensive care unit in the management of ...

connection.ebscohost.com/.../nursing-interventions-intensive-care-unit-mana... ▾ [翻译此页](#)

Diabetic Ketoacidosis: Implications for the **Medical-Surgical** Nurse. Grinslade, Susan ... **ICU** Admission or **General Ward** for **Diabetic Ketoacidosis**? The Answer ...

In-hospital Management of Diabetes - GDA Clinical Practice Guidelines

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 26,500 条结果（用时 0.43 秒）

未找到符合“**Diabetic ketoacidosis: Treatment in the intensive care unit or general medical/surgical ward?**”的结果。

Diabetic ketoacidosis: Treatment in the intensive care unit or general medical/surgical ward?（不含引号）的搜索结果：

Managing diabetic ketoacidosis in non-intensive care unit setting - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：R Karoli - 2011 - 被引用次数：9 - [相关文章](#)

... an increased risk of **DKA** during catabolic stress of acute infections, **surgery**, and trauma. ... Many patients with **DKA** may require admission to **intensive care unit** either ... or because of unavailability of infusion pumps in the **general medical wards**. In this context the **treatment** of uncomplicated **DKA** with subcutaneous rapid ...

Evaluation of Ward Management of Diabetic Ketoacidosis - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者：BD Nemecek - 2014 - 被引用次数：3 - [相关文章](#)

Diabetic ketoacidosis (**DKA**) is a potentially life-threatening manifestation of type 1 ... of the MUSC protocol was validated in a population of cardiothoracic **surgery** patients. ... Monitoring **treatment** safety, both in the **ICU** and on **medicine wards**, ... **treated on general medicine wards** compared to patients **treated in the ICU**.

Management of adult diabetic ketoacidosis

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 31,500 条结果（用时 0.75 秒）

Managing diabetic ketoacidosis in non-intensive care unit setting - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: R Karoli - 2011 - 被引用次数: 9 - 相关文章

The patients in group 1 were **treated** with intravenous regular insulin infusion and ... risk of **DKA** during catabolic stress of acute infections, **surgery**, and trauma. ... Many patients with **DKA** may require admission to **intensive care unit** either ... or because of unavailability of infusion pumps in the **general medical wards**. In this ...

Evaluation of Ward Management of Diabetic Ketoacidosis - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: BD Nemecek - 2014 - 被引用次数: 3 - 相关文章

Diabetic ketoacidosis (DKA) is a potentially life-threatening manifestation of type 1 ... of the MUSC protocol was validated in a population of cardiothoracic **surgery** patients. ... Monitoring **treatment** safety, both in the **ICU** and on **medicine wards**, ... **treated** on **general medicine wards** compared to patients **treated** in the **ICU**.

[PDF] [guidelines for icu admission, discharge, and triage - ThaddeusPope.c...](#)
www.thaddeuspope.com/images/SocCritCareMed_-_Guidelines_1999.pdf ▾ 翻译此页

Because of the utilization of expensive resources, ICUs should, in **general**, ... The Ethics Committee of the Society of **Critical Care Medicine** has previously Priority 3 patients may receive **intensive treatment** to relieve acute illness but ... peripheral vascular **surgery**, hemodynamically stable **diabetic ketoacidosis**, mild ...

Intensive care unit - Wikipedia

https://en.wikipedia.org/wiki/Intensive_care_unit ▾ 翻译此页

Pediatric patients are **treated** in this **intensive care unit** for life-threatening **medical** problems such as asthma, influenza, **diabetic ketoacidosis**, or traumatic brain ...