

## Match Overview

1	<b>Crossref</b> 106 words Hackett, G., A. H. Heald, A. Sinclair, P. W. Jones, R. C. Strange, and S. Ramachandran. "Serum testosterone, testoster	3%
2	<b>Internet</b> 25 words crawled on 29-Oct-2016 <a href="http://www.archinterieur.com">www.archinterieur.com</a>	1%
3	<b>Internet</b> 13 words crawled on 02-Oct-2016 <a href="http://f1000.com">f1000.com</a>	<1%

Name of journal: *World Journal of Diabetes*

ESPS Manuscript NO: 31044

Manuscript Type: Original Article

*Retrospective Cohort Study*

**Statin, testosterone and phosphodiesterase 5-inhibitor treatments and age related mortality in diabetes**

Geoffrey Hackett, Peter W Jones, Richard C Strange, Sudarshan Ramachandran

### Abstract

#### AIM

To determine how statins, testosterone (T) replacement therapy (TRT) and phosphodiesterase 5-inhibitors (PDE5I) influence age related mortality in diabetic men.

Statin, testosterone and phosphodiesterase 5-inhibitor treatments and age relate



全部 图片 视频 新闻 购物 地图 图书

找到约 23,200 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Google 学术: Statin, testosterone and phosphodiesterase 5-inhibitor treatments and age related mortality in diabetes](#)

[Phosphodiesterase type 5 \(PDE5\) inhibitors in erectile ...](#) - Corona - 被引用次数: 74

[Endothelial dysfunction and erectile dysfunction in the ...](#) - Aversa - 被引用次数: 73

[Report: The Second Princeton Consensus on Sexual ...](#) - Jackson - 被引用次数: 341

[Abstract View](#)

<https://essm.congress-online.com/guest/AbstractView?ABSID...>

The modifying effects of **testosterone**, **statin** and **phosphodiesterase 5 inhibitor** treatments on the relationship between **age** and **mortality** in type 2 **diabetes**.

[Serum testosterone, testosterone replacement therapy and ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/26916621>

24 Feb 2016 ... Hackett G(1),(2), Heald AH(3), Sinclair A(1),(4), Jones PW(5), Strange ...  
BACKGROUND: Low **testosterone** levels occur in over 40% of men with type 2 **diabetes** ... with **statins** and **phosphodiesterase 5 inhibitors** (PDE5I) are widely used ... **testosterone** replacement **therapy** (TRT) on mortality and assess the ...

[Testosterone levels, testosterone therapy and all-cause mortality in ...](#)

[www.agelessforever.net/.../testosterone-levels-testosterone-therapy-and-all-cause-mortality-in-men-with-type-2-diabetes-impact-of-pde5-inhi...](http://www.agelessforever.net/.../testosterone-levels-testosterone-therapy-and-all-cause-mortality-in-men-with-type-2-diabetes-impact-of-pde5-inhi...)

24 Mar 2016 ... Type 2 **diabetic** men often have dyslipidemia [9] and erectile dysfunction [10, 11], and hence **statins** and **phosphodiesterase 5 inhibitors** ...

[Serum testosterone, testosterone replacement therapy and all-cause ...](#)

[https://www.researchgate.net/.../296056698\\_Serum\\_testosterone\\_testosterone\\_replacement\\_therapy\\_and\\_all-cause\\_mortality\\_in\\_men\\_with\\_type\\_2\\_...](https://www.researchgate.net/.../296056698_Serum_testosterone_testosterone_replacement_therapy_and_all-cause_mortality_in_men_with_type_2_...)

Low **testosterone** levels occur in over 40% of men with type 2 **diabetes** mellitus ... **Testosterone**

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 25,600 条结果 (用时 0.71 秒)

## Google 学术: Statin, testosterone and phosphodiesterase 5-inhibitor treatments and age related mortality in diabetes

Phosphodiesterase type 5 (PDE5) inhibitors in erectile ... - [Corona](#) - 被引用次数: 76

Endothelial dysfunction and erectile dysfunction in the ... - [Aversa](#) - 被引用次数: 73

Report: The Second Princeton Consensus on Sexual ... - [Jackson](#) - 被引用次数: 342

## Serum testosterone, testosterone replacement therapy and all ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26916621> - 翻译此页

作者: G Hackett - 2016 - 被引用次数: 8 - 相关文章

2016年2月24日 - Hackett G(1,)(2), Heald AH(3), Sinclair A(1,)(4), Jones PW(5), Strange ...

BACKGROUND: Low **testosterone** levels occur in over 40% of men with type 2 **diabetes** ... with **statins** and **phosphodiesterase 5 inhibitors** (PDE5i) are widely used ... **testosterone** replacement **therapy** (TRT) on **mortality** and assess the ...

## Testosterone and phosphodiesterase type-5 inhibitors: new strategy ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - 翻译此页

作者: A Aversa - 2009 - 被引用次数: 22 - 相关文章

The **age-related testosterone** (T) decline may affect either arterial reactivity or ... **diabetes** and CVD, all conditions with an increased morbidity and **mortality** [Jones, 2007]. ..... A significant effect of **statins** in lowering total T and SHBG levels in a ..... (2004) Type 5 **phosphodiesterase inhibitor treatments** for erectile dysfunction ...

## Abstract View

<https://essm.congress-online.com/guest/AbstractView?ABSID=9972> ▼ 翻译此页