

Name of Journal: *World Journal of Diabetes*

Manuscript NO: 32589

Manuscript Type: Original Article

Observational Study

Risk factors for low high-density lipoprotein among Asian Indians in the United States

Brandon Lucke-Wold, Ranjita Misra, Thakor G Patel

Abstract

AIM

Match Overview

| | | |
|---|--|-----|
| 1 | Internet: 42 words crawled on 02-May-2010 www.heartsmart.info | 1% |
| 2 | Internet: 23 words crawled on 11-Apr-2014 www.pkoone.org | 1% |
| 3 | Internet: 20 words crawled on 08-Feb-2017 sciencepub.net | 1% |
| 4 | Internet: 10 words crawled on 16-Jan-2017 cardiab.biomedcentral.com | <1% |

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 73,200 条结果 (用时 0.85 秒)

Prevalence and risk factors for metabolic syndrome in Asian Indians: A ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: DS Prasad - 2012 - 被引用次数: 84 - 相关文章

Search term [2,10] Metabolic syndrome and cardiovascular risk in Asian Indians/South ... Asian Indians have an increased prevalence of coronary heart disease ... This was a cross-sectional population survey and the study population was Low HDL (84.5%) was the commonest abnormality among females, followed by ...

Metabolic syndrome in South Asians

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: K Pandit - 2012 - 被引用次数: 56 - 相关文章

All classical risk factors comprising the MetS are prevalent in Asian Indians ... were at risk of developing diabetes and cardiovascular diseases (CVD) in the future. ... the population had low levels of high-density lipoprotein cholesterol (HDL-C). Metabolic Syndrome and Atherosclerosis in South Asians Living in America ...

A Comprehensive Review on Metabolic Syndrome

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: J Kaur - 2014 - 被引用次数: 467 - 相关文章

2014年3月11日 - Search database ... MetS is considered as a first order risk factor for atherothrombotic complications. ... of risk factors for diabetes and cardiovascular disease" and named it MetS is a state of chronic low grade inflammation as a consequence Prevalence of the metabolic syndrome in US populations.

Diabetes and Cardiovascular Disease | Circulation

circ.ahajournals.org/content/100/10/1134 ▾ 翻译此页

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 2,190,000 条结果 (用时 0.94 秒)

Risk Factors among Asian Indians | Cadi

www.cadiresearch.org > Topic > Asian Indian Heart Disease > CADI US ▾ [翻译此页](#)

Differences in prevalence of **risk factors** between **Asian Indian** physicians ... Smoking, Obesity, Diabetes, TC, TG, **HDL**, Non-HDL-C, **LDL-C**, Lp(a) ... **Asian Indians** in the **US** have **high** prevalence of elevated **lipoprotein(a)**, ... **Asian Americans** have greater prevalence of metabolic syndrome despite **lower** body mass index.

Low high-density lipoprotein cholesterol is associated with ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/16259476> - [翻译此页](#)

作者: KA Packard - 2005 - 被引用次数: 12 - [相关文章](#)

Low high-density lipoprotein cholesterol is associated with impaired endothelial function in **Asian Indians**. ... **between** plasma lipid levels and endothelial function in **Asian Indians** without cardiovascular **risk factors** living in the **United States**.

Lipoprotein abnormalities in South Asians and its association with ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: O Bilen - 2016 - 被引用次数: 5 - [相关文章](#)

2016年3月26日 - South **Asians** have a **high** prevalence of coronary heart disease (CHD) ... Although CHD rates in the general **United States** population have ... **LDL-C** levels did not discriminate **between Asian Indian** and non-**Asian Indian** males[30]. ... **Low HDL-C** level (< 40 mg/dL) was defined as a CHD **risk factor** by the ...

Evaluation of Lp[a] and other independent risk factors for CHD in ...

www.jlr.org/content/42/4/631.long - [翻译此页](#)

作者: RC Hoogeveen - 2001 - 被引用次数: 102 - [相关文章](#)

Several studies have identified additional CHD **risk factors** in **Asian Indians**, ... body obesity with an increase in waist-to-hip ratio **low** levels of **high density lipoprotein** - Because of the association **between**

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,940,000 条结果 (用时 0.69 秒)

Risk Factors among Asian Indians | Cadi

www.cadiresearch.org > Topic > Asian Indian Heart Disease > CADI US ▾ [翻译此页](#)

Differences in prevalence of risk factors between Asian Indian physicians ... Smoking, Obesity, Diabetes, TC, TG, HDL, Non-HDL-C, LDL-C, Lp(a) ... Asian Indians in the US have high prevalence of elevated lipoprotein(a), ... Asian Americans have greater prevalence of metabolic syndrome despite lower body mass index.

Lipoprotein abnormalities in South Asians and its association with ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: O Bilal - 2016 - 被引用次数: 5 - 相关文章

2016年3月26日 - South Asians have a high prevalence of coronary heart disease (CHD) ... Although CHD rates in the general United States population have ... LDL-C levels did not discriminate between Asian Indian and non-Asian Indian males[30]. ... Low HDL-C level (< 40 mg/dL) was defined as a CHD risk factor by the ...

Low high-density lipoprotein cholesterol is associated with impaired ...

<https://www.ncbi.nlm.nih.gov/pubmed/16259476> - [翻译此页](#)

作者: KA Packard - 2005 - 被引用次数: 12 - 相关文章

Low high-density lipoprotein cholesterol is associated with impaired endothelial function in Asian Indians. ... between plasma lipid levels and endothelial function in Asian Indians without cardiovascular risk factors living in the United States.

Excess coronary artery disease risk in South Asian immigrants: Can ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: S Dodani - 2008 - 被引用次数: 52 - 相关文章

New risk factors and markers like dysfunctional HDL and genetic ... South Asian Indian women in