Quotes Included Bibliography Included

SIMILAR

Thenticate[®]

Name of Journal: World Journal of Gastrointestinal Surgery

Manuscript NO: 65187

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Calibration of carbohydrate antigen 19-9 as a novel prognostic biomarker in distal cholangiocarcinoma

Jiang T et al. CA19-9/GGT represents prognostic biomarker for DCC

Tao Jiang, Shao-Cheng Lyu, Lin Zhou, Jing Wang, Han Li, Qiang He, Ren Lang

Abstract

BACKGROUND

Distal cholangiocarcinoma (DCC) presents as one of the relatively rare malignant tumors in the digestive system and has a poor long-term prognosis, curative resection is currently the most appropriate therapy for patients with DCC because of lacking

Match Overview - Intr Crossref 178 words 4% Shaocheng Lyu, Fangfei Wang, Di Cao, Qiang He. "Corre lation analysis of CA19-9/Glutamyltransferase ratio and lo Crossref 124 words 3% Xin Yin, Su-Su Zheng, Bo-Heng Zhang, Ying Zhou, Xiao-Hong Chen, Zheng-Gang Ren, Shuang-Jian Qiu, Jia Fan Internet 72 words 2% crawled on 14-Oct-2020 worldwidescience.org Internet 49 words 1% crawled on 24-Aug-2020 insights.ovid.com Crossref 30 words 1% "Abstracts for the 9th Congress of the Asian Pacific Soc ... y of Respirology 10-13 December, Hong Kong", Respirolo Internet 29 words 1% crawled on 18-Jan-2021 pesquisa.bysalud.org Crossref 24 words 150 Shaocheng Lyu, Fangfei Wang, Zhangyong Ren, Qiang H e. "Correlation analysis of CA19-9/Glutamyltransferase ra Internet 23 words 1% crawled on 05-Jul-2010 lib.bioinfo.pl



Calibration of carbohydrate antigen 19-9 as a novel prognostic indi





Sign in

in =

Add the Give with Bing extension >

8,970 Results

ALL

Any time ▼

VIDEOS

国际版

IMAGES

Ratio of CA19-9 level to total bilirubin as a novel ...

https://gs.amegroups.com/article/view/65449/html •

Background: Ratio of carbohydrate antigen 19-9 level to total bilirubin (CA19-9/TB) is used to reduce the influence of obstructive jaundice on the concentration of CA19-9, thereby determining the correlation between CA19-9/TB and tumor recurrence or long-term prognosis of patients with pancreatic head cancer (PHC). Methods: In this study, a total of 339 patients were enrolled.

Author: Wen-Li Xu, Jing Wang, Shao-Cheng Lyu, ... Publish Year: 2021

Preoperative Bilirubin-Adjusted Carbohydrate Antigen 19-9 ...

https://www.dovepress.com/preoperative-bilirubin... •

Jan 20, 2020 · Preoperative Bilirubin-Adjusted Carbohydrate Antigen 19-9 as a Prognostic Factor for Extrahepatic Cholangiocarcinoma Patients at a Single Center. Purpose: The aims of our study were to investigate the prognostic impact of the rate of preoperative serum carbohydrate antigen 19-9/bilirubin (CA19-9/BR) on patients with extrahepatic bile duct cancer.

Author: Jiayi Li, Qiao Chen, Bao Jin, Yue Shi, Xia... Publish Year: 2020

C-reactive protein is a prognostic indicator in patients ...

https://europepmc.org/article/PMC/PMC4088232 -

Sep 01, 2006 • PT: Prothrombin time, CRP: C-reactive protein, CA 19-9: Carbohydrate-Antigen 19-9.

Significant in the multivariate analysis (a P < 0.05). Patients with a CRP level < 12 mg/L at the time of diagnosis had a significantly longer median estimated survival than patients with higher CRP values (16.2 vs 7.6 mo; P = 0.009) (Figure (Figure 2). 2).

[PDF] Intrahepatic cholangiocarcinoma prognostic determination ...

https://core.ac.uk/download/pdf/81902616.pdf

features, including gender, advanced tumor stage, and elevated carcinoembryonic antigen and carbohydrate antigen 19-9 levels (P<0.05). Univariate analysis demonstrated a significant association between high levels of serum CRP and adverse cancer-specific survival (P=0.001) and recurrence-free survival (P<0.001). In patients with

Intrahepatic cholangiocarcinoma prognostic determination ...

https://bmccancer.biomedcentral.com/articles/10.1186/s12885-016-2827-7 •

Oct 12, 2016 · An elevated serum CRP level was significantly correlated with gender, advanced tumor stage, elevated ALT, AST, carcinoembryonic antigen (CEA), carbohydrate antigen 19-9 (CA19-9) levels and intraepithelial ductal spread (P < 0.05).

Cited by: 17 Author: Zi Ying Lin, Zhen Xing Liang, Pei Lin Zhuan...

Publish Year: 2016 Estimated Reading Time: 10 mins

A novel and validated nomogram to predict overall survival ...

https://www.jcancer.org/v10p5944.htm -

Abstract Introduction Materials and Methods Results Disc >

Background: This study aims to develop and validate an effective nomogram to estimate the individual outcome of patients with Gastric neuroendocrine neoplasms (G-NENs). Methods: A total of 260 patients diagnosed with G-NENs at two medical centers were included, with 156 patients allocated as training set and 104 patients as validation. Predictive nomogram was constructed based on multivariate analyses using RMS package in R version. The predictive accuracy and discriminative ability were analyzed by C-i...

See more on jcancer.org

Some results are removed in response to a notice of local law requirement. For more information, please see here.

Search Tools

Turn off Hover Translation

