

Name of journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 19647

Manuscript Type: Original Article

Basic Study

Response to chemoradiotherapy and lymph node involvement in locally advanced rectal cancer

Luis J García-Flórez, Guillermo Gómez-Álvarez, Ana M Frunza, Luis Barneo-Serra, Manuel F Fresno-Forcelledo

Abstract

AIM: To establish the association between lymph node involvement and the response to neoadjuvant therapy in locally advanced rectal cancer.

Match Overview

Match Number	Source	Words	Similarity
1	CrossCheck	68 words	3%
	"The American Society of Colon and Rectal Surgeons", <i>Diseases of the Colon & Rectum</i> , 2014.		
2	CrossCheck	22 words	1%
	Leibold, Tobias, Vanessa W. Hui, Jinru Shia, Jeannine A. Ruby, Elyn R. Riedel, and José G. Guillem. "p27 expression		
3	Internet	21 words	1%
	crawled on 21-Jan-2014 www.sages.org		
4	CrossCheck	20 words	1%
	Yu, Stanley KT, Uday B Patel, Diana M Tait, and Gina Br... wn. "Primary staging and response assessment postchem		
5	CrossCheck	19 words	1%
	Guedj, N.. "Predictors of tumor response after preoperat... e chemoradiotherapy for rectal adenocarcinomas", <i>Human</i>		
6	CrossCheck	13 words	<1%
	"Abstracts", <i>Radiotherapy and Oncology</i> , 200009		

[网页](#)[新闻](#)[视频](#)[购物](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 170,000 条结果 (用时 1.00 秒)

Google 学术: Response to chemoradiotherapy and lymph node involvement in locally advanced rectal cancer

... chemoradiotherapy for locally advanced rectal cancer - Ryan - 被引用次数: 181

... after preoperative chemoradiotherapy for rectal cancer - Rödel - 被引用次数: 711

... chemoradiotherapy in locally advanced rectal cancer ... - Gérard - 被引用次数: 233

A Case of Marked Response to Preoperative ...

www.internationalsurgery.org/doi/pdf/10.9738/1389.1 ▾ 翻译此页

作者: A Horiuchi - 2011 - 相关文章

A 67-year-old man had rectal cancer with para-aortic lymph node metastasis. Prior to surgical ... cancer.1 Moreover, chemoradiotherapy that includes chemotherapy radiation therapy in patients with locally advanced rectal cancer. Cancer

Advances and Challenges in Treatment of Locally ...

jco.ascopubs.org/content/early/2015/.../JCO.2014.60.1054.full - 翻译此页

作者: JJ Smith - 2015 - 被引用次数: 1 - 相关文章

2015年4月27日 - (D) A locally advanced rectal cancer specimen (patient underwent ... between groups, nor was the number of lymph nodes retrieved. involvement of the peritoneal reflection, and distance of tumor from The TIMING trial (NCT00335816;

Timing of Rectal Cancer Response to Chemoradiotherapy Trial)

[网页](#) [新闻](#) [图片](#) [视频](#) [更多](#) [搜索工具](#)

找到约 244,000 条结果 (用时 1.15 秒)

Google 学术: Response to chemoradiotherapy and lymph node involvement in locally advanced rectal cancer

... chemoradiotherapy for locally advanced rectal cancer - Ryan - 被引用次数: 184

... after preoperative chemoradiotherapy for rectal cancer - Rödel - 被引用次数: 713

... chemoradiotherapy in locally advanced rectal cancer ... - Gérard - 被引用次数: 234

A Case of Marked Response to Preoperative ...

www.internationalsurgery.org/doi/pdf/10.9738/1389.1 ▾ [翻译此页](#)

作者: A Horiuchi - 2011 - [相关文章](#)

A 67-year-old man had **rectal cancer** with para-aortic **lymph node metastasis**. ... rectal cancer.1 Moreover, **chemoradiotherapy** that includes ... the **local** recurrence rate and increase the survival In the present case, the patient had **advanced**.

Advances and Challenges in Treatment of Locally ...

jco.ascopubs.org/content/early/2015/.../JCO.2014.60.1054.full - [翻译此页](#)

作者: JJ Smith - 2015 - 被引用次数: 1 - [相关文章](#)

2015年4月27日 - (D) A **locally advanced rectal cancer** specimen (patient underwent ... between groups, nor was the number of **lymph nodes** retrieved. **involvement** of the peritoneal reflection, and distance of tumor from The TIMING trial (NCT00335816; Timing of Rectal Cancer Response to Chemoradiotherapy Trial), ...

Downstaging after chemoradiotherapy for locally advanced ...

www.ncbi.nlm.nih.gov/pubmed/20173469 ▾ [翻译此页](#)

作者: ED Mignanelli - 2010 - 被引用次数: 56 - [相关文章](#)

Downstaging after **chemoradiotherapy** for **locally advanced rectal cancer**: is there ... In this pathologic complete-response group, positive **lymph nodes** were found ... should