



22463-Review

 Quotes Excluded
 Bibliography Excluded

 3%
 SIMILAR

Name of Journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 22463

Manuscript Type: Minireviews

Doppler-guided hemorrhoidal dearterialization/transanal hemorrhoidal dearterialization: Technical evolution and outcomes after 20 years

Marleny Novaes Figueiredo, Fábio Guilherme Campos

Abstract

In the setting of Hemorrhoidal Disease treatment, the option of conventional hemorrhoidectomy is highly effective, but it is still associated with postoperative pain and discomfort. For this reason, technical alternatives have been developed in order to reduce complications and to provide better

Match Overview

| | | |
|---|---|-----|
| 1 | CrossCheck 32 words "6th National Congress of the Italian Society of ColoRectal Surgery Patients First: Quality of Care, Management, Multi | 1% |
| 2 | CrossCheck 17 words S. Avital. "Five-year follow-up of Doppler-guided hemorrhoidal artery ligation", <i>Techniques in Coloproctology</i> , 12/22/2 | 1% |
| 3 | CrossCheck 12 words Lohsiriwat, Varut. "Treatment of hemorrhoids: A coloproctologist's view", <i>World Journal of Gastroenterology</i> , 2015. | <1% |
| 4 | Publications 11 words "New Data from A. Testa et al Illuminate Research in Hemorrhoids.(Clinical report)", <i>Medical Devices & Surgical Tech</i> | <1% |
| 5 | CrossCheck 8 words "Posters", <i>Colorectal Disease</i> , 2012. | <1% |
| 6 | CrossCheck 8 words "Oral Poster Presentations", <i>Colorectal Disease</i> , 09/2009 | <1% |

[全部](#)[购物](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 1,200 条结果 (用时 0.71 秒)

显示的是以下查询字词的结果: Doppler-guided hemorrhoidal dearterialization/transanal hemorrhoidal dearterialization:

Technical **evaluation** and outcomes after 20 years

仍然搜索: Doppler-guided hemorrhoidal dearterialization/transanal hemorrhoidal dearterialization: Technical evolution and outcomes after 20 years

Evaluation of transanal hemorrhoidal dearterialization: a ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: GD LaBella - 2015 - 被引用次数: 1 - [相关文章](#)

2015年1月31日 - Tech Coloproctol. ... A phone interview was used for follow-up at 1 year to determine the rate of ... Transanal hemorrhoidal dearterialization is sometimes used ... Three weeks after surgery, patients were asked to assess their pain on a Doppler-guided haemorrhoidal artery ligation: long-term outcome and ...

Doppler-Guided Transanal Hemorrhoidal Dearterialization

https://www.empireblue.com/.../policies/mp_pw_c183647.htm ▾ [翻译此页](#)

2015年10月6日 - Dearterialization by Doppler-guided transanal hemorrhoidal artery ligation ... to THD with anopexy (group A, n=20) or open hemorrhoidectomy (group B,

[全部](#)[购物](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 1,200 条结果 (用时 0.71 秒)

显示的是以下查询字词的结果: Doppler-guided hemorrhoidal dearterialization/transanal hemorrhoidal dearterialization:

Technical *evaluation* and outcomes after 20 years

仍然搜索: Doppler-guided hemorrhoidal dearterialization/transanal hemorrhoidal dearterialization: Technical evolution and outcomes after 20 years

[Evaluation of transanal hemorrhoidal dearterialization: a ...](#)

www.ncbi.nlm.nih.gov > ... > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: GD LaBella - 2015 - 被引用次数: 1 - [相关文章](#)

2015年1月31日 - [Tech Coloproctol.](#) ... A phone interview was used for follow-up at 1 year to determine the rate of ... [Transanal hemorrhoidal dearterialization](#) is sometimes used ... Three weeks [after](#) surgery, patients were asked to assess their pain on a [Doppler-guided](#) haemorrhoidal artery ligation: long-term [outcome](#) and ...

[Doppler-Guided Transanal Hemorrhoidal Dearterialization](#)

https://www.empireblue.com/.../policies/mp_pw_c183647.htm ▾ [翻译此页](#)

2015年10月6日 - [Dearterialization](#) by [Doppler-guided transanal hemorrhoidal](#) artery ligation ... to THD with anopexy (group A, n=20) or open hemorrhoidectomy (group B,



[全部](#) [图片](#) [新闻](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 1,110 条结果 (用时 0.59 秒)

您是不是要找: [Doppler-guided hemorrhoidal dearterialization/transanal hemorrhoidal dearterialization: Technical *evaluation* and outcomes after 20 years](#)

Doppler-Guided Transanal Hemorrhoidal Dearterialization

https://www.empireblue.com/.../policies/mp_pw_c183647.htm ▾ [翻译此页](#)

2015年10月6日 - Dearterialization by Doppler-guided transanal hemorrhoidal artery ligation ... THD with anopexy (group A, n=20) or open hemorrhoidectomy (group B, n=20). ... was performed preoperatively, after 2 to 4 months, and after 1 year. ... Outcomes were measured by duration of the operation, Tech Coloproctol.

Evaluation of transanal hemorrhoidal dearterialization: a ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: GD LaBella - 2015 - 被引用次数: 1 - 相关文章

2015年1月31日 - Tech Coloproctol. ... A phone interview was used for follow-up at 1 year to determine the rate of ... Transanal hemorrhoidal dearterialization is sometimes used ... Three weeks after surgery, patients were asked to assess their pain on a Doppler-guided haemorrhoidal artery ligation: long-term outcome and ...

缺少字词: evolution

Doppler-guided transanal haemorrhoidal dearterialization ...

onlinelibrary.wiley.com > ... > Vol 17 Issue 1 > Abstract - [翻译此页](#)

作者: C Ratto - 2015 - 被引用次数: 5 - 相关文章

2014年12月23日 - [4] described Doppler-guided transanal ligation of haemorrhoidal arteries to In patients with prolapsing haemorrhoids needing a mucopexy, after (180 men, mean age 48.6 ± 13.1 years, range 20–86) were evaluated after a has evolved over time; initially, the dearterialization was performed at 6–7 ...