

Name of Journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 22749

Manuscript Type: Review

Implications of preoperative hypoalbuminemia in colorectal surgery

Adam Truong, Mark H Hanna, Zhobin Moghadamyeghaneh, Michael J Stamos

1

## Match Overview

1	CrossCheck 57 words Pasha J. Nisar. "Preoperative hypoalbuminemia is associated with adverse outcomes after ileoanal pouch surgery"	1%
2	CrossCheck 46 words Park, James H., David G. Watt, Campbell S. D. Roxburgh, Paul G. Horgan, and Donald C. McMillan. "Colorectal"	1%
3	CrossCheck 33 words Spinelli, A., M. Allocca, M. Jovani, and S. Danese. "Review article: optimal preparation for surgery in Crohn's disease"	<1%
4	CrossCheck 29 words Burl R. Don. "Serum Albumin: Relationship to Inflammation and Nutrition", <i>Seminars in Dialysis</i> , 11/2004	<1%
5	CrossCheck 27 words Derek B. Hennessey. "Preoperative Hypoalbuminemia is an Independent Risk Factor for the Development of Sepsis"	<1%
6	CrossCheck 24 words Complexities in Colorectal Surgery, 2014.	<1%

## Articles

## Case law

## My library

## Any time

## Since 2016

## Since 2015

## Since 2012

## Custom range...

## Sort by relevance

## Sort by date

☒ include patents☒ include citations☐ Create alert

**Preoperative hypoalbuminemia** is an independent risk factor for the development of **surgical** site infection following gastrointestinal **surgery**: a multi-institutional study

DB Hennessey, JP Burke, T Ni-Dhonochu... - ... of **surgery**, 2010 - journals.lww.com

... in an incisional wound within 30 days of **surgery** and significantly **effects** patient recovery ... However, there is a relative dearth of information regarding the **effect** of **hypoalbuminemia** ... Using the hospital laboratory computer records system, **preoperative** serum albumin levels were ...

Cited by 104 Related articles All 4 versions Cite Save

[HTML] A clinical pathway to accelerate recovery after colonic resection

[HTML] from nih.gov

L Basse, DH Jakobsen, P Billesbølle, M Werner... - ... of **surgery**, 2000 - ncbi.nlm.nih.gov

... These results may have important **implications** for the care of patients after colonic **surgery** and ... 15,16,19 Therefore, the multimodal **effect** seems rational and probably necessary to achieve major ... **Effects** of **perioperative** analgesic technique on rate of recovery after **colon surgery**. ...

Cited by 760 Related articles All 8 versions Cite Save

[HTML] **Pre-operative hypoalbuminemia** is a major risk factor for postoperative complications following rectal cancer **surgery**

[HTML] from nih.gov

V Lohsiriwat, D Lohsiriwat, W Boonnuch... - World journal of ..., 2008 - ncbi.nlm.nih.gov

... [PubMed]. 12. Van Cutsem E, Arends J. The causes and **consequences** of cancer-associated malnutrition. ... Irvin TT, Hunt TK. **Effect** of malnutrition on colonic healing. ... The **effects** of subclinical malnutrition and refeeding on the healing of experimental colonic anastomoses. ...

Cited by 78 Related articles All 12 versions Cite Save

Low **preoperative** serum albumin in **colon cancer**: a risk factor for poor outcome

CC Lai, JF You, CY Yeh, JS Chen, R Tang... - ... journal of **colorectal** ..., 2011 - Springer

... Table 3 Postoperative morbidity and mortality according to **preoperative** albumin level ... In the present study, 18.6% of **colon cancer** patients were **hypoalbuminemic**. ... However, **hypoalbuminemia** is not an independent condition of **surgical** patients; certain types of diseases and ...



学术搜索

找到约 3,500 条结果 (用时0.06秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

**Preoperative hypoalbuminemia** is an independent risk factor for the development of **surgical site infection following gastrointestinal surgery**: a multi-institutional study

DB Hennessey, JP Burke, T Ni-Dhonochu... - ... of surgery, 2010 - journals.lww.com

... in an incisional wound within 30 days of surgery and significantly effects patient recovery ... However, there is a relative dearth of information regarding the effect of hypoalbuminemia ... Using the hospital laboratory computer records system, preoperative serum albumin levels were ...

被引用次数: 104 相关文章 所有 4 个版本 引用

[HTML] A clinical pathway to accelerate recovery after colonic resection

L Basse, DH Jakobsen, P Billesbølle, M Werner... - ... of surgery, 2000 - ncbi.nlm.nih.gov

... These results may have important implications for the care of patients after colonic surgery and ... 15,16,19 Therefore, the multimodal effect seems rational and probably necessary to achieve major ... Effects of perioperative analgesic technique on rate of recovery after colon surgery. ...

被引用次数: 762 相关文章 所有 8 个版本 引用

[HTML] Pre-operative hypoalbuminemia is a major risk factor for postoperative complications following rectal cancer surgery

V Lohsiriwat, D Lohsiriwat, W Boonnuch... - World journal of ..., 2008 - ncbi.nlm.nih.gov

... [PubMed]. 12. Van Cutsem E, Arends J. The causes and consequences of cancer-associated malnutrition. ... Irvin TT, Hunt TK. Effect of malnutrition on colonic healing. ... The effects of subclinical malnutrition and refeeding on the healing of experimental colonic anastomoses. ...

被引用次数: 78 相关文章 所有 12 个版本 引用

Low preoperative serum albumin in colon cancer: a risk factor for poor outcome

CC Lai, JF You, CY Yeh, JS Chen, R Tang... - ... journal of colorectal ..., 2011 - Springer

... Table 3 Postoperative morbidity and mortality according to preoperative albumin level ... In the present study, 18.6% of colon cancer patients were hypoalbuminemic. ... However, hypoalbuminemia is not an independent condition of surgical patients; certain types of diseases and ...

被引用次数: 75 相关文章 所有 10 个版本 引用

nih.gov 中的 [HTML]

nih.gov 中的 [HTML]

[全部](#)[新闻](#)[图片](#)[视频](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 16,900 条结果（用时 0.46 秒）

## Google 学术: Implications of preoperative hypoalbuminemia in colorectal surgery

Preoperative hypoalbuminemia is an independent risk ... - Hennessey - 被引用次数: 106

A clinical pathway to accelerate recovery after colonic ... - Basse - 被引用次数: 760

Improvement in perioperative outcome after hepatic ... - Jarnagin - 被引用次数: 1192

### Pre-operative hypoalbuminemia in colorectal cancer ...

[www.ncbi.nlm.nih.gov/pubmed/24331321](http://www.ncbi.nlm.nih.gov/pubmed/24331321) - 翻译此页

作者: D Ionescu - 2013 - 被引用次数: 10 - 相关文章

Pre-operative hypoalbuminemia in colorectal cancer patients undergoing elective ...  
BACKGROUND: The incidence of hypoalbuminemia in surgical patients varies ... in Romania and the impact of hypoalbuminemia on perioperative outcome.

### Pre-operative hypoalbuminemia is a major risk factor for ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: V Lohsiriwat - 2008 - 被引用次数: 74 - 相关文章

2008年2月28日 - Pre-operative hypoalbuminemia is a major risk factor for postoperative ... following rectal cancer surgery, and to evaluate the effect of ... In case of sphincter-saving operation, colorectal anastomosis was performed without ...

### Pre-operative hypoalbuminemia in colorectal cancer ...

[www.pubfacts.com/.../Pre-operative-hypoalbuminemia-in-color...](http://www.pubfacts.com/.../Pre-operative-hypoalbuminemia-in-color...) ▾ 翻译此页

252 patients undergoing scheduled colorectal surgery with anastomosis have been ...  
The high incidence of hypoalbuminemia in our patients justifies preoperative ... Further studies are needed to exactly quantify the impact of smoking and ...