

Name of Journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 21718

Manuscript Type: Review

Parenchymal-sparing liver surgery in patients with colorectal carcinoma liver metastases

Fernando A Alvarez, Rodrigo Sanchez Claria, Sebastian Oggero, Eduardo de Santibañes

## Abstract

Liver resection is the treatment of choice for patients with colorectal liver metastases

(CLM). However, major resections are often required to achieve R0 resection, which

### Match Overview

1	CrossCheck 132 words Jason S. Gold, "Increased Use of Parenchymal-Sparing Surgery for Bilateral Liver Metastases From Colorectal ...	1%
2	Internet 86 words crawled on 02-Jul-2015 eduardodesantibanes.com	1%
3	CrossCheck 80 words Guido Torzilli, "Systematic Extended Right Posterior Sect ionectomy", <i>Annals of Surgery</i> , 04/2008	1%
4	CrossCheck 80 words Mise, Yoshihiro, Thomas A. Aloia, Kristoffer W. Brudvik, L ilian Schwarz, Jean-Nicolas Vauthey, and Claudius Conr	1%
5	CrossCheck 43 words Montalti, Roberto, Federico Tomassini, Stéphanie Laure nt, Peter Smeets, Marc De Man, Karen Geboes, Louis J.	<1%
6	CrossCheck 43 words Maximilian Heesen, "Parenchyma-preserving hepatic r ... section for colorectal liver metastases", <i>Langenbeck's Ar</i>	<1%
7	Internet 41 words crawled on 22-Nov-2008	<1%

[All](#)[Images](#)[News](#)[Shopping](#)[Videos](#)[More ▾](#)[Search tools](#)

About 37,200 results (0.61 seconds)

## Scholarly articles for **Parenchymal-sparing liver surgery in patients with colorectal carcinoma liver metastases**

... **surgery** for bilateral **liver metastases** from colorectal ... - Gold - Cited by 112  
... in perioperative outcome after **hepatic resection**: ... - Jarnagin - Cited by 1196  
... of **surgical** therapy for **hepatic colorectal metastases**: is ... - Khatri - Cited by 236

**Increased use of parenchymal-sparing surgery for ... - NCBI**  
[www.ncbi.nlm.nih.gov/...](http://www.ncbi.nlm.nih.gov/...) ▾ National Center for Biotechnology Information ▾  
by JS Gold - 2008 - Cited by 112 - Related articles  
**Increased use of parenchymal-sparing surgery** for bilateral **liver metastases** ...  
**liver resection** for patients with bilateral **hepatic metastases** from **colorectal cancer**.

**Patient selection for hepatic resection for metastatic ... - NCBI**  
[www.ncbi.nlm.nih.gov/...](http://www.ncbi.nlm.nih.gov/...) ▾ National Center for Biotechnology Information ▾  
by MJ Weiss - 2012 - Cited by 8 - Related articles  
Jan 12, 2012 - Every **patient** evaluated for **hepatic resection** for **colorectal cancer** should .... **patients** is the use of **parenchymal sparing resection** techniques.

**Colon Cancer: Management of Hepatic Metastases from ...**  
[www.ncbi.nlm.nih.gov/...](http://www.ncbi.nlm.nih.gov/...) ▾ National Center for Biotechnology Information ▾  
by KR Sheth - 2005 - Cited by 17 - Related articles  
Keywords: **Hepatic metastases**, **colorectal cancer**, **hepatic resection**, **hepatic** ...  
Metastatic **liver** disease is found in 10% to 25% of **patients** having **surgery** for ..... of  
the agents within tumor cells while **sparing** the normal **hepatic parenchyma**.

**Improvement in Survival for Patients with Liver Metastases ...**  
<https://www.mskcc.org/.../impro...> ▾ Memorial Sloan Kettering Cancer Center ▾  
Dec 6, 2013 - For **patients with colorectal cancer metastases** limited to the **liver**, ...  
use of new **parenchymal-sparing** techniques in **hepatic resection** is a likely ...

全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 36,800 条结果 (用时 0.64 秒)

## Google 学术: Parenchymal-sparing liver surgery in patients with colorectal carcinoma liver metastases

... surgery for bilateral liver metastases from colorectal ... - Gold - 被引用次数: 112

... in perioperative outcome after hepatic resection: ... - Jarnagin - 被引用次数: 1201

... of surgical therapy for hepatic colorectal metastases: is ... - Khatri - 被引用次数: 236

## Current treatment for colorectal liver metastases - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: EP Misiakos - 2011 - 被引用次数: 46 - 相关文章

2011年9月28日 - Almost half of patients undergoing resection for primary CRC eventually

... Liver metastases from colorectal cancer carry a median survival of 5 to 20 mo if left ...

with tumor-free surgical margins (R0 resection), sparing at least two liver ... (2)

anatomically defining the lesion in the liver parenchyma for surgical ...

## Patient selection for hepatic resection for metastatic ... - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: MJ Weiss - 2012 - 被引用次数: 9 - 相关文章

2012年1月12日 - Every patient evaluated for hepatic resection for colorectal cancer

should .... patients is the use of parenchymal sparing resection techniques.

## Increased use of parenchymal-sparing surgery for bilateral ...

[www.ncbi.nlm.nih.gov/pubmed/18156930](http://www.ncbi.nlm.nih.gov/pubmed/18156930) ▾ 翻译此页

作者: JS Gold - 2008 - 被引用次数: 112 - 相关文章

Increased use of parenchymal-sparing surgery for bilateral liver metastases ... liver

resection for patients with bilateral hepatic metastases from colorectal cancer.