

Name of Journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 23951

Manuscript Type: Retrospective Study

Impact of previous cyst-enterostomy on patients' outcome following resection of Bile Duct Cysts

Mehdi Ouaissi, Reza Kianmanesh, Emilia Ragot, Jacques Belghiti, Pietro Majno, Gennaro Nuzzo, Remi Dubois, Yann Revillon, Daniel Cherqui, Daniel Azoulay, Christian Letoublon, François-René Pruvot, François Paye, Patrick Rat, Karim Boudjema, Adeline Roux, Jean-Yves Mabrut, Jean-François Gigot, and the working group of the French Surgical Association

Match Overview

- | | | |
|---|---|-----|
| 1 | CrossCheck 159 words
Ouaïssi, Mehdi, Reza Kianmanesh, Jacques Belghiti, Emilia Ragot, Gilles Mentha, Mustapha Adham, Roberto Ivan Tro | 3% |
| 2 | CrossCheck 66 words
Mabrut, Jean-Yves, Reza Kianmanesh, Gennaro Nuzzo, Denis Castaing, Karim Boudjema, Christian Létoublon, Mustapha Adham | 1% |
| 3 | Internet 16 words
crawled on 13-Jun-2011
webdev.med.upenn.edu | <1% |
| 4 | Internet 15 words
crawled on 15-Dec-2009
www.medicinaoral.com | <1% |

学术搜索

找到约 47 条结果 (用时0.10秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

The role of endoscopy in the therapy of chronic pancreatitis

A Tringali, I Boskoski, G Costamagna - Best Practice & Research Clinical ... 2008 - Elsevier

... 23, 24 and 26 Complications (mainly pancreatitis) following MiES occur in 11–15% of cases. ... Side effects of ESWL, such as petechiae on the skin (in the area of shock wave ... for successful treatment of CP with combined ESWL plus ERCP are middle-aged patients with stones in ...

被引用次数: 48 相关文章 所有 8 个版本 引用 保存

[PDF] Biliary atresia: 50 years after the first Kasai

BE Wildhaber - ISRN surgery, 2012 - downloads.hindawi.com

... Roux-Y with anti-reflux valve; the two surgical procedures had similar effects in preventing ... trial of prednisolone after Kasai HPE (initial dose 2mg/kg/day) indicated a beneficial effect on the ... in the early postoperative period (specifically in infants less than 70 days old at surgery ...

被引用次数: 25 相关文章 所有 12 个版本 引用 保存 更多

Interventional treatment of acute and chronic pancreatitis: endoscopic procedures

ID Norton, BT Petersen - Surgical Clinics of North America, 1999 - Elsevier

... Over the past 10 years, endoscopic drainage of pseudocysts has gained acceptance as a relatively ... Another permutation of management is combined pancreatic duct stenting with cystenterostomy. ... Patients must have complete continuity of their pancreatic duct, so as to not heal ...

被引用次数: 29 相关文章 所有 5 个版本 引用 保存

Endoscopic technique for the management of pancreatitis and its complications

M Delhaye, C Matos, J Devière - Best Practice & Research Clinical ... 2004 - Elsevier

... twb=.35w>Factors that have reduced mortality from AP over the past 20 years ... associated AP, cholecystectomy should be recommended as soon as the patient has recovered ... Patients unfit for cholecystectomy or already cholecystectomized should be followed-up clinically after ...

被引用次数: 54 相关文章 所有 12 个版本 引用 保存

hindawi.com 中的 [PDF]

bpgastro.com 中的 [HTML]

学术搜索

找到约 70 条结果 (用时0.09秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

Choledochal cystic malignancies

H Bismuth, J Krissat - Annals of oncology, 1999 - Eur Soc Med Oncology

... It is logical to expect some time-dependent effect in the risk of developing carcinoma for any one of ... were discovered during surgery or at autopsy, 22 (54%) had had biliary tract surgery in the previous 2 years. Does the type of surgery have an impact on malignant transformation ...

被引用次数: 100 相关文章 所有 8 个版本 引用

oxfordjournals.o

Congenital cystic disease of the liver and biliary system.

WP Longmire Jr, SA Mandiola, HE Gordon - Annals of surgery, 1971 - ncbi.nlm.nih.gov

... Such disease of the kidneys has a much more serious effect on renal function than poly-cystic ... An illustrative case is that of a 46-year-old woman who complained of fullness after ... Of five patients who underwent celiotomy, the procedure was performed in three for the purpose ...

被引用次数: 187 相关文章 所有 4 个版本 引用

nih.gov 中的 [P

Some considerations for management of choledochal cysts

PH Jordan, JA Goss, WR Rosenberg... - The American journal of ..., 2004 - Elsevier

... in 1 patient, omitted in 1 and could not be performed because of previous operations in 3 ...

Choledochal cysts should be completely resected if possible because of the long-term consequences of cholangitis ... a cyst at the hepatic or duodenal end, will have a negligible effect ...

被引用次数: 96 相关文章 所有 14 个版本 引用

americanjourna

Surgical treatment of pancreatic pseudocysts

AM Cooperman - Surgical Clinics of North America, 2001 - Elsevier

... For the past 20 years, on at least two dozen occasions after a ... Effect of failed computed tomography guided and endoscopic drainage on pancreatic pseudocyst management. ... The impact of laparoscopy and laparoscopic ultrasound on the management of pancreatic cystic ...

被引用次数: 80 相关文章 所有 5 个版本 引用

Elective hepatic surgery.

nih.gov 中的 [P



全部 图片 视频 新闻 更多 ▾ 搜索工具

找到约 65,400 条结果 (用时 0.76 秒)

Surgical treatment of congenital biliary duct cyst

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: D Wang - 2012 - 被引用次数: 8 - [相关文章](#)

2012年3月30日 - Congenital biliary duct cysts are congenital anomalies of the biliary tree ... was simple internal drainage by cyst-enterostomy or partial cyst excision. ... As these patients value the cosmetic results as well as cure of the ... timing of total cyst resection and the effect of laparoscopic technique on the disease.

Choledochal Cysts : A Review of Literature

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: MS Bhavsar - 2012 - 被引用次数: 33 - [相关文章](#)

Choledochal cysts are cystic dilation of extrahepatic duct, intrahepatic duct, or both ... Lilly et al. described an entity called "forme fruste" CCs, where the patients ... [27] Secondary biliary cirrhosis affects the outcome of surgery emphasizing the ... previous cystenterostomy should be reoperated for complete resection of cyst ...

Choledochal cysts - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: J Singham - 2010 - 被引用次数: 55 - [相关文章](#)

Treatment of types I and IV A cysts has undergone much change in the past years. ... Subsequently, internal drainage of cysts via cystenterostomy became popular. ... After cyst excision and hepaticoenterostomy, patients symptoms improve, Procedure for congenital choledochal cysts and curative effect analysis in adults.

Hazard and outcome of retreated choledochal cyst patients ...

www.researchgate.net/.../14921834_Hazard_and_outcome_of_... - 翻译此页

Thirty-nine patients initially treated for choledochal cyst (25: cyst-enterostomy for 15 type ... have been completely followed up for a mean period of 17 years to examine the effect