

Name of Journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 24638

Manuscript Type: Original Article

Retrospective Study

Predictors of long term survival after hepatic resection for hilar cholangiocarcinoma: 5-year survivors retrospective study

El Nakeeb A *et al* 5-year survivors after hepatic resection for HCC

Mohamed Abd ElWahab, Ayman El Nakeeb, Ehab El Hanafy, Ahmad M Sultan, Ahmed Elghawalby, Waleed Askr, Mahmoud Ali, Mohamed Abd El Gawad, Tarek Salah

Abstract

AIM: To determine predictors of long term survival after resection of HC and to compare patients surviving more than 5 years with patients who survived less than 5-

Match Overview

1	CrossCheck 69 words Riall, T.S.. "Resected periampullary adenocarcinoma: ... year survivors and their 6- to 10-year follow-up", <i>Surgery</i> ,	2%
2	CrossCheck 59 words Abdelwahab, Mohamed, Ayman El Nakeeb, Tarek Salah, Hosam Hamed, Mahmoud Ali, Mohamed El Sorogy, Ah	2%
3	CrossCheck 42 words Sung Gyu Lee. "Surgical treatment of hilar cholangiocarcinoma in the new era: the Asan experience", <i>Journal of H</i>	1%
4	CrossCheck 23 words Xiang, Shuai, Wan Yee Lau, and Xiao-ping Chen. "Hilar cholangiocarcinoma: Controversies on the extent of sur ...	1%
5	Internet 23 words crawled on 18-Mar-2010 www.rjge.ro	1%
6	Internet 19 words crawled on 04-Feb-2016 www.sciedu.ca	1%
7	CrossCheck 18 words Michael I. D'Angelica. "Resectable Hilar Cholangiocarcinoma: Surgical Treatment and Long-Term Outcome". <i>Sur</i>	1%

[全部](#) [图片](#) [购物](#) [新闻](#) [视频](#) [更多](#) [搜索工具](#)

找到约 9,920 条结果 (用时 0.86 秒)

Post-operative morbidity results in decreased long-term ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) [▼ 翻译此页](#)

作者: A Chauhan - 2011 - 被引用次数: 37 - 相关文章

The 1-, 3- and 5-year overall (OS) and disease-specific survival (DSS) rates for all patients ... The effects of post-operative morbidity on long-term outcome after resection of ... clinical, operative, pathological and follow-up data were studied retrospectively. ... Complications after resection for hilar cholangiocarcinoma (HCCA) ...

Staging, Resectability, and Outcome in 225 Patients With ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) [▼ 翻译此页](#)

作者: WR Jamagin - 2001 - 被引用次数: 973 - 相关文章

In patients with hilar cholangiocarcinoma, long-term survival depends ... Of the 9 actual 5-year survivors (of 30 at risk), all had a concomitant hepatic resection ... The rates of complications and death after resection were 64% and 10%, respectively ... This study also proposes a preoperative staging system, based on imaging ...

Extended Resections for Hilar Cholangiocarcinoma - NCBI

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) [▼ 翻译此页](#)

作者: P Neuhaus - 1999 - 被引用次数: 575 - 相关文章

Surgical resection of hilar cholangiocarcinoma is the only potentially curative treatment. ... The 5-year survival rate after formally curative liver resection with portal vein ... and tumor stage showed a clear correlation only in single studies. ... However, postoperative and long-term survival figures have been disappointing.

The Blumgart preoperative staging system for hilar

学术搜索

找到约 439 条结果 (用时0.21秒)

试用新功能!

微

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

Liver resection for hilar cholangiocarcinoma: in-hospital mortality and longterm survival

L Capussotti, A Muratore, R Polastri, A Ferrero... - Journal of the American ... , 2002 - Elsevier

... cholangiocarcinomas have been a challenge for surgeons, and palliative procedures have long been used as ... duct resection associated with major hepatectomy gives a better chance of longterm outcomes than ... Prolonged palliation in carcinoma of the main hepatic duct junction. ...

被引用次数: 103 相关文章 所有 10 个版本 引用

researchgate.net 中的 [PDF]

Radical resection of hilar bile duct carcinoma and predictors of survival

T Todoroki, T Kawamoto, N Koike... - British journal of ... , 2000 - Wiley Online Library

... the hepatic ducts, histological grade, N and residual tumour were independent predictive factors by ... Since the number of patients is small, predictors of survival after surgical resection have ... However, only one report has demonstrated this measurement to be a predictor of long ...

被引用次数: 135 相关文章 所有 6 个版本 引用

Cholangiocarcinoma: thirty-one-year experience with 564 patients at a single institution

ML DeOliveira, SC Cunningham, JL Cameron... - Annals of ... , 2007 - journals.lww.com

... Therefore, tumor diameter was not used as a predictor in Cox analysis of intrahepatic tumors ... cohort of resection margin-negative patients, only lymph node status was predictive of survival ... chemotherapy versus radiation or both; P = 0.84) were not significant predictors of survival ...

被引用次数: 467 相关文章 所有 9 个版本 引用

researchgate.net 中的 [PDF]

Benefits of adjuvant radiotherapy after radical resection of locally advanced main hepatic duct carcinoma

T Todoroki, K Ohara, T Kawamoto, N Koike... - International Journal of ... , 2000 - Elsevier

... resection rate of advanced main hepatic duct carcinoma, improvement in the long-term survival rate has ... 8 patients were administered an additional average dose of 13 Gy (range 2-18 ... PORT prevents the microscopic tumor residue from proliferating during the time before PORT ...

被引用次数: 178 相关文章 所有 9 个版本 引用

Predictive factors for long-term survival in patients with intrahepatic cholangiocarcinoma

T Ito, T Kusano, H Shimizu, Y Takashima, Y Muto... - The American journal of ... , 2001 - Elsevier

americanjournalofsurgery.com 中的 [HTML]



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 15,800 条结果 (用时 0.57 秒)

Post-operative morbidity results in decreased long-term ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: A Chauhan - 2011 - 被引用次数: 38 - 相关文章

The 1-, 3- and 5-year overall (OS) and disease-specific survival (DSS) rates for all patients ... The effects of post-operative morbidity on long-term outcome after resection of ... clinical, operative, pathological and follow-up data were studied retrospectively. ... Complications after resection for hilar cholangiocarcinoma (HCCA) ...

Extended Resections for Hilar Cholangiocarcinoma - NCBI

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: P Neuhaus - 1999 - 被引用次数: 578 - 相关文章

Surgical resection of hilar cholangiocarcinoma is the only potentially curative treatment. ... The 5-year survival rate after formally curative liver resection with portal vein ... and tumor stage showed a clear correlation only in single studies. ... However, postoperative and long-term survival figures have been disappointing.

Staging, Resectability, and Outcome in 225 Patients With ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: WR Jarnagin - 2001 - 被引用次数: 977 - 相关文章

In patients with hilar cholangiocarcinoma, long-term survival depends ... Of the 9 actual 5-year survivors (of 30 at risk), all had a concomitant hepatic resection ... The rates of complications and death after resection were 64% and 10%, respectively ... This study also proposes a preoperative staging system, based on imaging ...

The Blumgart preoperative staging system for hilar ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/22749003 ▾ [翻译此页](#)

作者: K Matsuo - 2012 - 被引用次数: 63 - 相关文章

2012年6月28日 BACKGROUND: Complete resection of hilar cholangiocarcinoma