

24148-Review-check.docx

Quotes Excluded Dibliography Excluded

5% SIMILAR

Name of Journal: World Journal of Gastrointestinal Surgery

ESPS Manuscript NO: 24148

Manuscript Type: ORIGINAL ARTICLE

Basic Study


Fibrinogen-thrombin collagen patch reinforcement of high-risk colonic anastomoses in rats


Suárez-Grau JM et al. Prevention of colonic leak in a rat model

Juan Manuel Suárez-Grau, Carlos Bernardos García, Carmen Cepeda Franco, Cristina Mendez García, Salud García Ruiz, Fernando Docobo Durantez, Salvador Morales-Conde, Javier Padillo Ruiz

Abstract

AIM: To evaluate the effectiveness of the human fibrinogen-thrombin collagen patch (Tachosil®) in the reinforcement of high-risk colon anastomoses.











Q



图片 视频 全部 新闻 购物 更多▼ 搜索工具

找到约 8,690 条结果 (用时 1.00 秒)

Google 学术: Fibrinogen-thrombin collagen patch reinforcement of high-risk colonic anastomoses in rats

... ® for sealing colorectal anastomosis: a feasibility study - Parker - 被引用次数: 14 Current status of surgical adhesives - Lerner - 被引用次数: 171 Wound Healing - Amrani - 被引用次数: 58

Human fibringen and thrombin patch for extraluminal protecti...

www.scielo.br/scielo.php?script=sci arttext&pid=S2237... ▼翻译此页 作者: PG Kotze - 2013 - 相关文章

Human fibrinogen and thrombin patch (HFTP - Tachosil (17)) have been used in ... The procedures performed were: left colon resection, segmental colectomy (both ... or external anastomosis reinforcement, aiming to reduce the risk of dehiscence (16) evaluated the use of HFTP in rats for high-risk anastomoses (with only 4 ...

Fibringen and thrombin concentrations are critical for fibrin ql...

www.ncbi.nlm.nih.gov>...> PubMed Central (PMC) ▼ 翻译此页

作者: E Portilla-de Buen - 2014 - 被引用次数: 2 - 相关文章

- ... concentrations are critical for fibrin glue adherence in rat high-risk colon anastomoses
- ... Fibringen and thrombin concentrations in glues determine their ability to function as
- The values are expressed as mg collagen/mg dry tissue.

缺少字词: patch reinforcement

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

搜索所有网页

简体中文网页

✔ 包括专利

✓ 包含引用

中文网页

按日期排序

Fibrinogen-thrombin collagen patch reinforcement of high-risk colonic anastom 🔻

找到约 24 条结果 (用时0.05秒)

您是不是要找。 Fibrinogen-thrombin collagen patch reinforcement of high-risk colonic anastomosis in rats 小提示: 只搜索中文(简体)结果,可在 学术搜索设置,指定搜索语言

The application of TachoSil® for sealing colorectal anastomosis: a feasibility study MC Parker, U Pohlen, IHM Borel Rinkes... - Colorectal ..., 2013 - Wiley Online Library ... Application of the TachoSil patches was facilitated by leaving the stapler device in situ during

the process, thereby providing a 'scaffold' to which the TachoSil could be ... Pancreaticojejunostomy with application of fibringgen/thrombin-coated collagen patch (TachoSil) in ...

被引用次数: 14 相关文章 所有3个版本 引用 保存

[HTML] Use of absorbable fibrin sealant patch to strengthen the gastrointestinal anastomosis performed on patients with peritoneal carcinomatosis treated with ...

... Carcinomatosis; Debulking surgery; Intestinal anastomosis; Absorbable fibrin sealant patch. ... to form a fibrin coagulate, which keeps the collagen matrix firmly ... polytetrafluoroethylene, bovine

J Torres-Melero, JJ Motos-Micó... - Cirugía y Cirujanos (... , 2016 - Elsevier

pericardium patches polyglycol and oxidised cellulose patches, amongst many others. ... 相关文章 所有3个版本 引用 保存

Current status of surgical adhesives R Lerner, NS Binur - Journal of Surgical Research, 1990 - Elsevier

被引用次数: 171 相关文章 所有 7 个版本 引用 保存

They suggested reinforcing MMA with iliac bone grafts in order to obtain long-term spine stability.... This method is used for adding a collagen "fleece" to the wound and is inferior to ... brain tumors prior to surgical removal, to embolize he- mangiomas, to secure durai patches, and to

Wound Healing ≥ 创建快讯

DL Amrani, JP Diorio, Y Delmotte - ... of the New York Academy of ..., 2001 - Wiley Online Library ... polymer is dependent on many factors, including the concentration of the fibringgen, thrombin. presence of ... injury model that a commercial FS (Tissucol®) with or without a patch did not ... At day seven the fibroblastic response was greater with collagen deposition and the ingrowth ... 地引用场数 EO 担关竞赛 联专 / 本版末 引用 //2方

sciencedirect.com 中的 [HTML]





Q

全部 图片 视频 新闻 更多 搜索工具

找到约8,720条结果(用时0.59秒)

Google 学术: Fibrinogen-thrombin collagen patch reinforcement of highrisk colonic anastomoses in rats

.... ® for sealing colorectal anastomosis: a feasibility study - Parker - 被引用次数。14

Current status of surgical adhesives - Lerner - 被引用次数: 171

Wound Healing - Amrani - 被引用次数: 58

Human fibrinogen and thrombin patch for extraluminal protection of ...

www.scielo.br/scielo.php?script=sci_arttext&pid=S2237... ▼ 翻译此页

作者: PG Kotze - 2013 - 相关文章

Human fibrinogen and thrombin patch (HFTP - Tachosil^(r)) have been used in ... The procedures performed were: left colon resection, segmental colectomy (both ... or external anastomosis reinforcement, aiming to reduce the risk of dehiscence ⁽¹⁶⁾ evaluated the use of HFTP in rats for high-risk anastomoses (with only 4 ...

Fibrinogen and thrombin concentrations are critical for fibrin glue ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▼ 翻译此页

作者: E Portilla-de Buen - 2014 - 被引用次数: 2 - 相关文章

... concentrations are critical for fibrin glue adherence in rat high-risk colon anastomoses ... Fibrinogen and thrombin concentrations in glues determine their ability to function as The values are expressed as mg collagen/mg dry tissue.

缺少字词: patch reinforcement

External coating of colonic anastomoses: a systematic review - Springer link.springer.com/article/10.1007/s00384-012-1547-y - 翻译此页

作者: HC Pommergaard - 2012 - 被引用次数: 16 - 相关文章