



全部

新闻

图片

地图

更多

设置

工具

找到约 27,300 条结果 (用时 0.53 秒)

Retrospective comparison of modified FOLFIRINOX with full-dose ...

ascopubs.org/doi/abs/10.1200/JCO.2018.36.4_suppl.469 - 翻译此页

作者: A Ohba - 2018 - 被引用次数: 2 - 相关文章

This study aimed to compare mFFX with full-dose FOLFIRINOX (fFFX) in patients with advanced **pancreatic cancer** (APC). ... bolus fluorouracil and irinotecan 150 mg per square) or fFFX as **first-line** chemotherapy **between** January 2014 and December 2016. ... The **efficacy**, **safety**, and dose reduction pattern were evaluated.

Comparison of efficacy and toxicity of FOLFIRINOX and gemcitabine ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5506289/> - 翻译此页

作者: T Muranaka - 2017 - 被引用次数: 10 - 相关文章

2017年2月2日 - Keywords: **Pancreatic cancer**, gemcitabine, paclitaxel, ... In the present study, we compared the efficacy and **safety** of **first-line** Currently, a multicenter prospective trial of **dose-modified** FOLFIRINOX in patients with advanced pancreatic ... Current **standards** and new innovative approaches for **treatment** of ...

Pancreatic cancer and FOLFIRINOX: a new era and new questions

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4472208/> - 翻译此页

作者: RDW Marsh - 2015 - 被引用次数: 27 - 相关文章

2015年2月19日 - In a retrospective study **from** Yale, 23 patients were so treated with an estimated Impact of FOLFIRINOX **compared** with gemcitabine on quality of life in patients with **Safety** and **efficacy** of **modified dose**-attenuated FOLFIRINOX patients with metastatic pancreatic cancer undergoing **first-line therapy**.

The benefits of modified FOLFIRINOX for advanced pancreatic cancer ...

<https://www.nature.com/scientific-reports/articles> - 翻译此页

作者: H Tong - 2018 - 相关文章

2018年6月6日 - FOLFIRINOX has been one of the **first-line** options for advanced ... Since then, gemcitabine monotherapy had been the gold **standard** for pancreatic cancer. ... advanced pancreatic cancer **compared** to the conventional **dosage**. Modified FOLFIRINOX **regimen** with improved **safety** and maintained **efficacy** ...

Match Overview

1	Internet 29 words crawled on 20-Sep-2014 effiloop.com	1%
2	Internet 17 words crawled on 02-Dec-2017 mdanderson.influent.utsystem.edu	<1%
3	Internet 17 words crawled on 08-Aug-2018 onlinelibrary.wiley.com	<1%
4	Internet 16 words crawled on 19-Jul-2017 cjr.amegroups.com	<1%
5	Internet 15 words crawled on 03-Mar-2018 thejns.org	<1%
6	Crossref 15 words "WORLD TRANSPLANT CONGRESS 2006 POSTER ABSTRACTS", American Journal of Transplantation, 8/2006	<1%
7	Crossref 14 words "American Transplant Congress 2007 Executive and Planning Committees and Abstract Review Committee"	<1%
8	Internet 14 words crawled on 04-Mar-2016 www.wjgnet.com	<1%
9	Internet 13 words crawled on 16-Apr-2018	<1%

Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 41370

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Comparison of efficacy and safety between standard-dose and modified-dose FOLFIRINOX as a first-line treatment of pancreatic cancer

Kang H *et al.* FOLFIRINOX for PC

³ Huapyong Kang, Jung Hyun Jo, Hee Seung Lee, Moon Jae Chung, Seungmin Bang, Seung Woo Park, Si Young Song, Jeong Youp Park

Abstract

AIM

To directly compare the efficacy and toxicity of standard-dose FOLFIRINOX (sFOLFIRINOX) and modified-dose FOLFIRINOX (mFOLFIRINOX, 75% of

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 37,900 条结果 (用时 0.53 秒)

The benefits of modified FOLFIRINOX for advanced pancreatic cancer ...

<https://www.nature.com/articles/s41598-018-26811-9> - 翻译此页

作者: H Tong - 2018 - [相关文章](#)

2018年6月6日 - FOLFIRINOX has been one of the first-line options for advanced ... Since then, gemcitabine monotherapy had been the gold standard for pancreatic cancer. ... advanced pancreatic cancer compared to the conventional dosage. Modified FOLFIRINOX regimen with improved safety and maintained efficacy ...

[Introduction](#) · [Results](#) · [Discussion](#) · [References](#)

From First Line to Sequential Treatment in the ... - Journal of Cancer

www.jcancer.org/v09p1978.htm ▾ 翻译此页

作者: AM Martín - [相关文章](#)

2018年4月30日 - The current management of patients with metastatic pancreatic ductal ... Because no head-to-head comparison between the two regimens exists, the selection III studies and are currently considered standard of care in the first line setting. Safety and efficacy of modified dose-attenuated FOLFIRINOX ...

Retrospective comparison of modified FOLFIRINOX with full-dose ...

ascopubs.org/doi/abs/10.1200/JCO.2018.36.4_suppl.469 - 翻译此页

作者: A Ohba - 2018 - 被引用次数: 2 - [相关文章](#)

This study aimed to compare mFFX with full-dose FOLFIRINOX (fFFX) in patients with advanced pancreatic cancer (APC). ... bolus fluorouracil and irinotecan 150 mg per square) or fFFX as first-line chemotherapy between January 2014 and December 2016. ... The efficacy, safety, and dose reduction pattern were evaluated.

Safety and efficacy of dose-modified FOLFIRINOX on toxicity and ...

ascopubs.org/doi/abs/10.1200/jco.2016.34.4_suppl.422 ▾ 翻译此页

作者: K Uesugi - 2016

Safety and efficacy of dose-modified FOLFIRINOX on toxicity and effectiveness in Japanese patients with unresectable pancreatic cancer (PC). ... and this regimen has become the standard of care for the

找到约 33,200 条结果 (用时 0.50 秒)

The benefits of modified FOLFIRINOX for advanced pancreatic cancer ...

<https://www.nature.com/scientific-reports/articles> - 翻译此页

作者: H Tong - 2018 - 相关文章

2018年6月6日 - FOLFIRINOX has been one of the first-line options for advanced ... Since then, gemcitabine monotherapy had been the gold standard for pancreatic cancer. ... advanced pancreatic cancer compared to the conventional dosage. Modified FOLFIRINOX regimen with improved safety and maintained efficacy ...

From First Line to Sequential Treatment in the ... - Journal of Cancer

www.jcancer.org/v09p1978.htm - 翻译此页

作者: AM Martin - 相关文章

2018年4月30日 - The current management of patients with metastatic pancreatic ductal ... Because no head-to-head comparison between the two regimens exists, the selection ... III studies and are currently considered standard of care in the first line setting. Safety and efficacy of modified dose-attenuated FOLFIRINOX ...

From First Line to Sequential Treatment in the Management of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5995948/> - 翻译此页

作者: AM Martin - 2018 - 相关文章

2018年4月30日 - The current management of patients with metastatic pancreatic ductal ... Because no head-to-head comparison between the two regimens exists, the ... phase III studies and are currently considered standard of care in the first line setting. EP, Safety and efficacy of modified dose-attenuated FOLFIRINOX ...

Retrospective comparison of modified FOLFIRINOX with full-dose ...

ascopubs.org/doi/abs/10.1200/JCO.2018.36.4_suppl.469 - 翻译此页

作者: A Ohba - 2018 - 被引用次数: 2 - 相关文章

This study aimed to compare mFFX with full-dose FOLFIRINOX (fFFX) in patients with advanced pancreatic cancer (APC). ... bolus fluorouracil and irinotecan 150 mg per square) or fFFX as first-line chemotherapy between January 2014 and December 2016. The efficacy, safety, and dose reduction pattern were evaluated.

Safety and efficacy of dose-modified FOLFIRINOX on toxicity and ...

ascopubs.org/doi/abs/10.1200/jco.2016.34.4_suppl.422 - 翻译此页

作者: K Uesugi - 2016

Safety and efficacy of dose-modified FOLFIRINOX on toxicity and effectiveness in Japanese patients