Sessile serrated adenoma detection rate is correlated with adenoma detection

全部 图片 视频 新闻 地图 图书

找到约 29,100 条结果

#### 时间不限

过去 1 小时内 过去 24 小时内 过去 1 周内 过去 1 个月内 过去 1 年内

### 所有结果

精确匹配

#### 1007 Sessile Serrated Adenoma Detection Rate Is Correlated With ...

www.giejournal.org/article/S0016-5107(16)00465-X/abstract

Recently sessile serrated adenoma/polyp (SSA/P) has been gathering an increasing amount of attention. It is known that SSA/P often occurs in the right side colon and has BRAF mutation, so SSA/P is thought to be a precancerous lesion of colon cancer due to microsatellite instability. However, although SSA/Ps have ...

### (ADR) and Sessile Serrated Adenoma Detection Rate (SSADR)

www.giejournal.org/article/S0016-5107(17)31452-9/fulltext

Adenoma detection rate (ADR) has been established as a key quality marker in colonoscopy. Improvements in adenoma detection rates are proven to be associated with a reduction in colorectal cancer risk. It is postulated that serrated adenoma detection rate may be a more stringent marker of quality. The correlation ...

## IPDFI Sessile Serrated Adenoma Detection Rate Is Correlated With ....

www.giejournal.org/article/S0016-5107(16)00465-X/pdf

96.2%. Advanced adenomas. 32. 63. 96.9%. Figure 1. The G-EYE™ Endoscope, balloon inflated. 1007. Sessile Serrated Adenoma Detection Rate Is Correlated With. Adenoma Detection Rate. Daisuke Ohki\*1, Yosuke Tsuji1, Tomohiro Shinozaki2, Mitsuhiro Fujishiro1,3, Yoshiki Sakaguchi1, Keiko Niimi4, Satoshi Ono1,

#### Adenoma and sessile serrated polyp detection rates: variation by ...

https://www.ncbi.nlm.nih.gov/pubmed/25101608 •

Adenoma and sessile serrated polyp detection rates: variation by patient sex and colonic segment but not specialty of the endoscopist. Sanaka MR(1), Gohel T, Podugu A, Kiran RP, Thota PN, Lopez R, Church JM, Burke CA. Author information: (1)1Department of Gastroenterology and Hepatology, Cleveland Clinic, ...

### Providing data for serrated polyp detection rate ... - NCBI - NIH

https://www.ncbi.nlm.nih.gov/pubmed/28153571 •

31 Jan 2017 ... BACKGROUND AND AIMS: Similar to achieving adenoma detection rate (ADR) benchmarks to prevent colorectal cancer (CRC), achieving adequate serrated polyp detection rates (SDRs) may be essential to the prevention of CRC associated with the serrated pathway. Previous studies have been based

Google 学术搜索	Sessile serrated adenoma detection rate is correlated with adenoma detection
文章	找到约 2,780 条结果 (用时0.12秒)
时间不限 2018以来	小提示: 只搜索中文(简体)结果,可在学术搜索设置 指定搜索语言
2017以来	1007 Sessile Serrated Adenoma Detection Rate Is Correlated With Adenoma
2014以来	Detection Rate
自定义范围	D Ohki, Y Tsuji, T Shinozaki, M Fujishiro Gastrointestinal, 2016 - giejournal.org Background Recently sessile serrated adenoma/polyp (SSA/P) has been gathering an
按相关性排序	increasing amount of attention. It is known that SSA/P often occurs in the right side colon and has BRAF mutation, so SSA/P is thought to be a precancerous lesion of colon cancer due to
按日期排序	☆ 99 所有3个版本
不限语言	[HTML] Prevalence and variable detection of proximal colon serrated polyps during
中文网页	screening colonoscopy
简体中文网页	CJ Kahi, <u>DG Hewett</u> , DL Norton, GJ Eckert Clinical, 2011 - cghjournal.org all References Serrated polyps, which include hyperplastic polyps, sessile serrated adenomas, traditional serrated of the colonoscopy quality measures is the adenoma detection rate, which
☑ 包括专利	has also requires a determination of proximal serrated polyp detection rates in average
	△ □□ 練引用次数・224 担关立章 联右 12 本版本

indicate ... When the detection prevalence of serrated polyps was stratified by polyp sub ... Previously,

Chen and Rex found that endoscopists with high adenoma detection prevalence were ...

#### 

99 被引用次数: 264 相关文章 所有 8 个版本











图片

新闻

购物

地图 更多

设置

丁具

找到约 33,000 条结果 (用时 0.56 秒)

## Google 学术: Sessile serrated adenoma detection rate is correlated with adenoma detection rate

... and variable detection of proximal colon serrated ... - Kahi - 被引用次数。326

Variation in the detection of serrated polyps in an ... - Hetzel - 被引用次数: 265

Adenoma detection rate and risk of colorectal cancer ... - Corley - 被引用次数: 570

## 1007 Sessile Serrated Adenoma Detection Rate Is Correlated With ... www.giejournal.org/article/S0016-5107(16)00465-X/abstract - 翻译此页

作者: D Ohki - 2016

Recently sessile serrated adenoma/polyp (SSA/P) has been gathering an increasing amount of attention. It is known that SSA/P often occurs in the right side colon and has BRAF mutation, so SSA/P is thought to be a precancerous lesion of colon cancer due to microsatellite instability. However, although SSA/Ps have ...

## Sessile Serrated Adenoma Detection Rate Is Correlated With ... www.giejournal.org/article/S0016-5107(16)00465-X/pdf - 翻译此页

作者: D Ohki - 2016

作者: J Nayor - 2016

96.2%. Advanced adenomas. 32. 63. 96.9%. Figure 1. The G-EYE™ Endoscope, balloon inflated. 1007. Sessile Serrated Adenoma Detection Rate Is Correlated With. Adenoma Detection Rate. Daisuke Ohki\*1, Yosuke Tsuji1, Tomohiro Shinozaki2,. Mitsuhiro Fujishiro1,3, Yoshiki Sakaguchi1, Keiko Niimi4, Satoshi Ono1,.

# Tu1061 Adenoma Detection Rates Correlate With Sessile Serrated ... www.giejournal.org/article/S0016-5107(16)01383-3/abstract - 翻译此页

Adenoma detection rate (ADR) is a measure of colonoscopy quality that is correlated with interval colon cancer occurrence. Sessile serrated polyp detection rate (SDR) may provide additional information on