

Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 37558

Manuscript Type: Original Article

#### *Prospective Study*

Prospective real-time evaluation of diagnostic performance using endocytoscopy in differentiating neoplasia from non-neoplasia for colorectal diminutive polyps ( $\leq 5$  mm)

Utsumi T *et al.* Endocytoscopy<sup>1</sup> for colorectal diminutive polyps

Takahiro Utsumi, Yasushi Sano, Mineo Iwatate, Hironori Sunakawa, Akira Teramoto, Daizen Hirata, Santa Hattori, Wataru Sano, Noriaki Hasuike, Kazuhito Ichikawa, Takahiro Fujimori

Abstract

#### 符合内容总览

- | Rank | Source  | Word Count | Similarity |
|------|---|------------|------------|
| 1    | Crossref "E-Poster Presentations - C) Endoscopy", Journal of Gastroenterology and Hepatology 2017 | 126 个字     | 5%         |
| 2    | 互联网<br>于 2016年05月13日 缓慢进行<br>thieme-connect.com   | 26 个字      | 1%         |
| 3    | 互联网<br>于 2016年09月29日 缓慢进行<br>upload.umin.ac.jp  | 25 个字      | 1%         |

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 268 条结果 (用时 0.66 秒)

### Real-time differentiation of adenomatous and hyperplastic diminutive ...

[gut.bmj.com](#) > [Online First](#) - [翻译此页](#)

作者: MF Byrne - 2017 - 被引用次数: 2

**Real-time differentiation** of adenomatous and hyperplastic **diminutive colorectal polyps** during analysis of unaltered videos of standard colonoscopy **using** a deep .... An extension of detection is endoscopic prediction of lesion histology, including **differentiation** of precancerous lesions from **non-neoplastic** lesions, and ...

### "High-resolution microendoscopy in differentiating neoplastic from non ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4578798/> - [翻译此页](#)

作者: JS Louie - 2015 - 被引用次数: 4 - 相关文章

2015年6月4日 - Colonoscopy, in conjunction **with** biopsy and pathological confirmation, remains the current gold standard for the **diagnosis** of CRC and **neoplastic** lesions. ... According to this statement, in order for **colorectal polyps** of  $\leq 5\text{mm}$  in size to be resected and discarded, there should be a  $\geq 90\%$  agreement in ...

### Novel computer-aided diagnostic system for colorectal lesions by ...

[www.sciencedirect.com/science/article/pii/S0016510714021713](http://www.sciencedirect.com/science/article/pii/S0016510714021713) - [翻译此页](#)

作者: Y Mori - 2015 - 被引用次数: 24 - 相关文章

Test sets of white-light endoscopic images and **endocytoscopic** images from 176 small **colorectal polyps** (137 **neoplastic** and 39 **non-neoplastic polyps**) were ... in Western populations) are hyperplastic **polyps**, which are best not resected in terms of cost and risk of adverse events, **real-time differentiation**





Prospective real-time evaluation of diagnostic performance using endocytosc



文章

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利

☐ 包含引用

☒ 创建快讯

获得 6 条结果 ( 用时0.09秒 )

seek68文献馆--各种中外期刊数据库!

不限IP | 包月下载 | 可开发票 | 九年金牌服务

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Improving visualization techniques by narrow band imaging and magnification endoscopy

M Muto, T Horimatsu, Y Ezoe, S Morita... - Journal of ..., 2009 - Wiley Online Library

... Using a real time approach, Ugumori et al ... of this pilot study indicate that NERD should be re-evaluated by novel technologies in prospective controlled trials ... depressed type adenomas are rare, they are clinically important because of the higher malignant potential than elevated ...

☆ 99 被引用次数: 76 相关文章 所有 6 个版本

... : preliminary results of narrow band imaging with optical magnification in the diagnosis of colorectal lesions: a multicenter Australian study using the modified Sano's ...

R Singh, N Nordeen, CYI MEI, S LIN... - Digestive ..., 2011 - Wiley Online Library

... also looked at the reproducibility by carrying out interobserver agreement with 'real-time' high-quality ... There is a huge potential in its application where hyperplastic polyps that are ... A prospective comparative study of narrow-band imaging, chromoendoscopy, and conventional ...

☆ 99 被引用次数: 23 相关文章 所有 6 个版本

Endocytoscopy can provide additional diagnostic ability to magnifying chromoendoscopy for colorectal neoplasms

S Kudo, Y Mori, K Wakamura, N Ikehara... - Journal of ..., 2014 - Wiley Online Library

... Potential conflicts of interests: None ... In this retrospective study, we acquired the data from a database of colonoscopic examination that had been prospectively recorded in Showa University ... There is another real-time "optical biopsy" system; confocal laser endomicroscopy (CLE ...

☆ 99 被引用次数: 17 相关文章 所有 6 个版本

Narrow band imaging to detect residual or recurrent neoplastic tissue during

[PDF] researchgate.net



[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 621 条结果 (用时 0.86 秒)

### Real-time differentiation of adenomatous and hyperplastic diminutive ...

[gut.bmj.com](http://gut.bmj.com) > Online First - 翻译此页

作者: MF Byrne - 2017 - 被引用次数: 2

2017年10月24日 - **Real-time differentiation** of adenomatous and hyperplastic **diminutive colorectal polyps** during analysis of unaltered videos of standard colonoscopy ... An extension of detection is endoscopic prediction of lesion histology, including **differentiation** of precancerous lesions from **non-neoplastic** lesions, and ...

### "High-resolution microendoscopy in differentiating neoplastic from non ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4578798/> - 翻译此页

作者: JS Louie - 2015 - 被引用次数: 4 - 相关文章

2015年6月4日 - Colonoscopy, in conjunction with biopsy and pathological confirmation, remains the current gold standard for the **diagnosis** of CRC and **neoplastic** lesions. .... According to this statement, in order for **colorectal polyps** of  $\leq 5\text{mm}$  in size to be resected and discarded, there should be a  $\geq 90\%$  agreement in ....

### Novel computer-aided diagnostic system for colorectal lesions by ...

<https://www.sciencedirect.com/science/article/pii/S0016510714021713> - 翻译此页

作者: Y Mori - 2015 - 被引用次数: 24 - 相关文章

Test sets of white-light endoscopic images and **endocytoscopic** images from 176 small **colorectal polyps** (137 **neoplastic** and 39 **non-neoplastic polyps**) were ... in Western populations) are hyperplastic **polyps**, which are best not resected in terms of cost and risk of adverse events, **real-time differentiation** of **neoplastic** ...

### Narrow band imaging to differentiate neoplastic and non-neoplastic ...

[europepmc.org/articles/pmc3841766](http://europepmc.org/articles/pmc3841766) - 翻译此页

作者: SK McGill - 2013 - 被引用次数: 107 - 相关文章

2013年1月8日 - Many studies have reported on the **use** of narrow band imaging (NBI) colonoscopy to