369,000 Results

Risk of extraintestinal solid cancer with anti-TNF therapy ...

https://pubmed.ncbi.nlm.nih.gov/23314243

Many patients have been exposed to other immunosuppressive therapies in the past making it difficult to discern the true risk of malignancy with TNF-alpha inhibitors alone. The purpose of this review is to discuss the risk of extra-intestinal solid cancer, excluding skin cancer, in adult inflammatory bowel disease patients exposed to anti-TNF agents.

Cited by: 24 Author: David Hudesman, Simon Lichtiger, Bruce S...
Publish Year: 2013


Malignancies in Patients with Inflammatory Bowel Disease ...

https://pubmed.ncbi.nlm.nih.gov/27318857

Background: Gastrointestinal and extraintestinal malignancies are long-term complications in patients with inflammatory bowel disease (IBD), likely as a result of chronic inflammation and the use of immunosuppressive medications used to control inflammation. Here, we assessed the frequency of malignancies in a large tertiary IBD centre at the University Hospital Zurich.

Cited by: 13 Author: Mehdi Madanchi, Jonas Zeitz, Christiane B...
Publish Year: 2016

Images of Solid Extraintestinal Malignancies in patients with Infla... bing.com/images



:::





369,000 Results

IMAGES

ALL

Any time *

VIDEOS

Risk of extraintestinal solid cancer with anti-TNF therapy ...

https://pubmed.ncbi.nlm.nih.gov/23314243

Risk of extraintestinal solid cancer with anti-TNF therapy in adults with inflammatory bowel disease: review of the literature ... The purpose of this review is to discuss the risk of extra-intestinal solid cancer, excluding skin cancer, in adult inflammatory bowel disease patients exposed to ...

Cited by: 24 Author: David Hudes

Author: David Hudesman, Simon Lichtiger, Bruce ...

Publish Year: 2013

Malignancies in Patients with Inflammatory Bowel Disease ... https://pubmed.ncbi.nlm.nih.gov/27318857

Background: Gastrointestinal and extraintestinal malignancies are long-term complications in patients with inflammatory bowel disease (IBD), likely as a result of chronic inflammation and the use of immunosuppressive medications used to control inflammation. Here, we assessed the frequency of malignancies in a large tertiary IBD centre at the University Hospital Zurich.

Cited by: 13 Author: Mehdi Madanchi, Jonas Zeitz, Christiane ...

Publish Year: 2016



Mortality and Extraintectinal cancers in nationts with