

Quotes Excluded Bibliography Excluded

Text-Only Report

Name of Journal: World Journal of Gastrointestinal Oncology

Manuscript NO: 34926

√ iThenticate
•

Manuscript Type: Editorial

New endoscopy advances to refine adenoma detection rate for colorectal cancer screening: None is the winner

Maida Marcello, Camilleri Salvatore, Manganaro Michele, Garufi Serena, Scarpulla Giuseppe

Abstract


Colorectal cancer (CRC) is the third most common cancer in males and second in females, and globally the fourth cause for cancer death worldwide. Oncological screening of CRC has a major role in the management of the disease and it is mostly performed by colonscopy. Anyway, effectiveness of endoscopic screening for CRC strictly depends on adequate detection and removal of potentially precancerous lesions, and accuracy of colonoscopy in detection of adenomas is still suboptimal. For this reason, over time, several technological advances have been implemented in order to improve the diagnostic sensitivity of colonoscopy in adenoma detection. Among these 1) visual technologies such

				SIMILAR
		Ma	tch Overview	E= I-1
		4		,
		1	Internet 73 words crawled on 28-Jun-2017 thieme-connect.com	3%
		2	Internet 32 words crawled on 16-Mar-2017 www.wjgnet.com	1%
		3	Crossref 31 words Michael Kaminski, Siwan Thomas-Gibson, Marek Bugajski, Michael Bretthauer, Colin Rees, Evelien Dekker, Geir Hoff,	1%
		4	Internet 27 words crawled on 12-Jul-2012 www.gastrohep.gr	1%
		5	Internet 26 words crawled on 04-Jun-2017 repository.ubn.ru.nl	1%
		6	Crossref 20 words Paraskevas Gkolfakis, Georgios Tziatzios, George D Dimitr iadis, Konstantinos Triantafyllou. "New endoscopes and ?	1%
	AV	7	Crossref 14 words Carlo Senore "Predicting Proximal Advanced Neonlasms	1%













丁具

全部

新闻

十 初

视频

更多

设置

找到约 70,200 条结果 (用时 0.99 秒)

Adenoma Detection Rate and Risk of Colorectal Cancer and Death

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: DA Corley - 2014 - 被引用次数: 430 - 相关文章

The adenoma detection rate, the proportion of screening colonoscopies performed ... An interval cancer was defined as a colorectal cancer diagnosed between 6 ... Advanced-stage cancers were defined as stage III (regional disease with ... We tested for non-proportionality of covariates using time—covariate Endoscopy.

New technologies and techniques to improve adenoma detection in ...

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Bond - 2015 - 被引用次数: 5 - 相关文章

2015年8月10日 - Adenoma detection rate (ADR) is a key component of colonoscopy quality ... Keywords: Colorectal cancer, Adenoma detection, New technology, Techniques, Colonoscopy related to the ADR in colorectal cancer screening colonoscopies[19]. Digital chromoendoscopy refers to advances in endoscope

[PDF] Screening for Colorectal Cancer: An Updated Systematic Review for ...


https://www.uspreventiveservicestaskforce.org/Home/GetFile/1/.../coloncandraftes135/pd... 2015年10月1日 - different screening tests for detecting CRC, advanced adenomas, reporting bias, and few studies of endoscopy harms report rates of adverse events in non-..... One new blood test for circulating methylated septin 9 gene DNA predictive value) for the detection of colorectal cancer, advanced adenoma. ...

Colonoscopy in Colorectal-Cancer Screening for Detection of ...

www.nejm.org/doi/full/10.1056/NEJMoa054967 ▼ 翻译此页

作者: J Regula - 2006 - 被引用次数: 720 - 相关文章

2006年11月2日 - Original Article from The New England Journal of Medicine ... We defined advanced neoplasia as cancer or adenoma that was at ... We detected advanced neoplasia at a significantly higher rate in mon than in woman, which may warrant refinement of the eccepting recommendations for





2

全部 新闻 图片 视频 购物 更多

设置 工具

找到约 73,800 条结果 (用时 0.29 秒)

Quality indicators for colorectal cancer screening for colonoscopy,

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: PS Schoenfeld - 2013 - 被引用次数: 17 - 相关文章

Quality indicators for colonoscopy in colorectal cancer prevention are described ... withdrawal times [4-9], is associated with higher adenoma detection rates (ADR). ... The European Panel on the Appropriateness of Gastrointestinal Endoscopy ... patients have advanced adenomas detected when surveillance colonoscopy is ...

Advanced endoscopic imaging to improve adenoma detection

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: H Neumann - 2015 - 被引用次数: 10 - 相关文章

2015年3月16日 - Colorectal cancer is the second most common cause for cancer related ... The main advantage of colonoscopy in comparison to non-endoscope based screening tests is ... The adenoma detection rates ranged from 7.4% to 52.5%. ... Within recent years, various new endoscopic imaging techniques have ...

Adenoma Detection Rate and Risk of Colorectal Cancer and Death

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: DA Corley - 2014 - 被引用次数: 453 - 相关文章

The adenoma detection rate, the proportion of screening colonoscopies performed ... An interval cancer was defined as a colorectal cancer diagnosed between 6 ... Advanced-stage cancers were defined as stage III (regional disease with ... We tested for non-proportionality of covariates using time—covariate Endoscopy.

Colonoscopy in Colorectal-Cancer Screening for Detection of ...

www.nejm.org/doi/full/10.1056/NEJMoa054967 ▼ 翻译此页

作者: J Regula - 2006 - 被引用次数: 723 - 相关文章

2006年11月2日 - Original Article from The New England Journal of Medicine ... We defined advanced neoplasia as cancer or adenoma that was at ... We detected advanced neoplasia at a significantly







全部

新闻

设置

丁具

找到约 69,100 条结果 (用时 0.62 秒)

Advanced endoscopic imaging to improve adenoma detection

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页 作者: H Neumann - 2015 - 被引用次数: 10 - 相关文章

2015年3月16日 - Colorectal cancer is the second most common cause for cancer related ... The main advantage of colonoscopy in comparison to non-endoscope based screening tests is ... The adenoma detection rates ranged from 7.4% to 52.5%. ... Within recent years, various new endoscopic imaging techniques have ...

Adenoma Detection Rate and Risk of Colorectal Cancer and Death

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页 作者: DA Corley - 2014 - 被引用次数: 453 - 相关文章

The adenoma detection rate, the proportion of screening colonoscopies performed ... An interval cancer was defined as a colorectal cancer diagnosed between 6 ... Advanced-stage cancers were defined as stage III (regional disease with ... We tested for non-proportionality of covariates using time-covariate Endoscopy.

New technologies and techniques to improve adenoma detection in ...

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Bond - 2015 - 被引用次数: 5 - 相关文章

2015年8月10日 - Adenoma detection rate (ADR) is a key component of colonoscopy quality ... Keywords: Colorectal cancer, Adenoma detection, New technology, Techniques, Colonoscopy related to the ADR in colorectal cancer screening colonoscopies[19]. Digital chromoendoscopy refers to advances in endoscope ...

Colonoscopy in Colorectal-Cancer Screening for Detection of ...

www.nejm.org/doi/full/10.1056/NEJMoa054967 ▼ 翻译此页

作者: J Regula - 2006 - 被引用次数: 725 - 相关文章