

Name of Journal: *World Journal of Gastrointestinal Oncology*

ESPS Manuscript NO: 30551

Manuscript Type: Editorial

Can molecular biomarkers replace a clinical risk score for resectable colorectal liver metastasis?

Torhild Veen, Kjetil Søreide

Abstract

In resectable colorectal liver metastasis (CRLM) the role and use of molecular biomarkers is still controversial. Several biomarkers have been linked to clinical outcomes in CRLM, but none have so far become routine for clinical decision making.

Match Overview

1	Internet 89 words crawled on 10-Jun-2016 www.science.gov	3%
2	Internet 89 words crawled on 26-Aug-2016 mdanderson.influenza@utsystem.edu	2%
3	Crossref 45 words Tan, Carolyn Rose C., Lianan Zhou, and Wafk S. El-Deiry. "Circulating Tumor Cells Versus Circulating Tumor DNA in Col..."	2%
4	Crossref 24 words Lamahomed, Z S, B Mostjart, W Onstienk, J Kraan, N Ayaz, J W Grootema, D Grünhagen, C Verheef, and S Siegler. "Progn..."	1%
5	Crossref 10 words Bradyk, K. W., S. E. Kopetz, L. Li, C. Conrad, T. A. Aloia, and J.-N. Vauthey. "Meta-analysis of KRAS mutations and survi..."	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 67,300 条结果 (用时 1.05 秒)

Clinical Score for Predicting Recurrence After Hepatic Resection for ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: Y Fong - 1999 - 被引用次数: 2760 - 相关文章

Resection of **hepatic colorectal metastases** may produce long-term survival and cure. ... Patients with up to two criteria **can** have a favorable outcome. Some of the decrease in hospital stay is the result of an administrative **change** in clinical practice: since 1994, **CLINICAL RISK SCORE FOR TUMOR RECURRENCE**.

Colorectal cancer with liver metastases: Neoadjuvant chemotherapy ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: K Khan - 2014 - 被引用次数: 22 - 相关文章

2014年9月21日 - Keywords: Colorectal cancer, **Colorectal liver metastases**, Surgical ... 13% of patients with initially non-**resectable** liver metastases **could** have their with expected high MSI and 25% with somatic mis-match **repair** gene). Improving the **clinical risk score**: an analysis of **molecular biomarkers** in the era of ...

Is the Clinical Risk Score for Patients with Colorectal Liver Metastases ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: N Ayez - 2011 - 被引用次数: 34 - 相关文章

2011年6月3日 - Several **clinical risk scores** (CRSs) for the outcome of patients with ... Synchronous **metastases** are present in 25% of **colorectal** cancer The CRS of Nordlinger **could** be applied to 150 patients in group A Simplified staging system for predicting the prognosis of patients with **resectable liver metastasis**: ...

Multidisciplinary management of patients with liver metastasis from ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页



Can molecular biomarkers replace a clinical risk score for resectable colc



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 68,300 条结果 (用时 0.78 秒)

Colorectal cancer with liver metastases: Neoadjuvant chemotherapy ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: K Khan - 2014 - 被引用次数: 22 - 相关文章

2014年9月21日 - Keywords: Colorectal cancer, Colorectal liver metastases, Surgical ... 13% of patients with initially non-resectable liver metastases could have their with expected high MSI and 25% with somatic mis-match repair gene). Improving the clinical risk score: an analysis of molecular biomarkers in the era of ...

Clinical Score for Predicting Recurrence After Hepatic Resection for ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: Y Fong - 1999 - 被引用次数: 2760 - 相关文章

Resection of hepatic colorectal metastases may produce long-term survival and cure. ... Patients with up to two criteria can have a favorable outcome. Some of the decrease in hospital stay is the result of an administrative change in clinical practice: since 1994, CLINICAL RISK SCORE FOR TUMOR RECURRENCE.

Is the Clinical Risk Score for Patients with Colorectal Liver Metastases ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: N Ayez - 2011 - 被引用次数: 34 - 相关文章

2011年6月3日 - Several clinical risk scores (CRSs) for the outcome of patients with ... Synchronous metastases are present in 25% of colorectal cancer The CRS of Nordlinger could be applied to 150 patients in group A Simplified staging system for predicting the prognosis of patients with resectable liver metastasis: ...

Multidisciplinary management of patients with liver metastasis from ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页