

## Match Overview

- 1** **Crossref** 25 words  
Chew, Min-Hoe, Wendy E. Brown, Lindy Masya, James D. Harrison, Eddie Myers, and Michael J. Solomon. "Clinical, <1%  
2 **Crossref** 21 words  
Horch, R. E., W. Hohenberger, A. Eweida, U. Kneser, K. Weber, A. Arkudas, S. Merkel, J. Göhl, and J. P. Beier. "A hundr <1%

**Name of Journal:** *World Journal of Gastrointestinal Oncology*

**ESPS Manuscript NO:** 31818

**Manuscript Type:** ORIGINAL ARTICLE

*Observational Study*

**Critical evaluation of contemporary management in a new Pelvic Exenteration**

**Unit: the first 25 consecutive cases**

Min Hoe Chew, Yu-Ting Yeh, Ee-Lin Toh, Stephen Aditya Sumarli, Ghee Kheng Chew, Lui Shiong Lee, Mann Hong Tan, Tiffany Priyanthi Henedige, Shin Yi Ng, Say Kiat Lee, Tze Tec Chong, Hairil Rizal Abdullah, Terence Lin Hon Goh, Mohamed Zulfikar Rasheed, Kok Chai Tan, Choong Leong Tang

**Abstract**

**AIM**

Critical evaluation of contemporary management in a new Pelvic Exenteration Un

全部 图片 视频 新闻 地图 图书

找到约 11,700 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[PDF] [Systematic review and cumulative analysis of perioperative ...](#)

[eprints.whiterose.ac.uk/.../5\\_pdfsam\\_](#)

Systematic%20review%20and%20cumulative%20analysis%20of... ▼

Academic Urology Unit, University of Sheffield, Sheffield, UK .... Cumulative analysis was conducted using Review Manager v5.2 software .... time with experience (from 140 min in the first 25 cases to 103 min in the last 25 ..... Perioperative outcomes and complication rates are critical issues for ..... contemporary series.

[PDF] [Systematic review and cumulative analysis of oncologic and ...](#)

[eprints.whiterose.ac.uk/.../1/7\\_pdfsam\\_Systematic%20review.pdf](#) ▼

Urology Service, Memorial Sloan Kettering Cancer Center, New York, NY, USA ... Most series were retrospective and had small case numbers, ... Radical cystectomy and pelvic lymph node dissection (PLND) is the gold standard ... Cumulative analysis was conducted using Review Manager v5.2 software designed for.

[Pelvic lymph node dissection and outcome of robot-assisted radical ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4247420/>

4 Feb 2009 ... Pelvic lymph node dissection (PLND) at the time of radical ... there will have been 67,160 new cases of bladder cancer diagnosed in ... on 50 consecutive patients scheduled for robot-assisted cystectomy. .... [25] reported the first laparoscopic simple cystectomy for pyocystis 15 years ago, and Sanchez et al.

[PDF] [PDF\(390K\) - Wiley Online Library](#)

[onlinelibrary.wiley.com/doi/10.1111/j.1464-410X.2011.10456.x/pdf](#)

cystectomy (RARC) with pelvic lymph node dissection (PLND) .... The first case of RARC with intracorporeal neobladder ... critically evaluating minimally invasive ... 187 consecutive patients who underwent RC ... were similar to those in contemporary open ... survival after RC [ 25 ] - ..... anterior pelvic exenteration for bladder.

全部

图片

购物

新闻

视频

更多

设置

工具

找到约 13,600 条结果 (用时 0.75 秒)

## [PDF] Systematic review and cumulative analysis of perioperative outcome...

[eprints.whiterose.ac.uk/.../5\\_pdfsam\\_Systematic%20review%20and%20cum...](https://eprints.whiterose.ac.uk/.../5_pdfsam_Systematic%20review%20and%20cum...) ▼ 翻译此页

作者: G Novara - 2015 - 被引用次数: 77 - 相关文章

Academic Urology Unit, University of Sheffield, Sheffield, UK .... Cumulative analysis was conducted using Review Manager v5.2 software .... time with experience (from 140 min in the first 25 cases to 103 min in the last 25 .... Perioperative outcomes and complication rates are critical issues for .... contemporary series.

## Total Pelvic Exenteration for Gynecologic Malignancies - Hindawi

<https://www.hindawi.com/journals/ijso/2012/693535/> - 翻译此页

作者: EJ Diver - 2012 - 被引用次数: 23 - 相关文章

2012年4月10日 - Total pelvic exenteration (PE) is a radical operation, involving en ... Part of the evaluation process includes comprehensive assessment to ... The first cases of total PE were described by Brunschwig in 1948 as a ... Up to 25% of women with FIGO stage IB-IIA cervical cancer may recur after initial therapy [9].

## Blood Loss and Massive Transfusion in Patients Undergoing Major ...

<https://www.hindawi.com/journals/isrn/2012/918938/> - 翻译此页

作者: JP Cata - 2012 - 被引用次数: 6 - 相关文章

2012年3月4日 - Unanticipated cases of massive blood loss necessitate immediate control of ... Managing this critical event effectively requires understanding the physiology of the .... and during the first 2 days after surgery was 13.4 (range 0–139) units. ... Total pelvic exenterations (TPEs) defined as the removal of all pelvic ...

## A Challenging Surgical Approach to Locally Advanced Primary ... - NCBI

<https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral/PMC/> - 翻译此页