

国内版 国际版

Microsoft Bing

Biological, chemical and mechanical factors regulating migration ar

ALL IMAGES VIDEOS

102,000 Results Any time

Mesenchymal Stromal Cell Homing: Mechanisms and ...
<https://www.sciencedirect.com/science/article/pii/S2589004219301415>
May 31, 2019 · Migration of culture-expanded human mesenchymal stem cells through bone marrow endothelium is regulated by matrix metalloproteinase-2 and tissue inhibitor of metalloproteinase-3
Haematologica , 92 (2007) , pp. 440 - 449
Cited by: 75 Author: Mujib Ullah, Daniel D. Liu, Avnesh S. Tha...
Publish Year: 2019

Cell Homing - an overview | ScienceDirect Topics
<https://www.sciencedirect.com/topics/medicine-and-dentistry/cell-homing>
Khalid Shah, in Mesenchymal Stem Cells in Cancer Therapy, 2014. 3 MSC Homing and Migration.

Search Tools
Turn off Hover Translation (关闭取词)

Microsoft Bing

国内版 国际版

Biological, chemical and mechanical factors regulating migration and hor

Sign in

ALL IMAGES VIDEOS


115,000 Results Any time

PDF Mesenchymal Stem Cell Migration and Tissue Repair
<https://www.mdpi.com/2073-4409/8/8/784/pdf>
Jul 28, 2019 The factors involved in BMSC migration, homing, and functionality have been widely investigated. Studies have shown that the delivery of BMSCs to injured tissue sites is regulated by multiple chemical factors, for example, chemokines, cytokines, and growth factors (Table 1). Table 1. Effects of chemical factors on bone marrow-derived mesenchymal stem cell (BMSC) migration
Cited by: 87 Author: Xiaorong Fu, Ge Liu, Alexander Halim, Ya...
Publish Year: 2019

Search Tools
[Turn off Hover Translation \(关闭翻译\)](#)

Directional migration of mesenchymal stem cells under an ...
<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0184505>
Sep 08, 2017 Homing of peripheral stem cells is regulated by one of the most representative homing factors, stromal cell-derived factor 1 alpha (SDF-1α), which specifically binds to the plasma membrane receptor CXCR4 of mesenchymal stem cells (MSCs) in order to initiate the signaling pathways that lead to directional migration and homing of stem cells. This complex homing process and directional migration of stem cells ...
Cited by: 16 Author: Siwan Park, Hwanseok Jang, Byung Soo ...
Publish Year: 2017

激活 Windows
转到“设置”以激活 Windows。



Name of Journal: World Journal of Stem Cells

Manuscript Type: REVIEW

Biological, chemical and mechanical factors regulating migration and homing of mesenchymal stem cells

Szydlak R

Match Overview

Rank	Source	Words	Percentage
1	Internet crawled on 27-Dec-2020 www.outlet.com	193	4%
2	Internet crawled on 09-Jun-2020 stemcells.journals.onlinelibrary.wiley.com	156	3%
3	Internet crawled on 15-Sep-2019 journals.sagepub.com	89	1%
4	Crossref Mujo Ubah, Daniel D. Liu, Amesh S. Thakor: "Mesenchymal Stromal Cell Homing: Mechanisms and Strategies"	57	1%
5	Crossref N. Thin Luu, Helen M. Mcgettrick, Christopher D. Buckley, Phil N. Newsome, G. Ed Rainier, Jon Frampton, Gerard	25	1%
6	Internet crawled on 07-Sep-2016 www.mysciencework.com	20	<1%
	Internet 15 words		



126,000 Results Any time ▾

[PDF] Mesenchymal Stem Cell Migration and Tissue Repair

<https://www.mdpi.com/2073-4409/8/8/784/pdf>

Jul 28, 2019 · The factors involved in BMSC migration, homing, and functionality have been widely investigated. Studies have shown that the delivery of BMSCs to injured tissue sites is regulated by multiple chemical factors, for example, chemokines, cytokines, and growth factors (Table1). Table 1. Effects of chemical factors on bone marrow-derived mesenchymal stem cell (BMSC) migration

Cited by: 91 Author: Xiaorong Fu, Ge Liu, Alexander Halim, Ya...
Publish Year: 2019

Cells | Free Full-Text | Mesenchymal Stem Cell Migration ...

<https://www.mdpi.com/2073-4409/8/8/784/htm>

The factors involved in BMSC migration, homing, and functionality have been widely investigated. Studies have shown that the delivery of BMSCs to injured tissue sites is regulated by multiple chemical factors, for example, chemokines, cytokines, and growth factors (Table 1). Table 1.

Cited by: 91 Author: Xiaorong Fu, Ge Liu, Alexander Halim, Ya...
Publish Year: 2019 Estimated Reading Time: 9 mins

PEOPLE ALSO ASK

- What are mesenchymal stem cells? ▾
- Where do hematopoietic stem cells migrate after transplant? ▾
- How are mesenchymal stromal cells used in medicine? ▾
- What causes MSCs to migrate to the site of injury? ▾

Feedback

Directional migration of mesenchymal stem cells under an ...

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0184595>

Sep 08, 2017 · Homing of peripheral stem cells is regulated by one of the most representative homing factors, stromal cell-derived factor 1 alpha (SDF-1 α), which specifically binds to the plasma membrane receptor CXCR4 of mesenchymal stem cells (MSCs) in order to initiate the signaling pathways that lead to directional migration and homing of stem cells. This complex homing process and directional