

4

Name of Journal: *World Journal of Stem Cells*

ESPS Manuscript NO: 22294

Manuscript Type: Review

Malaria modeling: *In vitro* stem cells vs *in vivo* models

Florian Noulin

Match Overview

1	CrossCheck 20 words Methods in Molecular Biology, 2013.	<1%
2	CrossCheck 12 words Lippi, G.. "Ex-vivo red blood cells generation: A step ah ... ad in transfusion medicine?", European Journal of Intern	<1%
3	CrossCheck 12 words E. Fibach. "Growth of human normal erythroid progenitor s in liquid culture: A comparison with colony growth in ...	<1%
4	Internet 12 words crawled on 06-Jun-2014 www.wjgnet.com	<1%
5	CrossCheck 11 words Mehrdad Ameri. "Laboratory diagnosis of malaria in non human primates", Veterinary Clinical Pathology, 03/2010	<1%
6	CrossCheck 11 words Silvie, O.. "Alternative invasion pathways for plasmodiu ... berghei sporozoites", International Journal for Parasitolo	<1%
7	Internet 11 words crawled on 15-Apr-2014	<1%

学术搜索

找到约 7,680 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

General review on in vitro hepatocyte models and their applications

C Guguen-Guillouzo, A Guillouzo - Hepatocytes, 2010 - Springer

... A. and Guguen-Guillouzo, C. (2008) Evolving concepts in liver tissue modeling and implications for ... M., Rodrigues, CD, Ataide, R., and Mota, MM (2008) Dissecting in vitro host cell ... 2008) Gene disruption of Plasmodium falciparum p52 results in attenuation of malaria liver stage ...

被引用次数: 104 相关文章 所有 7 个版本 引用 保存

Targeting the hypnozoite reservoir of Plasmodium vivax: the hidden obstacle to malaria elimination mmv.org 中的 [DOC]

TNC Wells, JN Burrows, JK Baird - Trends in parasitology, 2010 - Elsevier

... major challenge is to be able to maintain P. vivax in continuous in vitro culture so ... For drugs that have already been tested in humans for other diseases, pharmacokinetic modelling and a ... Rodent strains of malaria do not form hypnozoites, and studies in vivo are currently limited ...

被引用次数: 155 相关文章 所有 8 个版本 引用 保存

[HTML] Malarial anemia: of mice and men

bloodjournal.org 中的 [HTML]

AA Lamikanra, D Brown, A Potocnik... - Blood, 2007 - Am Soc Hematology

Skip to main content.

被引用次数: 135 相关文章 所有 8 个版本 引用 保存

[HTML] In vitro modeling of the microvascular occlusion and thrombosis that occur in hematologic diseases using microfluidic technology nih.gov 中的 [HTML]

M Tsai, A Kita, J Leach, R Rounsevell... - The Journal of clinical ..., 2012 - ncbi.nlm.nih.gov

... Fluid dynamic modeling of the "endothelialized" microvasculature on a chip. ... These data experimentally confirm that our microfluidic system is a viable in vitro platform to study ... flow and cellular interactions and is compatible with different types of endothelial cells from different ...

被引用次数: 70 相关文章 所有 10 个版本 引用 保存

[全部](#)[新闻](#)[图片](#)[视频](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 374,000 条结果 (用时 0.57 秒)

显示的是以下查询字词的结果: **Malaria modeling: In vitro stem cells and in vivo models**

仍然搜索: **Malaria modeling: In vitro stem cells vs in vivo models**

Google 学术: Malaria modeling: In vitro stem cells and in vivo models

General review on in vitro hepatocyte models and their ... - Guguen-Guillouzo - 被引用次数: 104

... of Plasmodium vivax: the hidden obstacle to malaria ... - Wells - 被引用次数: 159

Malarial anemia: of mice and men - Lamikanra - 被引用次数: 136

Modeling malaria in humanized mice: opportunities and ...

onlinelibrary.wiley.com/doi/10.1111/nyas.12618/pdf ▾ 翻译此页

作者: E Siu - 2015 - 被引用次数: 2 - 相关文章

Keywords: humanized mice; malaria, Plasmodium falciparum of infected patients for in vivo study. 18 Many in vitro models have failed ... stem cell-derived hepatocyte-like cells, which have ... mouse model is the severe combined immunod-

Stem Cell-derived Liver Cells for Drug Testing and Disease ...

www.discoverymedicine.com/.../stem-cell-derived-liver-cells-fo... ▾ 翻译此页

作者: MD Davidson - 被引用次数: 1

2015年5月26日 - Thus, several in vitro models of the human liver have been ... of stem cells down various stages of liver development as in vivo (Figure 1B). to malaria infection, and thus could be used to model the Plasmodium liver stage.