



In-hospital acute upper gastrointestinal bleeding: What is the scope o



유림

전체

이미지

뉴스

동영상

지도

더보기

설정

도구

검색결과 약 15,600,000개 (0.61초)

Almost all people who develop **acute upper gastrointestinal bleeding** are treated in **hospital**. Endoscopy is the primary diagnostic investigation in patients with **acute upper gastrointestinal bleeding**. ... In some patients, emergency surgery and a range of radiological procedures may be needed to control **bleeding**.

N <https://www.nice.org.uk/guidance/resources/support-for-commissio...>

[Acute upper gastrointestinal bleeding - Nice](#)

? 이 결과에 관한 정보

! 사용자 의견

관련 질문

How do you prevent gastrointestinal bleeding?



What is the most common cause of upper gastrointestinal hemorrhage?



Can you die from upper GI bleeding?



How effective is tranexamic acid for acute gastrointestinal bleeding?



사용자 의견

R <https://www.researchgate.net/publication/3204...>- 이 페이지 번역하기

(PDF) In-hospital Acute Upper Gastrointestinal Bleeding: What



All

Images

Videos

翻译成中文

关闭取词

1,080,000 Results

Any time ▼

Scope - Acute Upper Gastrointestinal Bleeding - PubMed ...

<https://www.ncbi.nlm.nih.gov/pubmedhealth/PMH0079790>

Upper gastrointestinal bleeding is defined as haemorrhage occurring at any point between the mouth and the duodenum; it is the most common emergency managed by gastroenterologists in the UK. Peptic ulcer disease is the most common pathology underlying **upper gastrointestinal bleeding**, occurring in 35–50% of cases. Variceal **bleeding**, accounting for 5–10% of cases, should be ...

[PDF] Clinical guideline scope - NICE | The National Institute ...

<https://www.nice.org.uk/guidance/cg141/documents/acute-upper-gi-bleeding-final-scope2>

Acute upper GI bleeding final scope May 2010 Page 4 of 8 . The areas that will be addressed by the guideline are described in the following sections. 4.1 Population . 4.1.1 Groups that will be covered . a) Adults and young people (16 years and older) with **acute variceal** and non-variceal **upper gastrointestinal bleeding**.

Acute upper gastrointestinal bleeding | The BMJ

<https://www.bmj.com/content/363/bmj.k4023> ▼

Oct 25, 2018 · **Acute upper gastrointestinal bleeding** is a medical emergency, and appropriate initial resuscitation is crucial. A normal haemoglobin value and blood pressure at presentation does not rule out substantial **bleeding**—increased heart rate is a more reliable measure of substantial blood loss

Author: Emma Sverdén, Sheraz R Markar, Sh... **Publish Year:** 2018

Acute Upper Gastrointestinal Bleeding - NCBI Bookshelf

<https://www.ncbi.nlm.nih.gov/books/NBK247794>

Jun 01, 2012 · Excerpt. **The incidence of acute upper gastrointestinal haemorrhage in the United Kingdom ranges between 84–172 /100,000/year, equating to 50–70,000 hospital admissions per year.** This is therefore a relatively common medical emergency; it is also one that more often affects socially deprived communities. A recent large UK wide audit showed...

Author: National Clinical Guideline Centre (UK)

Match Overview

1	Crossref 70 words Fady G. Haddad, Talal El Imad, Raymond Kwok, Abhishek Polavarapu et al. "In-hospital Acute Upper Gastrointestinal Bleeding: A Retrospective Study"	2%
2	Crossref 23 words Jairath, Vipul, J Thompson, B C Kahan, R Daniel, S A Hearnshaw, S P L Travis, M F Murphy, K R Palmer, and R F A Logan.	1%
3	Crossref 16 words Kyoungwon Jung, Won Moon. "Role of endoscopy in acute gastrointestinal bleeding in real clinical practice: An evidence-based review"	<1%
4	Internet 16 words crawled on 08-Jul-2019 f6publishing.blob.core.windows.net	<1%
5	Crossref 13 words Abdel-Aal, Ahmed K., Asim K. Bag, Souheil Saddekni, Maysoon F. Hamed, and Fatma Y. Ahmed. "Endovascular management of acute upper gastrointestinal bleeding: A retrospective study"	<1%
6	Internet 12 words crawled on 23-Feb-2017 ecancer.org	<1%
7	Crossref 12 words Aquarius, Michel, Fabienne G.M. Smeets, Helena W. Konijn, Patricia M. Stassen, Eric T. Keulen, Cees T. Van Deursen, Ad	<1%

4

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 49883

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

1

In-hospital acute upper gastrointestinal bleeding: What is the scope of the problem?

Haddad FG *et al.* Acute upper gastrointestinal bleeding

Abstract

BACKGROUND

Acute upper gastrointestinal bleeding (AUGIB) is a frequently encountered condition in the Gastroenterology field with a mortality rate of 10%-14%. Despite recent newer innovations and advancements in endoscopic techniques and available medications, the



国内版

国际版

In-hospital acute upper gastrointestinal bleeding: What is the



Sign in



All

Images

Videos

翻译成中文

关闭取词

1,110,000 Results

Any time ▾

Scope - Acute Upper Gastrointestinal Bleeding - PubMed ...

<https://www.ncbi.nlm.nih.gov/pubmedhealth/PMH0079790>

Upper gastrointestinal bleeding is defined as haemorrhage occurring at any point between the **mouth** and the duodenum; it is the most common emergency managed by gastroenterologists in the UK. **Peptic ulcer disease** is the most common pathology underlying **upper gastrointestinal bleeding**, occurring in 35–50% of cases. **Variceal bleeding**, accounting for 5–10% of cases, should be considered ...

[PDF] Clinical guideline scope - NICE | The National Institute ...

<https://www.nice.org.uk/guidance/cg141/documents/acute-upper-gi-bleeding-final-scope2>

Acute upper GI bleeding final scope May 2010 Page 4 of 8 . The areas that will be addressed by the guideline are described in the following sections. 4.1 Population . 4.1.1 Groups that will be covered . a) Adults and young people (16 years and older) with **acute variceal** and non-variceal **upper gastrointestinal bleeding**.

Gastrointestinal bleeding - Diagnosis and treatment - Mayo ...

<https://www.mayoclinic.org/diseases-conditions/gastrointestinal-bleeding/diagnosis...> ▾

Diagnosis

Treatment

Clinical Trials

Preparing For Your Appointment

Your doctor will take a medical history, including a history of previous bleeding, conduct a physical exam and possibly order tests. Tests might include: 1. Blood tests. You may need a complete blood count, a test to see how fast your blood clots, a platelet count and liver function tests. 2. Stool tests. Analyzing your stool can help determine the cause of occult bleeding. 3. Nasogastric lavage. A tube is passed through your nose into your stomach to remove your stomach contents. This might...

[See more on mayoclinic.org](#)

The management of acute upper gastrointestinal bleeding

<https://www.nursingtimes.net/clinical-archive/gastroenterology/the-management-of-acute...>

Jun 29, 2004 · In cases of **acute upper GI bleeding**, **hypovolaemic shock** can result from **loss of blood** or plasma. **Hypovolaemia causes** the body to use vasoconstriction and decreased **urinary output** to adapt to the loss of fluid.

Management of acute upper gastrointestinal bleeding | The ...

Gastrointestinal bleeding

Medical condition

Gastrointestinal (GI) bleeding is a symptom of a disorder in your digestive tract. The blood often appears in stool or vomit but isn't always visible, though it may cause the stool to look black or tarry.

[MayoClinic](#)

Symptoms

Symptoms like changes in bowel habits, stool color (to black or red) and consistency and the presence of pain or tenderness may tell the doctor which area of the GI tract is affected. Because the intake of iron, bismuth or foods like beets can...

[Read more on Hopkinsmedicine](#)

Causes

GI bleeding may be due to conditions that are not serious, including:

- Anal fissure
- Hemorrhoids

GI bleeding may also be a sign of more serious diseases and conditions. These may include cancers of the GI tract such as:

- Cancer of the colon
- Cancer of the...

[Read more on MedlinePlus](#)

Treatments

Endoscopy is the primary diagnostic and therapeutic procedure for most causes of GI bleeding. Active bleeding from the upper GI tract can often be controlled by injecting chemicals directly into a bleeding site with a needle introduced through...

[Read more on Hopkinsmedicine](#)

People also search for