

Any time ▼







12.200 Results

## Gallstone pancreatitis: when is endoscopic retrograde ...

https://www.pubfacts.com/detail/12631452/Gallstone... •

The majority of patients with acute  ${\tt gallstone}$  pancreatitis have mild disease and recover within 3 to 5 days with bed rest and intravenous fluid replacement. ... and the possibility to remove impacted gallstones endoscopically. Urgent endoscopic retrograde cholangiopancreatography and sphincterotomy are recommended in patients with signs of ...

#### Gallstone pancreatitis

https://www.infona.pl/resource/bwmeta1.element... •

In severe pancreatitis, early enteral nutrition is recommended through a nasojejunal tube. In patients with severe pancreatitis or with cholangitis, urgent endoscopic retrograde cholangiopancreatography within 72 hours is indicated, and when appropriate, a sphincterotomy ...

## Gallstone pancreatitis: when is endoscopic retrograde ...


https://read.qxmd.com/read/12631452/gallstone... •

Acute pancreatitis is an inflammation of the pancreas that can, in a minority of patients, lead to local complications, multiorgan failure, and death. Gallstones are the most common cause of acute pancreatitis in Western countries. The majority of patients with acute gallstone pancreatitis have mild disease and recover within 3 to 5 days with bed rest and intravenous fluid replacement.

#### Evidence-based clinical practice guidelines for acute ...

https://onlinelibrarv.wilev.com/doi/full/10.1007/s005340200051

Oct 01, 2002 · In complicated gallstone pancreatitis, urgent endoscopic retrograde



### Proposal of the term "gallstone cholangiopancreatitis" to specify g







ALL

IMAGES

**VIDEOS** 

12,200 Results

Any time ▼

## F6Publishing

#### https://www.f6publishing.com/ArticleInPressDetail/66731 -

The term "gallstone cholangiopancreatitis (CP)" is suggested to specify gallstone acute pancreatitis (AP) that is complicated by life-threatening acute cholangitis due to persistent ampullary stone impaction and needs urgent endoscopic retrograde cholangiopancreatography with endoscopic ...

# Evidence-based clinical practice guidelines for acute ...

https://onlinelibrary.wiley.com/doi/full/10.1007/s005340200051

Oct 01, 2002 · In complicated gallstone pancreatitis, urgent endoscopic retrograde cholangiopancreatography (ERCP) with/without endoscopic sphincterotomy is proven to decrease complications and mortality 10-13 (level 1b). Therefore, in severe gallstone pancreatitis or gallstone pancreatitis with cholangitis or obstruction of the biliary tract, emergent ERCP ...

Cited by: 117 Author: Toshihiko Mayumi, Hideki Ura, Shinjyu Ar...

Publish Year: 2002

# The detection of bile duct stones in suspected gallstone ...

https://www.researchgate.net/publication/246692265...

Early endoscopic retrograde cholangiopancreatography (ERCP) should be performed in all patients with acute biliary pancreatitis (ABP) and coexisting acute cholangitis.

# Management of acute gallstone pancreatitis: So the story ...

https://www.researchgate.net/publication/5652764...

A total of 131 patients with acute pancreatitis (of whom 100 had gallstones) underwent endoscopic retrograde cholangiopancreatography (ERCP) during the same hospital admission.

# Complications Related to Diagnostic and Therapeutic ...

https://www.sciencedirect.com/science/article/pii/S1052515718303684

Apr 01, 1996 - Br J Surg 75:454-459, 1988 137. Neoptolemos JP, Carr-Locke DL, London NJ, et al: Controlled trial of urgent endoscopic retrograde cholangiopancreatography and endoscopic sphincterotomy versus conservative management for acute pancreatitis due to gallstones. Lancet 2:979-983, 1988 138.

Citad but 125

Author Cincopa Alinati