

Name of journal: *World Journal of Gastrointestinal Endoscopy*

ESIS Manuscript NO: 14544

Columns: Case Report

Anaemia in Waldmann's disease: A rare presentation of a rare disease

Shahira A El-Etreby, Ahmed Y Altonbary, Mohamed El-Sorogy, Wagdi Elkashef, Jehan A Mazroa, Monir H Bahgat

Abstract

A 32 year old female presented with 5 year history of iron deficiency anemia, marked pallor and edema of both lower limbs. Laboratory investigations including complete blood count, blood film, iron studies, lipid profile, ascitic fluid analysis, test of stool for occult blood and alpha 1 anti-trypsin. Upper, lower gastrointestinal (GIT) endoscopies, and enteroscopy were performed.

Match Overview



1	CrossCheck 16 words Gerhard Rogler, "A case of recurrent gastrointestinal bleeding and protein-losing gastroenteropathy", <i>Nature Clinical P</i>	1%
2	CrossCheck 16 words Stanley, A., "Transjugular intrahepatic portosystemic shunt as a treatment for protein-losing enteropathy caused by por	1%
3	Internet 16 words crawled on 20-Jun-2010 www.wjnet.com	1%
4	CrossCheck 15 words "SCIENTIFIC ABSTRACTS", <i>Journal of General Internal Medicine</i> , 4/2006	1%
5	Internet 11 words crawled on 26-Mar-2010 emedicine.medscape.com	<1%
6	CrossCheck 11 words Nam Hyang Koo, "Primary intestinal lymphangiectasia: A response to medium-chain triglyceride formula", <i>Correspond</i>	<1%
7	Internet 10 words crawled on 29-Jul-2010 www.usagiedu.com	<1%
8	Internet 9 words crawled on 12-Mar-2012 www.japoi.org	<1%



Anaemia in Waldmann's disease: A rare presentation of a rare disease



网页 新闻 图片 视频 更多 搜索工具

找到约 185,000 条结果 (用时 0.59 秒)

Orphanet Journal of Rare Diseases | Full text | Primary ...

www.ojrd.com/content/3/1/5 翻译此页

作者: S Vignes - 2008 - 被引用次数: 128 - 相关文章

2008年2月22日 - Primary intestinal lymphangiectasia (**Waldmann's disease**) ... Iron deficiency with **anemia** occurs secondary to chronic blood loss resulting Rao R, Shashidhar H: Intestinal lymphangiectasia **presenting** as abdominal mass.

Primary intestinal lymphangiectasia (Waldmann's disease)

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页

作者: S Vignes - 2008 - 被引用次数: 128 - 相关文章

2008年2月22日 - Very **rare** familial forms of **Waldmann's disease** have been reported [1,4]. ... Iron deficiency with **anemia** occurs secondary to chronic blood loss Shashidhar H, Intestinal lymphangiectasia **presenting** as abdominal mass.

Intestinal lymphangiectasia in adults

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页

作者: HJ Freeman - 2011 - 被引用次数: 30 - 相关文章

2011年2月15日 - ... **anemia**, sometimes associated with occult small intestinal bleeding. ... Familial **presentations** were also recorded[1]. ... A **rare** association of intestinal lymphangiectasia with celiac **disease** has been ... Vignes S, Bellanger J. Primary intestinal lymphangiectasia (**Waldmann's disease**) Orphanet J **Rare Dis**.

^[PDF] Late onset Intestinal Lymphangiectasia-A rare cause of ...

www.ssjournals.com/index.php/ijbr/article/download/891/887 翻译此页

作者: S Singh - 2013 - 相关文章

Bipedal edema is a common clinical **presentation** in outpatient department and routine causes include congestive heart failure, cirrhosis of liver, **anemia** with hypoproteinemia, chronic renal ... Sometimes **rare diseases** can present with common ... first described by **Waldmann** in 1961, primarily affects children (generally ..

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 171,000 条结果 (用时 0.60 秒)

Orphanet Journal of Rare Diseases | Full text | Primary ...

www.ojrd.com/content/3/1/5 ▾ [翻译此页](#)

作者: S Vignes - 2008 - 被引用次数: 130 - 相关文章

2008年2月22日 - Primary intestinal lymphangiectasia (Waldmann's disease) Iron deficiency with anemia occurs secondary to chronic blood loss resulting Rao R, Shashidhar H: Intestinal lymphangiectasia presenting as abdominal mass.

Primary intestinal lymphangiectasia (Waldmann's disease)

www.ncbi.nlm.nih.gov ▸ ... ▸ [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: S Vignes - 2008 - 被引用次数: 130 - 相关文章

2008年2月22日 - Very rare familial forms of Waldmann's disease have been reported [1,4]. ... Iron deficiency with anemia occurs secondary to chronic blood loss Shashidhar H. Intestinal lymphangiectasia presenting as abdominal mass.

Intestinal lymphangiectasia in adults

www.ncbi.nlm.nih.gov ▸ ... ▸ [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: HJ Freeman - 2011 - 被引用次数: 31 - 相关文章

2011年2月15日 - ... anemia, sometimes associated with occult small intestinal bleeding. ... Familial presentations were also recorded[1]. ... A rare association of intestinal lymphangiectasia with celiac disease has been Vignes S, Bellanger J. Primary intestinal lymphangiectasia (Waldmann's disease) Orphanet J Rare Dis.