

Match Overview

1 Internet 12 words
crawled on 27-Feb-2015
www.wjgnet.com

<1%

1 Name of journal: World Journal of Gastrointestinal Endoscopy

ESPS Manuscript NO: 13783

Columns Original Article

*Retrospective Study***Accuracy of Endoscopists' estimate of polyp size: A continuous dilemma**

Manhal Izzy, Muhammad Asif Virk, Avi Saund, Juan Tejada, Faraj Kargoli, Sury Anand

Abstract

AIM: This study aims to examine the discrepancy, if any, between the endoscopist's estimate and pathologist's measurement of colonic polyp size.

METHODS: We retrospectively studied 88 patients who underwent colonoscopy with a clear unequivocal documentation of polyp size by both the endoscopist and pathologist. Endoscopist measurements were based on the visual estimate of polyp size seen on high definition screens. The measurement was done by our pathologists after formalin fixation. We compared the endoscopist estimate of the polyp size to the pathologist measurement in order to explore the discordance between the two readings. Data regarding demographics and method of polypectomy (snare polypectomy versus excisional biopsy) was collected, as well. SAS statistical software was used to analyze the data.

RESULTS: Our cohort included eighty eight patients from which 111 polyps were



Accuracy of Endoscopists' estimate of polyp size: A continuous dilemma



网页

新闻

图片

视频

更多

搜索工具

找到约 483,000 条结果 (用时 0.48 秒)

[PDF] Management of the malignant colorectal polyp: ACPGBI ...

www.acpgbi.org.uk/.../Management-of-the-Malignant-Colorect... 翻译此页

作者: JG Williams - 2013 - 被引用次数: 17 - 相关文章

the clinical dilemmas they cause. It will reduce Knowledge and accurate use of these descriptive methods allows Endoscopists should estimate size of polyps and use the therapy of 5040 cGy over 5 weeks with continuous infusion of ...

Characterization of the pathologic and endoscopic ...

[www.ncbi.nlm.nih.gov/.../Literature/PubMedCentral\(PMC\)](http://www.ncbi.nlm.nih.gov/.../Literature/PubMedCentral(PMC)) - 翻译此页

作者: F Li - 2014 - 被引用次数: 3 - 相关文章

2014年3月15日 - Specifically, the CRP size, polyp number, and polyp histology ... The paired continuous data were compared by using the paired Schwartz E, Catalano MF, Krevsky B. Endoscopic estimation of size: improved accuracy by ...

缺少字词: dilemma

Clinical study using novel endoscopic system for measuring ...

[www.ncbi.nlm.nih.gov/.../Literature/PubMedCentral\(PMC\)](http://www.ncbi.nlm.nih.gov/.../Literature/PubMedCentral(PMC)) - 翻译此页

作者: K Oka - 2014 - 相关文章

2014年4月14日 - The endoscopist can thus measure the lesion size without contact by comparing the lesion ... a quick and accurate system for measuring lesion size was established. ... endoscopists use only their own eyes to estimate its size[7,8]. ... Thereafter, a clinical test was performed in which (5) the polyp sizes in the ...

缺少字词: dilemma

Guidelines for Colonoscopy Surveillance After Screening ...

gi.org/Guideline 翻译此页

2012 - 被引用次数: 397 - 相关文章

2012年7月3日 - Adenomatous polyps are the most common neoplasm found during CRC screening. syndrome; and (3) >20 serrated polyps of any size throughout the colon. This creates a clinical dilemma: should colonoscopy be repeated ... band imaging may enable endoscopists to accurately determine if lesions ...

Endoscopic histological assessment of colonic polyps by ...

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 350,000 条结果 (用时 0.55 秒)

小提示: 仅限搜索简体中文结果。您可以在设置中指定搜索语言

英文摘要_利用弹性散射光谱检查对结肠息肉进行内镜下组织 ...

www.elseviermed.cn/article/detail/Endoscopic_histological ▾

Results: Analysis of spectra from polyps of all sizes (N=218) resulted in a sensitivity of 91.5%, specificity of 92.2%, and accuracy of 91.9% with a high-confidence rate ...

Sample size, retrospective validation used to obtain performance estimates. ... procedure flow, especially when integrated into standard endoscopic biopsy ...

缺少字词: continuous dilemma

^[PDF] Clinical practice guidelines for surveillance colonoscopy

www.nhmrc.gov.au/_files.../ext0008_colonoscopy_guideline_120314.p... ▾

2011年12月8日 - 1.1.1 Accuracy of colonoscopy ... Management of epithelial polyps: colonoscopic surveillance after polypectomy 20. 2.1. Adenomas Clinical and endoscopic predictors of CRC in IBD account parameters such as, polyp size, number and ... following surgery to continuing with more frequent.

缺少字词: estimate dilemma

Characterization of the pathologic and endoscopic ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: 511 2014 被引用次数: 0 相关文章