



28222-Review

Quotes Excluded
Bibliography Excluded22%
SIMILAR

1

Name of Journal: *World Journal of Gastrointestinal Endoscopy***ESPS Manuscript NO:** 28222**Manuscript Type:** ORIGINAL ARTICLE**Retrospective Study**

1

Efficacy and safety of endoscopic papillary balloon dilation for the removal of bile duct stones: Data from a "real-life" multicenter study on Dilation-Assisted Stone Extraction**Di Mitri Roberto, Mocciaro Filippo, Pallio Socrate, Pecoraro Giulia Maria, Tortora Andrea, Zulli Claudio, Attardo Simona, Maurano Attilio.****Abstract****AIM:** We reported data on Dilation-Assisted Stone Extraction use in clinical practice and its efficacy and safety through three Italian referral centers for biliopancreatic diseases treatment.**Match Overview**

1	Internet 155 words crawled on 16-Jul-2016 www.wjgnet.com	5%
2	CrossCheck 113 words Li, Guodong , Qiuping Pang , Xiujuan Zhang , Haiyan Dong , Rong Guo , Hailan Zhai , Yanchun Dong , and Xinyong Jia .	3%
3	CrossCheck 58 words Tsuchida, Kouhei , Mari Iwasaki , Misako Tsubouchi , Tsunehiro Suzuki , Chieko Tsuchida , Naoto Yoshitake , Takako Sa	2%
4	CrossCheck 52 words Liao, W.C. . "Randomized trial of 1-minute versus 5-minute endoscopic balloon dilation for extraction of bile duct stone"	2%
5	CrossCheck 41 words Mocciaro, Filippo , Sara Renna , Ambrogio Orlando , Giulia Rizzuto , Emanuele Sinagra , Emanuele Orlando , and Mario	1%
6	CrossCheck 32 words "UEG Week 2013 Poster Presentations", United European Gastroenterology Journal, 2013.	1%

[全部](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 1,230 条结果 (用时 0.85 秒)

您是不是要找: **Efficacy and safety of endoscopic papillary balloon dilation for the removal of bile duct stones: data from a "real-life" multicenter study on Dilation-Assisted Stone Extraction (DOSE).**

[PDF] endoscopic therapy in extrahepatic biliary strictures - Helda

<https://helda.helsinki.fi/bitstream/handle/10138/162193/ENDOSCOP.pdf?...> ▾ [翻译此页](#)

作者: C Haapamäki - 2016 - [相关文章](#)

2016年6月10日 - Department of Gastrointestinal **Surgery**, Abdominal Center In conclusion, **endoscopic** therapy with cSEMS is **safe** and efficient both regarding ... This can be overcome with **balloon dilation** and multiple stenting, requiring, pancreatitis caused by occlusion of the pancreatic **duct** in the **papilla**, was noted.

Thieme E-Journals - Endoscopy / Full Text - Thieme Connect

<https://www.thieme-connect.de/products/ejournals/html/10.../s-0028-110344...> ▾ [翻译此页](#)

2009年1月21日 - Biliary sphincterotomy plus large **balloon dilatation** versus ... Complications following ERCP: results from a large, prospective **multicenter study** [5] ... the feasibility and **safety** of a paclitaxel stent within the porcine **bile duct**, and found a ... histology in only 12 patients) and were deemed unsuitable for **surgery**.

papillary balloon dilation: Topics by WorldWideScience.org

worldwidescience.org/topicpages/p/papillary+balloon+dilation.html ▾ [翻译此页](#)

AIM: To compare the **effectiveness** and **safety** of **endoscopic papillary balloon** ... In 10 patients, a single **stone** was found in the common **bile duct** (33% and in 20 ... 10 mm, single or multiple **bile duct stones** (BDS, submitted to **endoscopic** ... **Stones** were **removed** using a retrieval **balloon** catheter and/or a dormia basket.

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 1,430 条结果 (用时 0.86 秒)

Gastrointestinal Endoscopy, May 2016, Volume 83, Issue 5 - 2016 ...

[www.giejournal.org/issue/S0016-5107\(16\)X0013-2?page=6](http://www.giejournal.org/issue/S0016-5107(16)X0013-2?page=6) - [翻译此页](#)

2016年5月21日 - Sa1156 Complementary **Endoscopic** Treatments Reduce the Bleeding and of Oddi Manometry in Patients With Common **Bile Duct Stones** ... Complications in Patients Undergoing ERCP: **Study** From National Sa1185 Predictors and Outcomes of Delayed Biliary Stent **Removal** No **data** is available.

[PDF] endoscopic therapy in extrahepatic biliary strictures - Helda

<https://helda.helsinki.fi/bitstream/handle/10138/162193/ENDOSCOP.pdf?....> - [翻译此页](#)作者: C Haapamäki - 2016 - [相关文章](#)

2016年6月10日 - Department of Gastrointestinal **Surgery**, Abdominal Center In conclusion, **endoscopic** therapy with cSEMS is **safe** and efficient both regarding ... This can be overcome with **balloon dilation** and multiple stenting, requiring, pancreatitis caused by occlusion of the pancreatic duct in the **papilla**, was noted.

Thieme E-Journals - Endoscopy / Full Text - Thieme Connect

<https://www.thieme-connect.de/products/ejournals/.../s-0028-1103449?....> - [翻译此页](#)

2009年1月21日 - Clinics in Colon and Rectal **Surgery** ... Biliary sphincterotomy plus large **balloon dilatation** versus ... following ERCP: results from a large, prospective **multicenter study** [5] ... the feasibility and **safety** of a paclitaxel stent within the porcine **bile duct**, For the **extraction** of large (> 10 mm) **bile duct stones**, **data** ...

UEG Week 2015 Poster Presentations - NCBI - National Institutes of ...

www.ncbi.nlm.nih.gov > ... > United European Gastroenterol J > v.3(5 Suppl); 2015 Oct作者: AHIE LIVER - [相关文章](#)

30 Patients with HCC and 30 liver cirrhosis were included in the **study**. ¹Department of Gastroenterology; ²Department of **Surgery**; ³Department of Pharmacology; Short-term outcome

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 1,390 条结果（用时 0.89 秒）

Gastrointestinal Endoscopy, May 2016, Volume 83, Issue 5 - 2016 ...

[www.giejournal.org/issue/S0016-5107\(16\)X0013-2?page=6](http://www.giejournal.org/issue/S0016-5107(16)X0013-2?page=6) - 翻译此页

2016年5月21日 - Sa1156 Complementary **Endoscopic** Treatments Reduce the Bleeding and of Oddi Manometry in Patients With Common **Bile Duct Stones** ... Complications in Patients Undergoing ERCP: **Study** From National Sa1185 Predictors and Outcomes of Delayed Biliary Stent **Removal** No **data** is available.

Thieme E-Journals - Endoscopy / Full Text - Thieme Connect

<https://www.thieme-connect.de/products/ejournals/.../s-0028-1103449?> ▾ 翻译此页

2009年1月21日 - Clinics in Colon and Rectal **Surgery** ... Biliary sphincterotomy plus large **balloon dilatation** versus ... following ERCP: results from a large, prospective **multicenter study** [5] ... the feasibility and **safety** of a paclitaxel stent within the porcine **bile duct**, For the **extraction** of large (> 10 mm) **bile duct stones**, **data** ...

UEG Week 2015 Poster Presentations - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov ▸ ... ▸ United European Gastroenterol J ▸ v.3(5 Suppl); 2015 Oct

作者: AHIE LIVER - 相关文章

30 Patients with HCC and 30 liver cirrhosis were included in the **study**. ¹Department of Gastroenterology, ²Department of **Surgery**, ³Department of Pharmacology, Short-term outcome was defined as the occurrence of **bile duct** injuries, Introduction: **Endoscopic papillary large balloon dilation** (EPLBD) with ...

UEG Week 2015 Oral Presentations - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) ▾

作者: E Derbyshire - 相关文章

Of 115 patients admitted to hospital, 54.8% had **surgery**. These **data** support the longer-term **efficacy** and **safety**/tolerability profile of ozanimod in the stricture and required **endoscopic balloon dilation** (EBD) occasion was performed. **bile duct** (CBD) stones by endoscopic papillary large balloon