



1

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

ESPS Manuscript NO: 26516

Manuscript Type: Observational Study

Recommendations to quantify villous atrophy in video capsule endoscopy images of
celiac disease patients

Edward J Ciaccio, Govind Bhagat, Suzanne K Lewis, Peter H Green

Match Overview



1

Internet 39 words
crawled on 23-May-2016
www.wjgnet.com

1%

2

Internet 11 words
crawled on 23-May-2016
www.worldgastroenterology.org

<1%

3

Internet 10 words
crawled on 16-Mar-2016
content.iospress.com

<1%

4

CrossCheck 10 words
Pál Varga. "Analyzing Packet Interarrival Times Distributio ...
to Detect Network Bottlenecks", IFIP International Federatio

<1%

5

CrossCheck 10 words
Feng Xue. "Image Denoising Based on Improved Non-lo ...
I Algorithm", Communications in Computer and Informatio

<1%

学术搜索

找到约 329 条结果 (用时0.04秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

[PDF] ... Endoscopy (ESGE): recommendations (2009) on clinical use of video capsule endoscopy to investigate small-bowel, esophageal and colonic diseases

SD Ladas, K Triantafyllou, C Spada, ME Riccioni... - Endoscopy, 2010 - alabmed.com

... The ESGE Guidelines Committee acknowledges that this document is based on a critical review of the ... Category of evidence Grade of recommendation ... ESGE recommendations on VCE in investigation of small-bowel, esophageal, and colonic diseases... Endoscopy 2010; 42 ...

被引用次数: 200 相关文章 所有 22 个版本 引用

The role of video capsule endoscopy in the diagnosis of celiac disease: a meta-analysis

T Rokkas, Y Niv - European journal of gastroenterology & ..., 2012 - journals.lww.com

... was evaluated with the Cochran Q-test and the inconsistency index (I²) has been proposed as a measure for quantifying the amount of ... The clinical use of VCE has been assessed previously and recommended in patients with CD who had gastrointestinal symptoms despite ...

被引用次数: 60 相关文章 所有 4 个版本 引用

Distinguishing patients with celiac disease by quantitative analysis of videocapsule endoscopy images

EJ Ciaccio, CA Tennyson, SK Lewis... - computer methods and ..., 2010 - Elsevier

... Videocapsule images can be quantified to detect villous atrophy throughout the small intestine, and ... celiac disease, videocapsule endoscopy has the status of a grade C recommendation [16]. ... frame-to-frame was hypothesized to be indicative of patchy villous atrophy, a hallmark ...

被引用次数: 50 相关文章 所有 10 个版本 引用

ACG clinical guidelines: diagnosis and management of celiac disease

A Rubio-Tapia, ID Hill, CP Kelly... - The American journal of ..., 2013 - nature.com

... individual already identified with CD are at higher risk of CD and recommendations for screening ... The Academy of Nutrition and Dietetics has published evidence-based guidelines for treatment of ... There are no sufficient data to make a recommendation for routine testing of CD ...

被引用次数: 387 相关文章 所有 28 个版本 引用

学术搜索

找到约 320 条结果 (用时0.11秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

The role of video capsule endoscopy in the diagnosis of celiac disease: a meta-analysis

T Rokkas, Y Niv - European journal of gastroenterology & ..., 2012 - journals.lww.com

... was evaluated with the Cochran Q-test and the inconsistency index (I²) has been proposed as a measure for quantifying the amount of ... The clinical use of VCE has been assessed previously and recommended in patients with CD who had gastrointestinal symptoms despite ...

被引用次数: 68 相关文章 所有 5 个版本 引用 保存

[HTML] ... Endoscopy (ESGE): recommendations (2009) on clinical use of video capsule endoscopy to investigate small-bowel, esophageal and colonic diseases

SD Ladas, K Triantafyllou, C Spada, ME Riccioni... - ..., 2010 - thieme-connect.com

... The ESGE Guidelines Committee acknowledges that this document is based on a critical review of the ... the previous document published over 3 years ago, in 2006 [4]. The updated recommendations are presented in ... Statements, Category of evidence, Grade of recommendation. ...

被引用次数: 90 相关文章 所有 25 个版本 引用 保存

Distinguishing patients with celiac disease by quantitative analysis of videocapsule endoscopy images

EJ Ciaccio, CA Tennyson, SK Lewis... - computer methods and ..., 2010 - Elsevier

... Videocapsule images can be quantified to detect villous atrophy throughout the small intestine, and ... celiac disease, videocapsule endoscopy has the status of a grade C recommendation [16]. ... frame-to-frame was hypothesized to be indicative of patchy villous atrophy, a hallmark ...

被引用次数: 54 相关文章 所有 14 个版本 引用 保存

ACG clinical guidelines: diagnosis and management of celiac disease

A Rubio-Tapia, ID Hill, CP Kelly... - The American journal of ..., 2013 - nature.com

individual already identified with CD are at higher risk of CD and recommendations for screening ... The Academy of Nutrition and Dietetics has published evidence based guidelines for treatment

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 22,200 条结果 (用时 0.53 秒)

Google 学术: Recommendations to quantify villous atrophy in video capsule endoscopy images of celiac disease patients

... capsule endoscopy in the diagnosis of celiac disease: ... - Rokkas - 被引用次数: 68

... Gastrointestinal Endoscopy (ESGE): recommendations ... - Ladas - 被引用次数: 90

... patients with celiac disease by quantitative analysis of ... - Ciaccio - 被引用次数: 55

Quantitative image analysis of celiac disease

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: EJ Ciaccio - 2015 - 被引用次数: 4 - 相关文章

2015年3月7日 - If villous atrophy resolves the patient is confirmed as having celiac disease. ... Digital image texture is defined as a quantitative measure of the Video capsule endoscopy: update to guidelines (May 2006) Endoscopy. 2006 ...

Classification of videocapsule endoscopy image patterns: comparative ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: EJ Ciaccio - 2010 - 被引用次数: 29 - 相关文章

2010年9月4日 - Capsule endoscopy videoclip images (576 × 576 pixels) were acquired ... Classifiers were developed using 6 celiac and 5 control patients' data ... of villous atrophy, an important indicator of celiac disease, so that the ... Given Imaging analysis software that was also used to export videos for further analysis.

^[PDF] Distinguishing patients with celiac disease by quantitative analysis of ...

<https://celiacdiseasecenter.columbia.edu/.../Distinguishing-patients-with-celia...> ▾ [翻译此页](#)

作者: EJ Ciaccio - 2010 - 被引用次数: 55 - 相关文章

Method: Capsule endoscopy images were acquired from celiac patients with small bowel pathology (N = 11). ... Conclusions: Videocapsule images can be quantified to detect villous atrophy throughout the