

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

ESPS Manuscript NO: 24729

Manuscript Type: Original Article

Prospective Study

Prior minimal endoscopic sphincterotomy to prevent pancreatitis related to endoscopic balloon sphincteroplasty

Ryo Kanazawa, Jin Kan Sai, Tomoyasu Ito, Hiroko Miura, Shigeto Ishii, Hiroaki Saito, Ko Tomishima, Ryo Shimizu, Koki Sato, Manabu Hayashi, Sumio Watanabe, Shuichiro Shiina

Abstract

AIM: To investigate the efficacy of prior minimal endoscopic sphincterotomy

Match Overview

1	CrossCheck 91 words Jeong, S.. "Endoscopic large-balloon sphincteroplasty without preceding sphincterotomy for the removal of large ...	3%
2	CrossCheck 90 words Sai, Jin Kan, Bunsei Nobukawa, Yuuji Matsumura, and Sumio Watanabe. "Pancreatic duct lavage cytology with th	3%
3	Internet 54 words crawled on 23-Aug-2008 www.sovegastro.com	2%
4	Internet 39 words crawled on 15-Apr-2010 content.nejm.org	1%
5	Internet 26 words crawled on 12-Apr-2016 ueg.sagepub.com	1%
6	CrossCheck 24 words Li, Guodong, Qiuping Pang, Xiujuan Zhang, Haiyan Dong, Rong Guo, Hailan Zhai, Yanchun Dong, and Xinyong	1%
7	CrossCheck 22 words P. L. Ferrell. "Potential Impact of Magnetic Resonance C	1%

学术搜索

找到约 498 条结果 (用时0.07秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

[Endoscopic balloon dilation of the biliary sphincter compared to endoscopic biliary sphincterotomy for removal of common bile duct stones during ERCP: a ...](#)

TH Baron, GC Harewood - The American journal of gastroenterology, 2004 - nature.com

... prospective trials included in our analysis studied sphincter of Oddi (SO) pressures **before** and after ... may eventually undergo EST **due** to: (a) failed cannulation with need for **pre**-cut biliary ... **endoscopic sphincterotomy** for removal of bile duct stones in patients with a **prior** Billroth II ...

被引用次数: 292 相关文章 所有 13 个版本 引用

[Endoscopic balloon sphincteroplasty \(papillary dilation\) for bile duct stones: efficacy, safety, and follow-up in 100 patients](#)

P Mac Mathuna, P White, E Clarke, R Merriman... - ... **endoscopy**, 1995 - Elsevier

... was based on stone size determined at cholangiography during ERCP and not on **pre**-ERCP clinical ... Written informed consent was obtained from each patient **prior** to the procedure ... As regards safety, apart from a **minimal** self-limiting venous ooze seen following **balloon** deflation ...

被引用次数: 247 相关文章 所有 9 个版本 引用

[Epinephrine irrigation for the prevention of pancreatic damage after endoscopic balloon sphincteroplasty](#)

A Ohashi, K Tamada, T Tomiyama... - Journal of ..., 2001 - Wiley Online Library

... papillary dilation) without **endoscopic sphincterotomy** (ES) has recently been reintroduced as a safe, **minimally** invasive, and ... 12 If the patient had had acute **pancreatitis prior** to the procedure, it was not considered a ... **Before** EBS, 228 ± 227 (19-1365), 226 ± 248 (53-1764), NS. ...

被引用次数: 35 相关文章 所有 7 个版本 引用

[Pancreatitis induced by endoscopic balloon sphincter dilation and changes in serum amylase levels after the procedure](#)

N Ueno, Y Ozawa - Gastrointestinal **endoscopy**, 1999 - Elsevier

... In this series, mild or **minimal pancreatitis** developed in a small proportion (19.8%) of patients undergoing EBSD. ... the number of patients in our series who had high values of serum amylase levels **before** the EBSD ... ERCP- and **endoscopic sphincterotomy**-induced **pancreatitis**. ...

被引用次数: 38 相关文章 所有 6 个版本 引用

All

Images

Videos

News

More ▼

Search tools

About 7,250 results (0.84 seconds)

Is endoscopic papillary large balloon dilatation without endoscopic ...

www.ncbi.nlm.nih.gov › NCBI › Literature › PubMed Central (PMC) ▼

by S Omuta - 2015 - Cited by 4 - Related articles

Jun 21, 2015 - For **sphincteroplasty** of EPLBD, **endoscopic sphincterotomy** (EST) was not performed, ... Furthermore, we improved the dilatation technique to make it as **minimal** as possible. We did not place a **pancreatic duct stent to prevent pancreatitis**. ... **Endoscopic sphincterotomy** was not performed **before balloon**.

Endoscopic Papillary Balloon Dilation for Removal of ... - NCBI

www.ncbi.nlm.nih.gov › NCBI › Literature › PubMed Central (PMC) ▼

by JW Chung - 2011 - Cited by 34 - Related articles

Mar 16, 2011 - **Endoscopic papillary balloon** dilation (EPBD) is an alternative ... **Endoscopic sphincterotomy**, **Endoscopic papillary large balloon** dilation. Go to: **minimal** EST **before** standard **endoscopic balloon** dilation may be recommended. Several methods were suggested for **preventing** EPBD-related **pancreatitis**.

[PDF] Endoscopic Papillary Balloon Dilation for Removal of ... - Gut and Liver

www.gutnliver.org/journal/download_pdf.php?doi=10.5009/gnl.2011.5.1.1 ▼

by JW Chung - 2011 - Cited by 34 - Related articles

Endoscopic papillary balloon dilation (EPBD) is an alterna- tive method of for EST-related bleeding.3,17 Because EPBD can **avoid** an inci- sion, it may ...

Prevention of Post-endoscopic Retrograde ...

kjpbt.org/journal/view.php?doi=10.15279/kpba.2015.20.4.190 ▼

by YS Lee - 2015 - Related articles

Oct 30, 2015 - Recently, several **endoscopic** techniques, such as **pancreatic stent** ... However, even in experienced hands, ERCP could be challenging and procedure-related complications ... recurrent **pancreatitis**, **prior ERCP-induced pancreatitis**, sphincter of ... **pancreatic sphincterotomy**, biliary **balloon sphincteroplasty**, ...

全部 图片 视频 新闻 更多 ▾ 搜索工具

找到约 7,540 条结果 (用时 0.56 秒)

Is endoscopic papillary large balloon dilatation without endoscopic ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: S Omuta - 2015 - 被引用次数: 4 - 相关文章

2015年6月21日 - For **sphincteroplasty** of EPLBD, **endoscopic sphincterotomy** (EST) was not performed, ... Furthermore, we improved the dilatation technique to make it as **minimal** as possible. ... We did not place a **pancreatic** duct stent to **prevent pancreatitis**. ... **Endoscopic sphincterotomy** was not performed **before balloon**.

Endoscopic Papillary Balloon Dilation for Removal of ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: JW Chung - 2011 - 被引用次数: 34 - 相关文章

2011年3月16日 - **Endoscopic** papillary **balloon** dilation (EPBD) is an alternative ... **Endoscopic sphincterotomy**, **Endoscopic** papillary large **balloon** dilation. Go to: ... **minimal** EST **before** standard **endoscopic balloon** dilation may be recommended. ... Several methods were suggested for **preventing** EPBD-related **pancreatitis**.

Small sphincterotomy combined with endoscopic papillary large ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: SB Guo - 2014 - 被引用次数: 3 - 相关文章

2014年12月21日 - **Endoscopic** papillary balloon dilation (EPBD) of the biliary sphincter was Post-**ERCP pancreatitis** was defined as persistent abdominal pain for more EST **prior** to EPBD with a large balloon could **reduce** procedure-related hemorrhage. **Endoscopic** large-balloon sphincteroplasty without preceding ...

Prevention of Post-ERCP Pancreatitis - Hindawi Publishing Corporation

www.hindawi.com/journals/grp/2012/796751/ ▾ 翻译此页

作者: F Donnellan - 2011 - 被引用次数: 39 - 相关文章

2011年6月13日 - The procedure-related factors included precut **sphincterotomy** (RR 2.71) ... One expert