



Name of Journal: *World Journal of Gastrointestinal Endoscopy*

ESPS Manuscript NO: 27445

Manuscript Type: ORIGINAL ARTICLE

Randomized Controlled Trial

Vonoprazan 20 mg vs lansoprazole 30 mg for endoscopic submucosal dissection-induced gastric ulcers

Takahashi K *et al.* Management of ESD ulcer by vonoprazan

Kazuya Takahashi, Yuichi Sato, Junji Kohisa, Jun Watanabe, Hiroki Sato, Ken-ichi Mizuno, Satoru Hashimoto, and Shuji Terai

Abstract

AIM

To compare the healing effects of vonoprazan and lansoprazole on gastric ulcers induced by endoscopic submucosal dissection (ESD).

Match Overview

1	CrossCheck 87 words Takahashi, Kazuya, Manabu Takeuchi, Yuichi Sato, Hiroki Sato, Kenichi Mizuno, Satoru Hashimoto, Masaaki Kob	3%
2	Internet 33 words crawled on 15-Jul-2016 upload.umin.ac.jp	1%
3	CrossCheck 23 words Arikawa, Yasuyoshi, Haruyuki Nishida, Osamu Kurasaawa, Atsushi Hasuoka, Keizo Hirase, Nobuhiro Inatomi, Ya	1%
4	Internet 19 words crawled on 01-Feb-2016 www.degruyter.com	1%
5	Internet 18 words crawled on 30-Nov-2015 www.wjgnet.com	1%
6	Internet 15 words crawled on 24-Mar-2010 kjronline.org	<1%
7	Internet 15 words crawled on 10-Apr-2016 www.cupkijournalonlinepublishing.com	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 2,800 条结果 (用时 0.75 秒)

Rebamipide plus proton pump inhibitor versus proton pump ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/25211045 ▾ [翻译此页](#)

作者: J Xiong - 2014 - [被引用次数: 5](#) - [相关文章](#)

Proton pump inhibitor (PPI) was the main prescription for **gastric ulcer** after ... Some **randomized controlled** trials showed that a combination of rebamipide and ... to be more efficient than PPI alone for the treatment of ESD-induced **gastric ulcer**. ... as "rebamipide," "proton pump inhibitor," "endoscopic submucosal dissection," ...

Proton pump inhibitor alone vs proton pump inhibitor plus ... - NCBI

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: T Nishizawa - 2015 - [被引用次数: 5](#) - [相关文章](#)

2014年12月27日 - Pooled **endoscopic submucosal dissection-induced** ulcer **healing** rates were 45.8% ... A recent **study** showed that **proton pump inhibitors** (PPIs) more ... due to ESD-induced **gastric ulcers** than histamine H₂-receptor antagonists. ... and meta-analysis of published **randomized controlled** trials (RCTs) in order ...

Comparison of an ecabet sodium and proton pump inhibitor (PPI) - NCBI

www.ncbi.nlm.nih.gov/pubmed/19950775 ▾ [翻译此页](#)

作者: Y Asakuma - 2009 - [被引用次数: 27](#) - [相关文章](#)

Comparison of an ecabet sodium and **proton pump inhibitor** (PPI) ... of **endoscopic submucosal dissection** (ESD)-induced **ulcers** in early **gastric cancer**. ... The present paper **prospectively** evaluate the additive benefits of using ES in ... At 4 and 8 weeks after ESD, the **healing** rate and the diminution rate of the **ulcers** were ...



全部 新闻 图片 视频 购物 更多 ▾ 搜索工具

找到约 85 条结果 (用时 0.64 秒)

Vonoprazan prevents bleeding from endoscopic submucosal ...

www.pubpdf.com/.../Vonoprazan-prevents-bleeding-from-endoscopic-subm... ▾ 翻译此页

To compare the healing status of ESD-induced gastric ulcers and the incidence of ... ulcers post-endoscopic submucosal dissection (ESD) of the stomach: a ... with vonoprazan 20 mg/day for 4 weeks and subsequently underwent endoscopy ... every 12 h for 2 d, followed by oral administration of lansoprazole (30 mg/d, 5 d).

Efficacy of treatment with rebamipide for endoscopic submucosal ...

www.ncbi.nlm.nih.gov/pubmed/24039365 ▾ 翻译此页

作者: M Takayama - 2013 - 被引用次数: 5 - 相关文章

2013年9月14日 - Efficacy of treatment with rebamipide for endoscopic submucosal dissection-induced ulcers. ... METHODS: We examined 90 patients with early gastric cancer who had ... an intravenous infusion of the PPI lansoprazole (20 mg) every 12 h for 2 d, followed by oral administration of lansoprazole (30 mg/d, 5 d).

缺少字词: vonoprazan

UMIN-CTR Clinical Trial - UMIN Clinical Trials Registry

https://upload.umin.ac.jp/cgi-open-bin/ctr_e/ctr_view.cgi?recptno... ▾ 翻译此页

2016年5月5日 - ... blocker versus proton pump inhibitor for the healing effect of gastric ulcer induced by endoscopic submucosal dissection ... between vonoprazan (20mg/day) group and lansoprazole (30mg/day) group 28 days after ESD.

Aliment Pharmacol Ther - : The AMEDEO Literature Guide

www.amedeo.com/medicine/neu/alinhart.htm ▾ 翻译此页



全部 新闻 图片 视频 更多 ▾ 搜索工具

找到约 132 条结果 (用时 0.54 秒)

[Vonoprazan prevents bleeding from endoscopic submucosal ...](#)

[www.pubpdf.com/.../Vonoprazan-prevents-bleeding-from-endoscopic-subm...](#) ▾ 翻译此页

To compare the healing status of ESD-induced gastric ulcers and the incidence of ... ulcers post-endoscopic submucosal dissection (ESD) of the stomach: a ... with vonoprazan 20 mg/day for 4 weeks and subsequently underwent endoscopy ... every 12 h for 2 d, followed by oral administration of lansoprazole (30 mg/d, 5 d).

[Efficacy of treatment with rebamipide for endoscopic submucosal ...](#)

[www.ncbi.nlm.nih.gov/pubmed/24039365](#) ▾ 翻译此页

作者: M Takayama - 2013 - 被引用次数: 5 - 相关文章

2013年9月14日 - Efficacy of treatment with rebamipide for endoscopic submucosal dissection-induced ulcers. ... METHODS: We examined 90 patients with early gastric cancer who ... intravenous infusion of the PPI lansoprazole (20 mg) every 12 h for 2 d, ... lansoprazole (30 mg/d orally, n = 45; PPI group) or rebamipide (300 ...

缺少字词: vonoprazan

[Comparison of lansoprazole and famotidine for gastric ulcer by ... - NCBI](#)

[www.ncbi.nlm.nih.gov/pubmed/7594335](#) ▾ 翻译此页

作者: T Okai - 1995 - 被引用次数: 10 - 相关文章

Comparison of lansoprazole and famotidine for gastric ulcer by endoscopic ... to receive either lansoprazole 30 mg once daily (n = 12), or famotidine 20 mg twice ... After 4 weeks of treatment, the submucosal fibrous tissues detected by EUS ...

缺少字词: vonoprazan dissection induced

[UMIN-CTR Clinical Trial - UMIN Clinical Trials Registry](#)

[https://upload.umin.ac.jp/cgi-open-bin/ctr_e/ctr_view.cgi?recptno...](#) ▾ 翻译此页

2016年5月5日 - ... blocker versus proton pump inhibitor for the healing effect of gastric ulcer induced by endoscopic submucosal dissection ... between vonoprazan (20mg/day) group and lansoprazole