

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

ESPS Manuscript NO: 26650

Manuscript Type: Retrospective Study

Identification of factors associated with sedation tolerance in 5000 patients
undergoing outpatient colonoscopy: Canadian tertiary center experience

Alexandra Shingina, George Ou, Oliver Takach, Sigrid Svarta, Rick Kwok, Jessica
Tong, Kate Donaldson, Joseph Frenette, Eric Lam, Robert Enns

Match Overview

1	Internet 143 words crawled on 26-Apr-2014 www.cag-acg.org	4%
2	Internet 52 words crawled on 22-Jul-2012 www.pulsus.com	2%
3	CrossCheck 25 words Pakzad, Hossein, Gowreeson Thevendran, Murray J. Penn er, Hong Qian, and Alastair Younger. "Factors Associated	1%
4	Internet 16 words crawled on 14-Mar-2016 www.mdpi.com	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 10,200 条结果 (用时 1.29 秒)

Gastrointestinal Endoscopy, May 2014, Volume 79, Issue 5 ...

[www.giejournal.org/issue/S0016-5107\(14\)X0004-0?page=11](http://www.giejournal.org/issue/S0016-5107(14)X0004-0?page=11) ▾ [翻译此页](#)

2014年5月3日 - Su1549 Colonic Preparation Before **Colonoscopy**: Evaluation of a

Su1561 Patient-Related **Factors** Affecting Bowel Preparation Prior to **Colonoscopy** for **Sedation** in **Patients Undergoing** Upper Gastrointestinal Endoscopy ... Su1588

Identification of Factors Associated With Sedation Tolerance During ...

[PDF] SUBJECT INDEX (By Abstract Number)

www.giejournal.org/pb/assets/raw/.../10_Subj_Index_final.pdf ▾ [翻译此页](#)

作者: OF ENDOSCOPY

Characerization of Risk **Factors** for **Colonoscopy** ... an **Outpatient** Setting. Systematic ...

Leaks: **Experience** From a Single **Tertiary Care**. Center. Endoscopy in IBD Women Is

Safe in Each **Patients Undergoing** Endoscopic Procedures ... **Identification of Factors**

Associated With. **Sedation Tolerance** During **Colonoscopy**: a.

General anesthetic versus light sedation: Effect on pediatric ...

www.ncbi.nlm.nih.gov ▸ ... ▸ [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: C Edwards - 2013 - [相关文章](#)

Pediatric endoscopy is performed under light **sedation** or general anesthesia. ... to

practical limits on access to anesthesia in the **Canadian** health **care** system. ... **outpatient**

endoscopic procedure at McMaster Children's Hospital (Hamilton, We have illustrated

that **patients undergoing** the procedure with GA **experienced** a ...

[PDF] Endoscopic perforation rates at a Canadian university ...

<https://www.ualberta.ca/~loewen/Medicine/.../colonperfMisra.pdf> ... [翻译此页](#)

作者: MD Tarun Misra - 2004 - 被引用次数: 64 - [相关文章](#)

and lower endoscopic procedures at a major **Canadian tertiary care** centre. METHODS:

Inpatient and **outpatient** gastroscopies and colono- scopies ... extracted to **identify** risk

factors and **patient** outcomes. RESULTS: A total of Published reports of **colonoscopy-**

associated perforation rates during the last 30 years. Author.

学术搜索

获得 78 条结果 (用时0.20秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Feasibility, safety, acceptability, and yield of office-based, screening transnasal esophagoscopy (with video)

AF Peery, T Hoppe, KS Garman, ES Dellon... - Gastrointestinal ..., 2012 - Elsevier

... 1 and 2 Although standard upper endoscopy allows the identification of precancerous lesions or ... When identified, the length of Barrett's esophagus was measured in centimeters from the ... Bivariate analysis was then performed to identify variables associated with risk factors for ...

被引用次数: 40 相关文章 所有 11 个版本 引用 保存

SUBJECT INDEX (By Abstract Number)

OF ENDOSCOPY, UGI ESOPHAGUS, UGI STOMACH - giejournal.org

... Proposed As an Alternative to IV Sedation in Patients Undergoing Colonoscopy Identification of Factors ... Tertiary Centre Quality Requirements for Colonoscopy: Which Factors Influence the ... Endoscopists During Screening and Surveillance Colonoscopy Is Associated With Lower ...

所有 3 个版本 引用 保存

Comparison of effectiveness of paper handout vs. video media in reducing level of anxiety in patients scheduled for upper GI endoscopy

S Boonviriyaa, S Ratanaalert, S Saengnil... - Journal of ..., 2016 - ghmet.org

... Regardless, anxiety was identified as a predicting factor for upper endoscopy tolerance in one study[14], and the reduction of anxiety may be crucial to improving the patient tolerance to endoscopy, particularly when performed without ... Identification of factors that influence ...

相关文章 所有 5 个版本 引用 保存 更多

[HTML] Intensive insulin therapy in critically ill patients

G Van den Berghe, P Wouters, F Weekers... - New England journal ..., 2001 - Mass Medical Soc

... To identify bacteremia with coagulase-negative staphylococci, identical strains (compared by antibiogram) in ... dissociation within the growth hormone/insulin-like growth factor I axis ... Clinical

全部 新闻 图片 视频 更多 ▾ 搜索工具

找到约 21,300 条结果 (用时 0.58 秒)

[PDF] **Endoscopic perforation rates at a Canadian ... - University of Alberta**

<https://sites.ualberta.ca/~loewen/Medicine/.../colonperfMisra.pdf> - 翻译此页

作者: MD Tarun Misra - 2004 - 被引用次数: 72 - 相关文章

and lower endoscopic procedures at a major **Canadian tertiary care** centre. METHODS: Inpatient and **outpatient** gastroscopies and colono- scopies ... extracted to **identify risk factors** and **patient** outcomes. RESULTS: A total of Published reports of **colonoscopy-associated** perforation rates during the last 30 years. Author.

缺少字词: tolerance

A Systematic Review of Factors Associated With Utilization of ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: MA Adams - 2016

The most influential **patient-related factors associated** with MAC utilization ... include **facility** endoscopy volume and endoscopist years of **experience**. ... Keywords: Gastrointestinal endoscopy, **sedation**, monitored anesthesia **care**, utilization and 2005 (P<.001) among **Canadians** 20 years or older **undergoing colonoscopy** ...

缺少字词: tolerance 5000 tertiary

OBESITY AS A RISK FACTOR FOR SEDATION-RELATED ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: S Wani - 2011 - 被引用次数: 45 - 相关文章

Tertiary referral center. ... 1016 consecutive **patients undergoing** AEPs [BMI<30: 730(72%), ... Keywords: Obesity, propofol, monitored anesthesia **care**, advanced ... been **identified** as an independent predictor of **sedation related** adverse events in ... with extensive **experience** in the **sedation of patients undergoing** advanced ...

缺少字词: 5000 outpatient canadian