



2

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

ESPS Manuscript NO: 30322

Manuscript Type: Case Report

**Endoscopic closure instead of surgery to close an ileal pouch fistula with
the over-the-scope clip system**

Yao Wei, Jian-Feng Gong, Wei-Ming Zhu

Match Overview

1	Crossref 74 words Sherman, Jingjing, Adrian J. Greenstein, and Alexander J. Greenstein. "Ileal J Pouch Complications and Surgic...	5%
2	Internet 74 words crawled on 28-Jun-2016 www.wjgnet.com	5%
3	Crossref 65 words Hasan T. Kirat. "Management of Leak From the Tip of ti... "J" in Ileal Pouch-Anal Anastomosis.", Diseases of the	5%
4	Crossref 62 words von Renteln, D.. "Endoscopic closure of GI-fistulae by t... ng an over-the-scope clip (with videos)", Gastrointestinal	4%
5	Internet 22 words crawled on 16-Apr-2016 jcol.elsevier.es	2%
6	Crossref 12 words "UEG Week 2014 Poster Presentations", United Europe an Gastroenterology Journal, 2014.	1%

学术搜索

获得 24 条结果 (用时0.11秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Endoscopic therapy for postoperative leaks and fistulae

N Kumar, CC Thompson - Gastrointestinal endoscopy clinics of North ..., 2013 - Elsevier

... The sponge is grasped with endoscopic forceps and introduced into the fistula endoscopically. ... drain is submerged underwater, and carbon dioxide is insufflated through the endoscope. ... methylene blue with contrast into the drain with simultaneous endoscopic and fluoroscopic ...

被引用次数: 19 相关文章 所有 4 个版本 引用 保存

Endoscopic management of complications in digestive surgery

X Dray, M Camus, U Chaput - Journal of visceral surgery, 2013 - Elsevier

... experience with 22 patients; five cases of stent migration were treated endoscopically without compromising the ... to avoid premature release of glue in the operating channel of the endoscope. ... a treatment in one case of acute esophageal perforation after endoscopic extraction of ...

被引用次数: 5 相关文章 所有 4 个版本 引用 保存

[HTML] Closure of leak at the tip of the "J" after ileal pouch-anal anastomosis using a novel over-the-scope clipping system

L Lian, B Shen - Journal of Coloproctology (Rio de Janeiro), 2014 - SciELO Brasil

... Then endoscopic over-the-scope clipping system was used and the leak defect was completely closed. ... the first case in the literature that a leak from the tip of a J-pouch was endoscopically occluded using a ... Key words: ileal pouch anal anastomosis; Leak; Clipping; Endoscopy. ...

被引用次数: 1 相关文章 所有 5 个版本 引用 保存 更多

The cooperation between endoscopists and surgeons in treating complications of bariatric surgery

EMH Mathus-Vliegen - Best Practice & Research Clinical Gastroenterology, 2014 - Elsevier

... in complications which in many cases can be solved by endoscopic interventions ... postoperative abdominal imaging studies, select the most appropriate type of endoscope and accessories. In

学术搜索

找到约 1,440 条结果 (用时0.15秒)

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

Evolutionary changes in the pathologic diagnosis after the ileoanal pouch procedure

PW Marcello, DJ Schoetz Jr, PL Roberts... - Diseases of the colon & rectum, 1997 - Springer

... A diagnosis of Crohn's disease was based on clinical, radiographic, endoscopic, or pathologic findings. ... found to have gastroduodenal Crohn's disease confirmed both radiographically and endoscopically. ... 2). Functional results after closure of the ileostomy were similar among patients ...

被引用次数: 104 相关文章 所有 6 个版本 引用 保存

Gracilis muscle transposition for iatrogenic rectourethral fistula

O Zmora, FM Potenti, SD Wexner, AJ Pikarsky... - ... of surgery, 2003 - journals.lww.com

... A urinary Foley catheter was kept in place for at least 6 weeks and was removed after healing ... a mean follow-up of 18.2 (range 4-40) months from diverting stoma closure, none of ... three small vertical skin incisions of approximately 3 to 5 cm each, the endoscopic approach may ...

被引用次数: 113 相关文章 所有 10 个版本 引用 保存

Successful management of Crohn's disease of the ileoanal pouch with infliximab

E Ricart, R Panaccione, EV Loftus, WJ Tremaine... - Gastroenterology, 1999 - Elsevier

... 6, AZA, PRED, antibiotics, Diarrhea, arthritis, abdominal cramping, endoscopic inflammation, 1, AZA, Complete, No. ... 80%) with fistula(s) had a complete response with sustained closure of all ... Three patients had a diverting loop ileostomy in place when they started the treatment with ...

被引用次数: 122 相关文章 所有 7 个版本 引用 保存

A randomized prospective trial of endoscopic ultrasound to guide combination medical and surgical treatment for Crohn's perianal fistulas

[全部](#)[图片](#)[视频](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 17,000 条结果 (用时 0.81 秒)

The over-the-scope clip system--a novel technique for ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/22506258> - 翻译此页

作者: TH Kothari - 2012 - 被引用次数: 21 - 相关文章

The OTSC device was mounted on the tip of the endoscope and passed into ... Fistula sizes >1 cm, however, were difficult to close with the OTSC system. ... CONCLUSION: Closure of a GC fistula using a novel 'bear claw' clip system is ... Aged, 80 and over; Cutaneous Fistula/physiopathology; Cutaneous Fistula/surgery* ...

缺少字词: ileal pouch

The over-the-scope clip system – a novel technique for ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3354887/> - 翻译此页

作者: TH Kothari - 2012 - 被引用次数: 21 - 相关文章

The mainstay of therapy for gastrocutaneous (GC) fistulas has been surgical ... over-the-scope clip (OTSC) device, a novel and new tool for the endoscopic ... Fistula sizes >1 cm, however, were difficult to close with the OTSC system. ... Closure of a GC fistula using a novel 'bear claw' clip system is feasible and safe.

缺少字词: ileal

Endoscopic closure of a gastrocolic fistula using the over-the-scope ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: K Mönkemüller - 2013 - 被引用次数: 8 - 相关文章

2013年8月16日 - Keywords: Over-the-scope-clip, Bear claw, Fistula, Endoscopic closure, ... fistula in a severely malnourished patient with complex post-surgical upper ... The OTSC-system is an endoscopic clipping device made of Nitinol, which ... The major endoscopic devices utilized to provide hemostasis and to close ...