

Name of journal: *World Journal of Gastrointestinal Endoscopy*

ESPS Manuscript NO: 28948

Manuscript Type: Original Article

Retrospective Cohort Study

Does serotonin reuptake inhibitor therapy increase the risk of post-sphincterotomy bleeding in patients undergoing ERCP?

Divya Yadav, John Vargo, Rocio Lopez, Prabhleen Chahal

Abstract

AIM

To evaluate the risk of immediate and delayed bleeding following sphincterotomy procedure.

Match Overview

1	Crossref 59 words "Biliary/Pancreas", <i>The American Journal of Gastroenterology</i> , 2015.	3%
2	Crossref 21 words Farshad Elmi, "Long-Term Biliary Endoscopic Sphincterotomy Restenosis: Incidence, Endoscopic Management, an ..."	1%
3	Internet 16 words crawled on 17-Jun-2014 www.tavakolimd.com	1%
4	Crossref 14 words Anglin, Rebecca, Yuhong Yuan, Paul Moayyedi, Frances Ts e, David Armstrong, and Grigorios I Leontiadis. "Risk of Up"	1%
5	Crossref 13 words Michael L.J. Apuzzo. "A New Requirement for Submission s", <i>Neurosurgery</i> , 09/1995	1%

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 5,290 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Endoscopy in patients on antiplatelet or anticoagulant therapy ...](#)gut.bmj.com/content/65/3/374.full

Direct Oral Anticoagulants (DOAC) For low-risk endoscopic procedures we ... of patients on antiplatelet therapy or anticoagulants undergoing elective ... with an increased risk of post-polypectomy bleeding (PPB)15 and patients should be ... endoscopic gastrostomy is linked to serotonin reuptake inhibitors, not aspirin or ...

[Outcomes of Sphincter of Oddi Manometry When Performed in Low ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3130956/>

2 Jun 2011 ... In type III SOD, 7 patients had elevated basal SO pressure and underwent sphincterotomy. ... In low numbers, sphincter of Oddi manometry can be performed ... (TCA), selective serotonin reuptake inhibitors (SSRI), antispasmodics (i.e., ... post ERCP pancreatitis, perforation, post sphincterotomy bleeding, ...

[\[PDF\] Endoscopy in patients on anti-thrombotic medication - University ...](#)www.uhnm.nhs.uk/.../Peri-[op%20anticoagulation%20in%20patients%20requiring%20endsco...](#)

(INR) does not exceed the therapeutic range in the week prior to ... Polypectomy. ERCP with sphincterotomy ... there is an increased risk of post-procedure bleeding compared ... patients undergoing endoscopy in 20082 and the ESGE pub- ... gastrostomy is linked to serotonin reuptake inhibitors, not aspirin or clopidogrel.

[Do SSRIs Cause Bleeding? - Medscape](#)www.medscape.com/viewarticle/809492

20 Aug 2013 ... Do selective serotonin receptor inhibitors (SSRIs) increase the risk for bleeding? ... if any, increased risk for bleeding with SSRIs in patients undergoing cardiac surgery. ... increase bleeding risks, given that inhibition of serotonin uptake ... However, the choice of antidepressants upon initiation of therapy ...

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 5,560 条结果 (用时 0.75 秒)

小提示： 仅限搜索简体中文结果。您可以在设置中指定搜索语言

Endoscopy in patients on antiplatelet or anticoagulant therapy ...

gut.bmj.com > Volume 65, Issue 3 - 翻译此页

作者：AM Veitch - 2016 - 被引用次数：27 - 相关文章

Direct Oral Anticoagulants (DOAC) For low-risk endoscopic procedures we ... of patients on antiplatelet therapy or anticoagulants undergoing elective with an increased risk of post-polypectomy bleeding (PPB)15 and patients should be endoscopic gastrostomy is linked to serotonin reuptake inhibitors, not aspirin or ...

Outcomes of Sphincter of Oddi Manometry When Performed in Low ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者：JP Rice - 2011 - 被引用次数：9 - 相关文章

2011年6月2日 - In type III SOD, 7 patients had elevated basal SO pressure and underwent sphincterotomy. ... In low numbers, sphincter of Oddi manometry can be performed ... (TCA), selective serotonin reuptake inhibitors (SSRI), antispasmodics (i.e., ... post ERCP pancreatitis, perforation, post sphincterotomy bleeding, ...

[Full text] Serotonin reuptake inhibitors and post-gastrostomy bleeding ...

<https://www.dovepress.com/serotonin-reuptake-inhibitors-and-post-gastrosto...> ▼ 翻译此页

2015年8月27日 - Introduction: Serotonin reuptake inhibitors (SRIs) are one of the most ... Conclusion: We did not notice an increase in post-PEG bleeding in patients on SRIs. could be a safe clinical option in patients undergoing PEG tube placement. The bleeding risk from clopidogrel and therapeutic anticoagulation ...