

Match Overview

There are no matching sources for this report.

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 40539

Manuscript Type: MINIREVIEWS

Adiponectin as a novel biomarker for liver fibrosis

Wanvisa Udomsinprasert, Sittisak Honsawek, Yong Poovorawan

1 **Abstract**

2 Adiponectin is known to play primary roles in the regulation of systemic glucose
3 homeostasis and lipid metabolism. Interestingly, emerging evidence indicates
4 beneficial effects of adiponectin on liver fibrosis; however, the exact mechanisms of
5 this action remain unclear. Herein, we aimed to summarize the recent findings
6 regarding the role of adiponectin in liver fibrogenesis and update the current
7 comprehensive knowledge regarding usefulness of adiponectin-based treatments in

找到约 195,000 条结果 (用时 0.55 秒)

Google 学术 : Adiponectin as a novel biomarker for liver fibrosis

... of liver cell apoptosis as a novel biomarker of disease ... - Wieckowska - 被引用次数 : 692

A novel diagnostic biomarker panel for obesity-related ... - Younossi - 被引用次数 : 257

... insulin resistance in NASH: TNF- α or adiponectin? - Hui - 被引用次数 : 1120

Discovery of Novel Biomarker Candidates for Liver Fibrosis in ... - PLOS

journals.plos.org/plosone/article?id=10.1371/journal.pone.0039603 ▼ 翻译此页

作者 : B Gangadharan - 2012 - 被引用次数 : 35 - 相关文章

2012年6月26日 - Forty four candidate biomarkers for hepatic fibrosis were identified of ... for the other novel markers of fibrosis we identified (afamin, adiponectin ...

Materials and Methods - Results - Discussion - Supporting Information

Development of a Novel Biomarker for Liver Fibrosis - Full Text View ...

<https://clinicaltrials.gov/ct2/show/NCT02348814> ▼ 翻译此页

2015年1月28日 - Development of a Novel Biomarker for Liver Fibrosis leptin, adiponectin, TNF-alpha, PAI-1, IL-6, MCP-1, and retinoids. Eligibility Criteria.

Discovery of Novel Biomarker Candidates for Liver Fibrosis in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3383672/> ▼ 翻译此页

作者 : B Gangadharan - 2012 - 被引用次数 : 35 - 相关文章

2012年6月26日 - Forty four candidate biomarkers for hepatic fibrosis were identified of the other novel markers of fibrosis we identified (afamin, adiponectin, ...

Accuracy of prediction scores and novel biomarkers for predicting ...

<https://www.ncbi.nlm.nih.gov/pubmed/23592667> ▼ 翻译此页



Adiponectin as a novel biomarker for liver fibrosis



全部

新闻

图片

购物

视频

更多

设置

工具

找到约 140,000 条结果 (用时 0.40 秒)

Google 学术: Adiponectin as a novel biomarker for liver fibrosis

... of liver cell apoptosis as a novel biomarker of disease ... - Wieckowska - 被引用次数: 685

A novel diagnostic biomarker panel for obesity-related ... - Younossi - 被引用次数: 256

... insulin resistance in NASH: TNF- α or adiponectin? - Hui - 被引用次数: 1115

Discovery of Novel Biomarker Candidates for Liver Fibrosis in ... - PLOS journals.plos.org/plosone/article?id=10.1371/journal.pone.0039603 ▼ 翻译此页

作者: B Gangadharan - 2012 - 被引用次数: 34 - 相关文章

2012年6月26日 - Forty four candidate biomarkers for hepatic fibrosis were identified of ... for the other novel markers of fibrosis we identified (afamin, adiponectin ...

Materials and Methods · Results · Discussion · Supporting Information

Development of a Novel Biomarker for Liver Fibrosis - Full Text View ...

<https://clinicaltrials.gov/ct2/show/NCT02348814> ▼ 翻译此页

2015年1月28日 - Development of a Novel Biomarker for Liver Fibrosis leptin, adiponectin, TNF-alpha, PAI-1, IL-6, MCP-1, and retinoids. Eligibility Criteria.

Discovery of Novel Biomarker Candidates for Liver Fibrosis in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3383672/> ▼ 翻译此页

作者: B Gangadharan - 2012 - 被引用次数: 34 - 相关文章

2012年6月26日 - Forty four candidate biomarkers for hepatic fibrosis were identified of the other novel markers of fibrosis we identified (afamin, adiponectin, ...

Biomarkers in Nonalcoholic Fatty Liver Disease: A New Era in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2950320/> ▼ 翻译此页

找到约 225,000 条结果 (用时 0.43 秒)

Google 学术 : Adiponectin as a novel biomarker for liver fibrosis

... of liver cell apoptosis as a novel biomarker of disease ... - Wieckowska - 被引用次数 : 692

A novel diagnostic biomarker panel for obesity-related ... - Younossi - 被引用次数 : 257

... insulin resistance in NASH: TNF- α or adiponectin? - Hui - 被引用次数 : 1120

Discovery of Novel Biomarker Candidates for Liver Fibrosis in ... - PLOS

journals.plos.org/plosone/article?id=10.1371/journal.pone.0039603 ▾ 翻译此页

作者 : B Gangadharan - 2012 - 被引用次数 : 35 - 相关文章

2012年6月26日 - Forty four candidate biomarkers for hepatic fibrosis were identified of ... for the other novel markers of fibrosis we identified (afamin, adiponectin ...

Materials and Methods · Results · Discussion · Supporting Information

Development of a Novel Biomarker for Liver Fibrosis - Full Text View ...

<https://clinicaltrials.gov/ct2/show/NCT02348814> ▾ 翻译此页

2015年1月28日 - Development of a Novel Biomarker for Liver Fibrosis leptin, adiponectin, TNF-alpha, PAI-1, IL-6, MCP-1, and retinoids. Eligibility Criteria.

Discovery of Novel Biomarker Candidates for Liver Fibrosis in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3383672/> ▾ 翻译此页

作者 : B Gangadharan - 2012 - 被引用次数 : 35 - 相关文章

2012年6月26日 - Forty four candidate biomarkers for hepatic fibrosis were identified of the other novel markers of fibrosis we identified (afamin, adiponectin, ...

Biomarkers in Nonalcoholic Fatty Liver Disease: A New Era in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2950320/> ▾ 翻译此页