01-Sep-2021 12:01AM

12%

Name of Journal: World Journal of Hepatology

Manuscript NO: 67173

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Circulating microRNA 9-3p and serum endocan as potential biomarkers for hepatitis

C virus-related hepatocellular carcinoma

Wahb AMSE et al. microRNA 9-3p and endocan in hepatocellular carcinoma

Amany Mohamed Salah Eldin Wahb, Mohamed El Kassas, Ahmed Kamal Khamis, Mostafa Elhelbawy, Nesreen Elhelbawy, Mona Salah Eldin Habieb

			SMILAR
	Ма	tch Overview	To la
	4		
	1	Internet 60 words crawled on 20-Apr-2021 www.dovepress.com	1%
	2	Internet 55 words crawled on 15-Nov-2020 www.oncotarget.com	1%
	3	Internet 38 words crawled on 18-Nov-2005 cebp.aacrjournals.org	1%
	4	Crossref 33 words Anas Abdelrahman Youssef, Hisham A Issa, Maha Z Omar, Eman G Behiry et al. "Serum human endothelial cell-specifi	1%
	5	Internet 30 words crawled on 10-Nov-2020 www.wjgnet.com	1%
	6	Internet 28 words crawled on 27-Mar-2009 jcem.endojournals.org	1%
	7	Crossref 27 words "24th Annual Conference of APASL, March 12–15, 2015, Ist anbul, Turkey", Hepatology International, 2015	1%
3.40	Q	激活 Windows Crossref 27 words	1%



Circulating microRNA 9-3p and serum endocan as potential bioma





Q

ALL

IMAGES

VIDEOS

12,000 Results

Any time ▼

Serum MicroRNAs as Potential Biomarkers for Early ...

https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0137706 -

Sep 09, 2015 · Circulating microRNAs are deregulated in liver fibrosis and hepatocellular carcinoma (HCC) and are candidate biomarkers. This study investigated the potential of serum microRNAs; miR-19a, miR-296, miR-130a, miR-195, miR-192, miR-34a, and miR-146a as early diagnostic biomarkers for hepatitis C virus (HCV)-related HCC. As how these microRNAs change during liver fibrosis ...

Cited by: 67 Author: Tarek K. Motawi, Olfat G. Shaker, Shohda ...

Publish Year: 2015

Circulating microRNAs as Potential Diagnostic and ...

https://www.nature.com/articles/s41598-019-46872-8

Jul 18, 2019 - Hepatocellular carcinoma (HCC) is the fifth most common cancer with high mortality, due to late diagnosis and limited treatment options. Blood miRNAs, which circulate in ...

Cited by: 55 Author: Yu Jin, Ye Shen Wong, Brian K. P. Goh, C...

Publish Year: 2019

Serum MicroRNAs as Potential Biomarkers for Early ...

https://europepmc.org/article/MED/26352740 -

Sep 09, 2015 · Circulating microRNAs are deregulated in liver fibrosis and hepatocellular carcinoma (HCC) and are candidate biomarkers. This study investigated the potential of serum microRNAs; miR-19a, miR-296, miR-130a, miR-195, miR-192, miR-34a, and miR-146a as early diagnostic biomarkers for hepatitis C virus (HCV)-related HCC.

Cited by: 67 Author: Tarek K. Motawi, Olfat G. Shaker, Shohda ...

Publish Year: 2015

Upregulation of Circulating miR-20a is correlated with ...