

Match Overview



There are no matching sources for this report

Name of journal: World Journal of Hepatology

ESPS Manuscript NO: 13633

Columns: Topic Highlight

Chemokines and their receptors play important roles in the development of hepatocellular carcinoma

Chun-Min Liang, Long Chen, Heng Hu, Hui-Ying Ma, Ling-Ling Gao, Jie Qin, Cui-Ping Zhong

Abstract

The chemokine system consists of four different subclasses with over 50 chemokines and 19 receptors. Their functions in the immune system have been well elucidated and research during the last decades unveils their new roles in hepatocellular carcinoma (HCC). The chemokines and their receptors in the



Article types

[Review](#)

[Customize ...](#)

Text availability

[Abstract](#)

[Free full text](#)

[Full text](#)

Publication dates

[5 years](#)

[10 years](#)

[Custom range...](#)

Species

[Humans](#)

[Clear all](#)

[Show additional filters](#)

Display Settings: ☒ Summary, Sorted by Recently Added

Send to: ☒

Filters: [Manage Filters](#)

Results: 3

☐ [Pathogenesis of alcoholic liver disease: Role of oxidative metabolism.](#)

1. Ceni E, Mello T, Galli A.

World J Gastroenterol. 2014 Dec 21;20(47):17756-17772. Review.

PMID: 25548474 [PubMed - as supplied by publisher] **Free PMC Article**

[Related citations](#)

☐ [The role of EGF-EGFR signalling pathway in hepatocellular carcinoma inflammatory microenvironment.](#)

2. Huang P, Xu X, Wang L, Zhu B, Wang X, Xia J.

J Cell Mol Med. 2014 Feb;18(2):218-30. doi: 10.1111/jcmm.12153. Epub 2013 Nov 25.

PMID: 24268047 [PubMed - Indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

☐ [Stromal cell-derived factor-1 but not its receptor, CXCR4, gene variants increase susceptibility and pathological development of hepatocellular carcinoma.](#)

3. Chang CC, Chen SC, Hsieh YH, Chen YC, Chen TY, Chu YH, Ma HJ, Chou MC, Tsai HT, Yang SF.

Clin Chem Lab Med. 2009;47(4):412-8. doi: 10.1515/CCLM.2009.092.

PMID: 19327121 [PubMed - Indexed for MEDLINE]

[Related citations](#)

Display Settings: ☒ Summary, Sorted by Recently Added

Send to: ☒

New feature

Try the new Display Settings option -
Sort by Relevance

2 free full-text articles in PubMed Central

Review Pathogenesis of alcoholic liver disease: Role of oxidative r [World J Gastroenterol. 2014]

The role of EGF-EGFR signalling pathway in hepatocellular carcinon [J Cell Mol Med. 2014]

[See all \(2\)...](#)

Find related data

Database:

[Find items](#)

Search details

("chemokines" [MeSH Terms] OR

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 402,000 条结果 (用时 1.03 秒)

Google 学术 : Chemokines and their receptors play important roles in the development of hepatocellular carcinoma

Mechanisms of hepatic fibrogenesis - Friedman - 被引用次数 : 1390

... roles of the immune system during cancer development - de Visser - 被引用次数 : 1253

Inflammation and cancer: how hot is the link? - Aggarwal - 被引用次数 : 897

Chemokines and hepatocellular carcinoma

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者 : F Huang - 2010 - 被引用次数 : 45 - [相关文章](#)

2010年4月21日 - In this paper, several chemokines and their receptor interactions in HCC ... lymphatic organ development, inflammatory diseases, and tumors. ... Liu et al [8] suggested that CXCR4 and CXCL12 may play an important role in ...

Insights on the CXCL12-CXCR4 axis in hepatocellular ...

www.ncbi.nlm.nih.gov > ... > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者 : I Ghanem - 2014 - 被引用次数 : 2 - [相关文章](#)

2014年7月18日 - Beyond the influence of chemokines and their cognate receptors in