

Format for CLINICAL TRIALS STUDY

Name of journal: World Journal of Hepatology

ESPS Manuscript NO: 14554

Columns: ORIGINAL ARTICLE

Clinical Trials Study

Genetic ancestry analysis in NAFLD patients from Brazil and Portugal

Lourianne Nascimento Cavalcante, Jose Tadeu Stefano, Mariana V Machado, Daniel F Mazo, Fabiola Rabelo, Kiyoko Abe Sandes, Flair José Carrilho, Helena Cortez-Pinto, Andre Castro Lyra, Claudia P de Oliveira

Abstract

Few data are available about ancestry contribution in nonalcoholic fatty liver disease (NAFLD). Previous data have suggested that African descendants have milder NAFLD than Caucasians. In Brazil, a country that was mostly colonized by Portugal, the population is admixed and its ancestry influence on NAFLD is undetermined. **Aim:** To analyze the possible association

Match Overview

Rank	Source	Words	Similarity
1	CrossCheck	125 words Lourianne Nascimento Cavalcante. "IL28B polymorphisms are markers of therapy response and are influenced by g...	3%
2	Internet	58 words crawled on 05-Apr-2012 www.plosone.org	1%
3	CrossCheck	55 words Mohanty, S.R.. "Influence of ethnicity on histological differences in non-alcoholic fatty liver disease", Journal of Hepato	1%
4	CrossCheck	16 words Tokushige, K.. "Influence of TNF gene polymorphisms in Japanese patients with NASH and simple steatosis", Journal	<1%
5	Internet	15 words crawled on 31-May-2012 lib.bioinfo.pl	<1%
6	CrossCheck	15 words "AASLD Abstracts", Hepatology, 2013.	<1%
7	CrossCheck	12 words Fei Wang. "R-type calcium channels antagonist significantly improves cerebral blood flow following subarachnoid hem	<1%
8	CrossCheck	11 words Palmer, Nicholette D, Solomon K Musani, Laura M Yerges-Armstrong, Mary F Feitosa, Lawrence F Bielak, Ruben Her	<1%
	CrossCheck	10 words	



alysis in non-alcoholic fatty liver disease patients from Brazil and Portugal



网页 新闻 图片 视频 更多 搜索工具

找到约 177,000 条结果 (用时 0.90 秒)

Google 学术 : Genetic ancestry analysis in non-alcoholic fatty liver disease patients from Brazil and Portugal

- ... and risk factors for non-alcoholic fatty liver disease - Souza - 被引用次数 : 58
- ... fatty liver disease: predisposing factors and the role of ... - Cave - 被引用次数 : 230
- Hemochromatosis and iron-overload screening in a ... - Adams - 被引用次数 : 459

小提示 : 仅限搜索简体中文结果。您可以在设置中指定搜索语言

EASL LiverTree™ - Official eLearning Portal of EASL ...
liver.tree.easl.eu/easl/2014/international.liver... [翻译此页](#)
 GENETIC ANCESTRY CHARACTERIZATION IN NAFLD PATIENTS FROM BRAZIL AND ... about racial and ethnic variation in Nonalcoholic fatty liver disease (NAFLD). ...
 NAFLD from Brazil and Portugal, the relationship between genetic ancestry, ... Genetic ancestry was analyzed using seven Ancestry Informative Markers ...

Brazilian Journal of Medical and Biological Research - Lack ...
www.scielo.br/scielo.php?pid=S0100...script=sci_arttext [翻译此页](#)
 作者 : MM Deguti - 2003 - 被引用次数 : 34 - 相关文章
 Key words: Fatty liver, Nonalcoholic steatohepatitis, Iron overload, HFE gene, Alanine ... 3 test) in patients who denied alcohol consumption at hospital admission. ...
 NASH was graded 1 to 4 according to steatosis intensity (the percentage of ... Ethnic origin was as follows: 72% Caucasians, 12% Mulattoes and 12% Asians.

Metabolic syndrome and risk factors for non-alcoholic fatty ...
www.scielo.br/scielo.php?pid=S0004...script=sci_arttext [翻译此页](#)

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 173,000 条结果 (用时 0.76 秒)

Google 学术: Genetic ancestry analysis in non-alcoholic fatty liver disease patients from Brazil and Portugal

... and risk factors for non-alcoholic fatty liver disease - Souza - 被引用次数: 59

... fatty liver disease: predisposing factors and the role of ... - Cave - 被引用次数: 231

Hemochromatosis and iron-overload screening in a ... - Adams - 被引用次数: 462

小提示: 仅限搜索简体中文结果。您可以在设置中指定搜索语言

EASL LiverTree™ - Official eLearning Portal of EASL ...

[livertree.easl.eu/easl/2014/international.liver.../\[\\$item.link\]](http://livertree.easl.eu/easl/2014/international.liver.../[$item.link]) ▾ 翻译此页

GENETIC ANCESTRY CHARACTERIZATION IN NAFLD PATIENTS FROM BRAZIL

AND ... about racial and ethnic variation in Nonalcoholic fatty liver disease (NAFLD). ...

NAFLD from Brazil and Portugal, the relationship between genetic ancestry, ... Genetic ancestry was analyzed using seven Ancestry Informative Markers ...

Metabolic syndrome and risk factors for non-alcoholic fatty ...

www.scielo.br/scielo.php?pid=S0004...script=sci_arttext ▾ 翻译此页

作者: MRA Souza - 2012 - 被引用次数: 58 - 相关文章

A combination of descriptors was used, non-alcoholic fatty liver disease, ... At the end, 96 clinical and experimental studies, cohorts, meta-analysis and systematic reviews of ... in