

Match Overview

1	Internet 112 words crawled on 03-Feb-2010 www.ncbi.nlm.nih.gov	4%
2	Internet 55 words crawled on 20-Mar-2015 www.biomedcentral.com	2%
3	CrossCheck 32 words Grandjean, Peter. "Obesity and the Metabolic Syndrome", Obesity Prevention and Treatment, 2012.	1%
4	Internet 23 words crawled on 08-Feb-2014 thritajournal.com	1%
5	Internet 20 words crawled on 10-Sep-2013 www.recentmedicalfindings.com	1%
6	Internet 18 words crawled on 24-Oct-2010 www.jghfoundation.org.au	1%
7	Internet 18 words crawled on 23-Jan-2013 www.fundacionconfiar.com.ar	1%
8	Internet 18 words crawled on 13-May-2009 www.pubmedcentral.nih.gov	1%

Name of Journal: World Journal of Hepatology

ESPS Manuscript No: 14455

Columns: SYSTEMATIC REVIEWS

Non-alcohol Fatty Liver Disease in Asia: Prevention and Planning

Sara Ashtari, Mohamad Amin Pourhoseingholi, Mohamad Reza Zali

Abstract

AIM: To review all of epidemiological aspects of Non-Alcoholic Fatty Liver Disease (NAFLD) and also prevent this disease is examined.

METHODS: We conducted a systematic review according to the PRISMA guidelines. All searches for writing this review is based on the papers was found in PubMed (Medline), Cochrane database and Scopus in August and September 2014 for topic of NAFLD in Asia and the way of prevention of this disease, with no language limitations. All relevant articles were accessed in full text and all relevant materials was evaluated and reviewed.

RESULTS: NAFLD is the most common liver disorder in worldwide, with an estimated with 20-30% prevalence in Western countries and 2-4% worldwide. The prevalence of NAFLD in Asia, depending on location (urban versus rural), gender, ethnicity, and age is variable, between 15-30%. According to the many studies in the world, the



Non-alcohol fatty liver disease in Asia: Prevention and planning



网页

新闻

图片

视频

更多

搜索工具

找到约 423,000 条结果 (用时 0.83 秒)

显示的是以下查询字词的结果: **Non-alcoholic fatty liver disease in Asia: Prevention and planning**

仍然搜索: Non-alcohol fatty liver disease in Asia: Prevention and planning

Google 学术: **Non-alcoholic fatty liver disease in Asia: Prevention and planning**

Non-alcoholic fatty liver disease progresses to ... - Ertle - 被引用次数: 163

... in patients with non-alcoholic fatty liver disease - Targher - 被引用次数: 153

... of pediatric nonalcoholic fatty liver disease - Schwimmer - 被引用次数: 414

Fatty Liver Disease: Symptoms, Causes, and Treatments

www.webmd.com/hepatitis/fatty-liver-disease 翻译此页

Nonalcoholic fatty liver disease is now the most common cause of chronic liver ... of these conditions, which are most common in Asian and Hispanic children.

Non-Alcohol Related Fatty Liver Disease - British Liver Trust

www.britishlivertrust.org.uk/liver.../liver.../non-alcoholic-fatty-... 翻译此页

Acute Fatty Liver Disease – It is important to differentiate NAFLD and NASH from acute fatty liver There is evidence that people of South Asian origin have a more centralised distribution of TPN can be used to reverse or prevent malnutrition. You will need to plan it carefully with your medical team, family and friends, ...

Treatment Options for Nonalcoholic Fatty Liver Disease

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页

作者: S Chitturi - 2008 - 被引用次数: 10 - 相关文章

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 602,000 条结果 (用时 0.76 秒)

显示的是以下查询字词的结果: **Non-*alcoholic* fatty liver disease in Asia: Prevention and planning**

仍然搜索: Non-alcohol fatty liver disease in Asia: Prevention and planning

Google 学术: **Non-alcoholic fatty liver disease in Asia: Prevention and planning**

Non-alcoholic fatty liver disease progresses to ... - **Ertle** - 被引用次数: 165

... in patients with non-alcoholic fatty liver disease - **Targher** - 被引用次数: 154

... of pediatric nonalcoholic fatty liver disease - **Schwimmer** - 被引用次数: 414

Fatty Liver Disease: Symptoms, Causes, and Treatments

www.webmd.com/hepatitis/fatty-liver-disease ▾ 翻译此页

Nonalcoholic fatty liver disease is now the most common cause of chronic liver ... of these conditions, which are most common in **Asian** and Hispanic children.

Non-Alcohol Related Fatty Liver Disease - British Liver Trust

www.britishlivertrust.org.uk/liver.../liver.../non-alcoholic-fatty-... ▾ 翻译此页

Acute **Fatty Liver Disease** – It is important to differentiate NAFLD and **NASH** from acute fatty liver There is evidence that people of South **Asian** origin have a more centralised distribution of ... TDM can be used to reverse or **prevent** malnutrition ... You will need to