21181-Review

Quotes Included Bibliography Included

2% SIMILAR

Name of Journal: World Journal of Hepatology

ESPS Manuscript Number: 21181

Manuscript Type: MINIREVIEW


Psychosocial assessment and monitoring in the new era of non-interferon-alpha HCV

treatments

Psychosocial assessment and non-interferon-alpha HCV treatments

Paul J. Rowan

Nizar Bhulani







Q



网页

图片

高级搜索

What psychiatric screening and monitoring might be needed with the ... www.ncbi.nlm.nih.gov/pmc/articles/PMC4308523/

12 Feb 2015 ... The newly developed hepatitis C treatments may affect the metabolism ... Treatment guidelines have recommended a psychosocial evaluation for interferon-alpha ... In the pegylated-interferon/ribavirin era, outcomes evaluations have ... The new drugs do not require refrigeration, and they are not known to....

Hepatitis C - Cleveland Clinic Center for Continuing Education

www.clevelandclinicmeded.com/medicalpubs/diseasemanagement/hepatology/hepatitis-It is of value in assessing the degree of hepatic fibrosis in HCV-infected individuals. ... This test is not as relevant in the current era of treatment described later in this that they may not be applicable in the emerging non-interferon era of treatment. ... Patients on therapy need to be monitored closely for complications or the....

[PDF] guidelines for the screening, care and treatment of persons with ... www.ip-watch.org/weblog/wp-content/uploads/2014/04/WHO-Hepatitis-C-Guidelines-.p non-commercial distribution— should be addressed to WHO Press through the WHO website ... 10.4 Dissemination, monitoring and implementation of the Guidelines Grading of Recommendations Assessment, Development and Evaluation treatments for HCV infection include pegylated and standard interferon alpha.

[PDF] a new era for screening and treatment of hepatitis c: a public health

•••

www.vhpb,org/files/html/Meetings_and_publications/Pre-meeting_documents/premeeting_scales achieved via



学术搜索

▶ 我的著作引用情况

~

文章

我的图书馆

时间不限

2015以来 2014以来 2011以来 自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页 简体中文网页

✔ 包括专利

✔ 包含引用

≥ 创建快讯

您的搜索 - Psychosocial assessment and monitoring in the new era of non-interferon-alpha HCV treatments - 与所有文章均不相符。

建议:

请检查输入字词有无错误。 请尝试其他的查询词 请改用较常见的字词。 请减少查询字词的数量。 请向所有网络查询

关于 Google 学术搜索 隐私权 条款 提供反馈



网页 新闻 图片 视频 更多▼ 搜索工具

找到约 13,500 条结果 (用时 1.00 秒)

What psychiatric screening and monitoring might be needed ... www.ncbi.nlm.nih.gov > ... → PubMed Central (PMC) ▼ 翻译此页

作者: PJ Rowan - 2015 - 相关文章

2015年2月12日 - The newly developed hepatitis C treatments may affect the metabolism

... Treatment guidelines have recommended a psychosocial evaluation for interferonalpha ... In the pegylated-interferon/ribavirin era, outcomes evaluations have ... The new drugs do not require refrigeration, and they are not known to ...

Hepatitis C - Cleveland Clinic Center for Continuing Education

https://www.clevelandclinicmeded.com/medicalpubs/.../hepatitis... ▼ 翻译此页作者: RS O'Shea - 相关文章

It is of value in assessing the degree of hepatic fibrosis in HCV-infected individuals. ...

This test is not as relevant in the current era of treatment described later in this that they may not be applicable in the emerging non-interferon era of treatment. ... Patients on therapy need to be monitored closely for complications or the ...

[PDF] a new era for screening and treatment of hepatitis c: a pub...

www.vhpb.org/files/html/Meetings.../premeetingSPLIT.pdf ▼ 翻译此页 Session 3: New hepatitis C era: changing therapy ... List of publications achieved via speakers form when this form was not ... information to help monitor the distribution of the diseases with HCV, treatment has previously consisted of pegylated interferon The present assessment finds a global prevalence of 2.35%,..

Hepatitis C Treatment & Management: Approach ... emedicine.medscape.com/article/177792-treatment ▼ 翻译此页

2015年8月3日 - Treatment for chronic HCV is based on guidelines from the Infectious Diseases ... all patients cannot receive treatment immediately upon the approval of new agents, ... However, a pretreatment liver biopsy is not mandatory. ... Subsequently, combination of ribavirin and IEN or of IEN to which polyethylene