

学术搜索

找到约 32,500 条结果 (用时0.15秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☒ 创建快讯

Central nervous system toxicity after liver transplantation

PC de Groen, AJ Aksamit, J Rakela... - ... England Journal of ..., 1987 - Mass Medical Soc
... 26. GLUCOCORTICOIDS AND DISEASE - MODIFYING ANTIRHEUMATIC DRUGS. In: Meyler's
Side Effects of Analgesics and Anti-inflammatory Drugs. ... Anesthesia & Analgesia 105:5,
1489-1493. 42. ... (2003) Reversible Cortical Blindness after Lung Transplantation. ...

被引用次数: 478 相关文章 所有 4 个版本 引用 保存

Immediate tracheal extubation after liver transplantation: experience of two transplant centers

MS Mandell, J Lockrem, SD Kelley - Anesthesia & Analgesia, 1997 - journals.lww.com
Abstract Early tracheal extubation has been safely performed after large operative
procedures, questioning the need for routine postoperative ventilation. Because immediate
postoperative tracheal extubation of liver transplantation patients has not been previously ...

被引用次数: 146 相关文章 所有 4 个版本 引用 保存

The impact of intraoperative transfusion of platelets and red blood cells on survival after liver transplantation

MT de Boer, MC Christensen, M Asmussen... - ... & Analgesia, 2008 - journals.lww.com
BACKGROUND: Intraoperative transfusion of red blood cells (RBC) is associated with
adverse outcome after orthotopic liver transplantation (OLT). Although experimental studies
have shown that platelets contribute to reperfusion injury of the liver, the influence of ...

被引用次数: 141 相关文章 所有 8 个版本 引用 保存

Use of midazolam as a human cytochrome P450 3A probe: II. Characterization of inter-and intraindividual hepatic CYP3A variability after liver transplantation.

KE Thummel, DD Shen, TD Podoll, KL Kunze... - ... of Pharmacology and ..., 1994 - ASPET
... After centrifugation (13,000 X g for 10 min at 4°C), the supernatant was removed and
stored in air-tight vials at -70°C. Liver recipients. ... and Minnesota antilymphocytic globulin
during the first 6 days after ... Opioid analgesia was also admin- ...

被引用次数: 223 相关文章 所有 4 个版本 引用 保存

Decreased patient analgesic requirements after liver transplantation and associated neuropeptide levels

KL Donovan, PK Janicki, VI Strieter, C Stoica... - ..., 1997 - journals.lww.com
Background. Decreased morphine requirements have been reported after liver
transplantation when compared with other types of major abdominal surgery. The aim of this
study was to examine plasma concentrations of three neuropeptides involved in pain ...

被引用次数: 26 相关文章 所有 4 个版本 引用 保存

demeza.dk 中的 [PDF]

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 18270

Manuscript Type: TOPIC HIGHLIGHT

2015 Advances in Liver Transplantation

Analgesia after liver transplantation

Milan Z. Analgesia for liver transplantation

Zoka Milan

Zoka Milan, King's College Hospital, SE5 9RS London, United Kingdom

Zoka Milan, King's College School of Medicine, SE5 9RS London, United Kingdom

Match Overview

1	Internet 95 words crawled on 12-May-2015 www.wjgnet.com	3%
2	Internet 25 words crawled on 02-Jun-2014 www.evacular.com.au	1%
3	Internet 20 words crawled on 27-May-2014 www.science.gov	1%

学术搜索

找到约 32,900 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯

Central nervous system toxicity after liver transplantation

PC de Groen, AJ Aksamit, J Rakela... - ... England Journal of ..., 1987 - Mass Medical Soc
... 26. GLUCOCORTICOIDS AND DISEASE – MODIFYING ANTIRHEUMATIC DRUGS. In: Meyler's
Side Effects of Analgesics and Anti-inflammatory Drugs. ... Anesthesia & Analgesia 105:5,
1489-1493. 42. ... (2003) Reversible Cortical Blindness after Lung Transplantation. ...
被引用次数: 489 相关文章 所有 4 个版本 引用 保存

Immediate tracheal extubation after liver transplantation: experience of two transplant centers

MS Mandell, J Lockrem, SD Kelley - Anesthesia & Analgesia, 1997 - journals.lww.com
Abstract Early tracheal extubation has been safely performed after large operative
procedures, questioning the need for routine postoperative ventilation. Because immediate
postoperative tracheal extubation of liver transplantation patients has not been previously ...
被引用次数: 148 相关文章 所有 4 个版本 引用 保存

Comparison of analgesic requirements after liver transplantation and cholecystectomy

JC EISENACH, DJ PLEVAK, RA VAN DYKE... - Mayo Clinic ..., 1989 - Elsevier
METHODS The protocol was approved by the Mayo Clinical Practice Committee, and all
participating patients (10 who underwent liver transplantation and 10 who underwent
cholecystectomy) gave written informed consent. Patients with a history of alcohol or drug ...
被引用次数: 29 相关文章 所有 6 个版本 引用 保存

The impact of intraoperative transfusion of platelets and red blood cells on survival after liver transplantation

MT de Boer, MC Christensen, M Asmussen... - ... & Analgesia, 2008 - journals.lww.com
BACKGROUND: Intraoperative transfusion of red blood cells (RBC) is associated with
adverse outcome after orthotopic liver transplantation (OLT). Although experimental studies
have shown that platelets contribute to reperfusion injury of the liver, the influence of ...
被引用次数: 153 相关文章 所有 8 个版本 引用 保存

Decreased patient analgesic requirements after liver transplantation and associated neuropeptide levels

KL Donovan, PK Janicki, VI Striepe, C Stoica... - ..., 1997 - journals.lww.com
Background. Decreased morphine requirements have been reported after liver
transplantation when compared with other types of major abdominal surgery. The aim of this
study was to examine plasma concentrations of three neuropeptides involved in pain ...
被引用次数: 30 相关文章 所有 4 个版本 引用 保存

Use of midazolam as a human cytochrome P450 3A probe: II. Characterization of inter and

[网页](#) [图片](#) [视频](#) [新闻](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 595,000 条结果 (用时 0.38 秒)

Google 学术 : Analgesia after liver transplantation

... nervous system toxicity after liver transplantation - de Groen - 被引用次数 : 489

... after liver transplantation: experience of two transplant ... - Mandell - 被引用次数 : 148

... of analgesic requirements after liver transplantation ... - EISENACH - 被引用次数 : 29

Decreased patient analgesic requirements after liver ...

www.ncbi.nlm.nih.gov/pubmed/9175805 ▾ [翻译此页](#)

作者 : KL Donovan - 1997 - 被引用次数 : 29 - [相关文章](#)

Transplantation. 1997 May 27;63(10):1423-9. Decreased patient analgesic requirements after liver transplantation and associated neuropeptide levels.

Pain control after liver transplantation surgery.

www.ncbi.nlm.nih.gov/pubmed/25242774 ▾ [翻译此页](#)

作者 : P Feltracco - 2014 - [相关文章](#)

Transplant Proc. ... Pain control after liver transplantation surgery. ... On the other hand, if the liver is working well, the metabolism of analgesics improves ...

Postoperative sedation and analgesia after pediatric liver ...

www.ncbi.nlm.nih.gov/pubmed/16647489 - [翻译此页](#)

作者 : R Fumagalli - 2006 - 被引用次数 : 5 - [相关文章](#)

Transplant Proc. 2006 Apr;38(3):841-3. Postoperative sedation and analgesia after pediatric liver transplantation. Fumagalli R(1), Ingelmo P, Sperti LR.