



Precursor Lesions of Intrahepatic Cholangiocarcinoma



网页

图片

新闻

视频

更多

搜索工具

找到约 168,000 条结果 (用时 0.65 秒)

Google 学术: Precursor Lesions of Intrahepatic Cholangiocarcinoma

... in intrahepatic cholangiocarcinoma and its precursor ... - Harada - 被引用次数: 58

... of intrahepatic cholangiocarcinoma of the intraductal ... - Yeh - 被引用次数: 45

... intrahepatic cholangiocarcinomas and their precursor ... - Sasaki - 被引用次数: 62

Expression of MAGE-A3 in intrahepatic cholangiocarcinoma ...

www.ncbi.nlm.nih.gov/pubmed/14989741 - 翻译此页

作者: K Tsuneyama - 2004 - 被引用次数: 20 - 相关文章

Pathol Int. 2004 Mar;54(3):181-6. Expression of MAGE-A3 in intrahepatic cholangiocarcinoma and its precursor lesions. Tsuneyama K(1), Sasaki M, Shimomishi ...

Characterization of apomucin expression in intrahepatic ...

www.ncbi.nlm.nih.gov/pubmed/8903378 - 翻译此页

作者: M Sasaki - 1996 - 被引用次数: 62 - 相关文章

Hepatology. 1996 Nov;24(5):1074-8. Characterization of apomucin expression in intrahepatic cholangiocarcinomas and their precursor lesions: an ...

Characterization of intrahepatic cholangiocarcinoma of the ...

www.ncbi.nlm.nih.gov/pubmed/16116640 - 翻译此页

作者: TS Yeh - 2005 - 被引用次数: 45 - 相关文章

Hepatology. 2005 Sep;42(3):657-64. Characterization of intrahepatic cholangiocarcinoma of the intraductal growth-type and its precursor lesions. Yeh TS(1) ...

What Are the Precursor and Early Lesions of Peripheral ...

Name of journal: World Journal of Hepatology

ESPS Manuscript NO: 20030

Manuscript Type: EDITORIAL

Clinical and Biological Significance of Precursor Lesions of Intrahepatic Cholangiocarcinoma

Mark Ettel, Ogechukwu Eze, Ruliang Xu

Abstract

Cholangiocarcinoma (CC) is primarily a malignant tumor of older adults most prevalent in Southeast Asia, where liver fluke infestation is high. However the etiology in western countries is unknown. Although the incidence of extrahepatic cholangiocarcinoma has remained constant, incidence of intrahepatic cholangiocarcinoma (ICC) which differs in morphology, pathogenesis, risk factors, treatment and prognosis is increasing. While this increase is associated with HCV infection, chronic nonalcoholic liver disease, obesity, and smoking, the pathogenesis of ICC and molecular alterations underlying the carcinogenesis are

Match Overview

1	CrossCheck 98 words Aishima, Shinichi, and Yoshinao Oda. "Pathogenesis and classification of intrahepatic cholangiocarcinoma: different c	1%
2	Internet 47 words crawled on 22-May-2014 www.ncbi.nlm.nih.gov	1%
3	CrossCheck 24 words Alessandra Gurrera. "Biliary Adenofibroma of the Liver: F... port of a Case and Review of the Literature", Pathology Re	<1%
4	CrossCheck 24 words L FERRELL. "Benign and Malignant Tumors of the Liver" ... Surgical Pathology of the GI Tract Liver Biliary Tract and P	<1%
5	Publications 16 words "Data from K. Bickenbach et al provide new insights into ch olangio cancer.", Cancer Weekly, June 9 2009 Issue	<1%
6	CrossCheck 14 words Camtu D. Nguyen Truong. "Pathology of Fibrocystic Diseas es of the Liver", Fibrocystic Diseases of the Liver, 2010	<1%
7	CrossCheck 14 words Rumiko Umeda. "Hemobilia due to biliary intraepithelial n ... oplasia associated with Zollinger-Ellison syndrome", Clinic	<1%
8	Internet 13 words crawled on 14-Jan-2015 www.news.rare-cancer.org	<1%
9	CrossCheck 12 words Dhanpat Jain, "Molecular Evidence for the Neoplastic Po ... ntial of Hepatic Von-Meyenburg Complexes ", Applied Im	<1%



Clinical and biological significance of precursor lesions of intrahepatic chola



网页

新闻

图片

视频

地图

更多

搜索工具

找到约 28,300 条结果 (用时 0.76 秒)

Google 学术: Clinical and biological significance of precursor lesions of intrahepatic cholangiocarcinoma

Genetics of biliary tract cancers and emerging targeted ... - Hezel - 被引用次数: 93

...) and Smad4/Dpc4 in intrahepatic cholangiocarcinoma - Kang - 被引用次数: 89

Clinical diagnosis and staging of cholangiocarcinoma - Blehacz - 被引用次数: 132

What Are the Precursor and Early Lesions of Peripheral ...

www.hindawi.com/journals/ijh/2014/805973/ 翻译此页

作者: Y Nakanuma - 2014 - 被引用次数: 4 - 相关文章

2014年3月31日 - Herein, we surveyed these candidate precursor lesions in the background liver of ... area play a role in neoplastic and nonneoplastic hepatobiliary lesions in adults [6, 13]. ... While many clinical and molecular studies have examined (b) Upper part shows low grade intrahepatic cholangiocarcinoma with ...

Characterization of intrahepatic cholangiocarcinoma of the ...

www.ncbi.nlm.nih.gov/pubmed/16116640 翻译此页

作者: TS Yeh - 2005 - 被引用次数: 49 - 相关文章

Characterization of intrahepatic cholangiocarcinoma of the intraductal growth-type and its precursor lesions. ... the liver (IPNL), was characterized with respect to demographics, clinical manifestations, perioperative management, ... Significant differences in survival associated with the various lesions studied warrants a more ...

Clinical diagnosis and staging of cholangiocarcinoma

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页

作者: B Blehacz - 被引用次数: 132 - 相关文章



Clinical and biological significance of precursor lesions of intrahepatic cholan



网页

新闻

图片

视频

购物

更多 ▾

搜索工具

找到约 71,200 条结果 (用时 0.57 秒)

Google 学术: Clinical and biological significance of precursor lesions of intrahepatic cholangiocarcinoma

Genetics of biliary tract cancers and emerging targeted ... - Hezel - 被引用次数: 94
...) and Smad4/Dpc4 in intrahepatic cholangiocarcinoma - Kang - 被引用次数: 89
Clinical diagnosis and staging of cholangiocarcinoma - Blechacz - 被引用次数: 133

What Are the Precursor and Early Lesions of Peripheral ...

www.hindawi.com/journals/ijh/2014/805973/ ▾ 翻译此页

作者: Y Nakanuma - 2014 - 被引用次数: 4 - 相关文章

2014年3月31日 - Herein, we surveyed these candidate precursor lesions in the background liver of ... While many clinical and molecular studies have examined peripheral ICC [2, ... to conventional CC with more malignant biological behaviors [13, 19]. (b) Upper part shows low grade intrahepatic cholangiocarcinoma with ...

Characterization of intrahepatic cholangiocarcinoma of the ...

www.ncbi.nlm.nih.gov/pubmed/16116640 ▾ 翻译此页

作者: TS Yeh - 2005 - 被引用次数: 49 - 相关文章

Characterization of intrahepatic cholangiocarcinoma of the intraductal growth-type and its precursor lesions. ... characterized with respect to demographics, clinical manifestations, peroperative management, long-term survival. ...