

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 19870

Manuscript Type: EDITORIAL

Clinical value of gadoxetic acid-enhanced magnetic resonance imaging in surgery for hepatocellular carcinoma – with a special emphasis on early hepatocellular carcinoma

Matsuda M. EOB-MRI in surgery for HCC

Masanori Matsuda

Abstract

Gadoxetic acid- or gadolinium ethoxybenzyl diethylenetriamine pentaacetic

Match Overview

1	CrossCheck 136 words Komatsu, Nobutoshi, Utaroh Motosugi, Shinya Maekawa, Kuniaki Shindo, Minoru Sakamoto, Mitsuaki Sato, Akih	3%
2	Internet 131 words crawled on 24-Jul-2015 www.science.gov	3%
3	CrossCheck 107 words Kim, Amy K., and Michael L. Schilsky. "Radiology in Transplant", Current Transplantation Reports, 2014.	2%
4	Internet 74 words crawled on 06-Dec-2012 www.radiologymoc.com	1%
5	CrossCheck 51 words Toyoda, Hidenori, Takashi Kumada, Toshifumi Tada, Takuro Niinomi, Takanori Ito, Yasuhiro Sone, Yuji Kaneoka,	1%
6	Internet 48 words crawled on 01-Nov-2013 www.karger.jp	1%
7	CrossCheck 42 words Sano, K., T. Ichikawa, U. Motosugi, H. Sou, A. M. Muhi, M. Matsuda, M. Nakano, M. Sakamoto, T. Nakazawa, M. Asa	1%

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 4,960 条结果 (用时 0.68 秒)

Google 学术: Clinical value of gadoxetic acid-enhanced MRI in surgery for HCC – with special emphasis on early HCC

Gadoxetic acid-enhanced magnetic resonance ... - Sun - 被引用次数: 150

... gadoxetic acid-enhanced MR images and their value ... - Choi - 被引用次数: 47

... liver-specific gadoxetic acid disodium-enhanced MRI ... - Halavaara - 被引用次数: 152

Differentiation of early hepatocellular carcinoma from ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: H Rhee - 2012 - 被引用次数: 22 - [相关文章](#)

A size cut-off value (≥ 1.5 cm diameter) and MRI findings of T1 hypointensity, T2 hyperintensity, ... Early HCC, a very well-differentiated HCC with a vaguely nodular ... Gadoxetic acid has the properties of an extracellular matrix agent that allows cm in diameter) from arterial enhancing pseudolesions: special emphasis on ...

Small (≤ 2 cm) hepatocellular carcinoma in patients with ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: J Hwang - 2012 - 被引用次数: 37 - [相关文章](#)

To compare the diagnostic performance of gadoxetic acid-enhanced MRI using ...

Therefore, early detection and accurate assessment of small HCC are of great ... post

[网页](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 8,850 条结果 (用时 0.72 秒)

Differentiation of early hepatocellular carcinoma from ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: H Rhee - 2012 - 被引用次数: 25 - 相关文章

A size cut-off **value** (≥ 1.5 cm diameter) and **MRI** findings of T1 hypointensity, T2 ...

Gadoxetic acid has the properties of an extracellular matrix agent that allows ... **early**

HCC or benign **hepatocellular** nodules on **surgical** specimens were eligible cm in diameter) from arterial **enhancing** pseudolesions: **special emphasis** on ...

Preoperative Gadoxetic Acid-Enhanced MRI and ...

www.hindawi.com/journals/hpb/2014/641685/ ▾ [翻译此页](#)

作者: M Matsuda - 2014 - 被引用次数: 5 - 相关文章

2014年1月2日 - ¹First Department of **Surgery**, Yamanashi University School of ...

Hepatocellular carcinoma (HCC) is one of the most malignant tumors worldwide. ...

Recent studies have shown that hypovascular **early** HCC (eHCC), which is not ... A new **magnetic resonance imaging** (MRI) contrast medium, **gadoxetic acid**, ...

Preoperative Gadoxetic Acid-Enhanced MRI and ...

www.hindawi.com/journals/hpb/2014/641685/ref/ ▾ [翻译此页](#)

2014年1月2日 - Open **Special Issues** ; Published **Special Issues** ; **Special Issue**

Guidelines ... Preoperative **Gadoxetic Acid-Enhanced MRI** and Simultaneous Treatment of **Early Hepatocellular Carcinoma** Prolonged Recurrence-Free ... diagnosis and **clinical significance**," Journal of Hepato-Biliary-Pancreatic **Surgery**, vol.

Hepatocellular Carcinoma: Imaging Patterns on Gadoxetic ...

pubs.rsna.org/doi/full/10.1148/radiol.13120775 - [翻译此页](#)

[网页](#)

[新闻](#)

[图片](#)

[视频](#)

[更多 ▾](#)

[搜索工具](#)

找到约 9,410 条结果 (用时 0.52 秒)

Gadoxetic Acid Disodium-Enhanced Magnetic Resonance ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: X Liu - 2013 - 被引用次数: 22 - 相关文章

2013年8月15日 - Gadoxetic Acid Disodium-Enhanced Magnetic Resonance Imaging for the ... Hepatocellular carcinoma (HCC) is the 5th most common cancer and 3rd most ... The importance of early detection of HCC has been emphasized [4], [5]. ... and provide evidence of evidence-based medicine for clinical diagnosis.

Differentiation of early hepatocellular carcinoma from ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: H Rhee - 2012 - 被引用次数: 26 - 相关文章

A size cut-off value (≥ 1.5 cm diameter) and MRI findings of T1 hypointensity, T2 ... Gadoxetic acid has the properties of an extracellular matrix agent that allows ... early HCC or benign hepatocellular nodules on surgical specimens were eligible cm in diameter) from arterial enhancing pseudolesions: special emphasis on ...

Hepatocellular Carcinoma: Imaging Patterns on Gadoxetic ...

pubs.rsna.org/doi/full/10.1148/radiol.13120775 - [翻译此页](#)

作者: JW Choi - 2013 - 被引用次数: 53 - 相关文章

Hepatocellular Carcinoma: Imaging Patterns on Gadoxetic Acid-enhanced ... computed tomography (CT), and magnetic resonance (MR) imaging play a on HBP imaging, especially for the clinical value of diagnosing early HCCs, arterial enhancing pseudolesions: special emphasis on hepatobiliary phase imaging.

Preoperative Gadoxetic Acid-Enhanced MRI and ...

www.hindawi.com/journals/hpb/2014/641685/ ▾ [翻译此页](#)

作者: M Matsuda - 2014 - 被引用次数: 5 - 相关文章

2014年1月2日, 1st Department of Surgery, Yamaguchi University School of Medicine