

8

Name of journal: *World Journal of Hepatology*

ESPS Manuscript NO: 16737

Columns: Editorial

Role natural killer group 2D-ligand interactions in hepatitis B infection

RUNNING TITLE: NKG2D pathway in Hepatitis B infection

Teresa Pollicino, Lemonica Koumbi

Author Contributions: Teresa Pollicino¹ and Lemonica Koumbi² contributed to this paper

¹Department of Pediatric, Gynecologic, Microbiologic, and Biomedical Sciences, University Hospital of Messina, Messina, 98124, Italy; ²Department of Medicine, Hepatology and Gastroenterology Section, Imperial College, St. Mary's Campus, London, W2 1PG, UK

Match Overview

1	CrossCheck 193 words Tong, H. V., N. L. Toan, L. H. Song, C.-T. Bock, P. G. Kremsner, and T. P. Velavan. "Hepatitis B virus-induced he..."	4%
2	Internet 112 words crawled on 16-Feb-2015 www.ncbi.nlm.nih.gov	2%
3	CrossCheck 104 words Wu, J., X.-J. Zhang, K.-Q. Shi, Y.-P. Chen, Y.-F. Ren, Y.-J. Song, G. Li, Y.-F. Xue, Y.-X. Fang, Z.-J. Deng, X. Xu, J. Ga	2%
4	CrossCheck 76 words Noam Stern-Ginossar. "An integrated view of the regulation of NKG2D ligands", <i>Immunology</i> , 09/2009	1%
5	Internet 68 words crawled on 15-Dec-2014 darya-varia.info	1%
6	CrossCheck 65 words Li, Yuan, Jiu-Jun Wang, Shan Gao, Qian Liu, Jia Bai, Xue-Qi Zhao, You-Hua Hao, Hong-Hui Ding, Fan Zhu, Dong-	1%
7	Internet 59 words crawled on 04-Sep-2010 www.biochimie.univ-paris7.fr	1%
8	Internet 56 words crawled on 12-Mar-2014	1%



Role natural killer group 2D-ligand interactions in hepatitis B infection



网页

图片

新闻

视频

更多 ▾

搜索工具

找到约 174,000 条结果 (用时 0.49 秒)

Google 学术: Role natural killer group 2D-ligand interactions in hepatitis B infection

Adaptive immune responses mediated by natural killer ... - Paust - 被引用次数: 71

Cis interactions of immunoreceptors with MHC and non ... - Held - 被引用次数: 55

The activating NKG2D ligand MHC class I-related ... - McCann - 被引用次数: 56

Natural Killer Cells in Liver Disease

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: Z Tian - 2013 - 被引用次数: 34 - 相关文章

Consistent with their roles in immune defense and surveillance, NK cells are widely ... on the NK cells and their interactions with the corresponding ligands expressed ... DCs can induce NK cell activation in a mouse model of HBV infection, which ... protein; NK: natural killer; NKG2D: NK cell group 2D; NKT: natural killer T ...

Klrk1 killer cell lectin-like receptor subfamily K, member 1 ...

www.ncbi.nlm.nih.gov/gene/27007 ▾ 翻译此页

5 天前 - The absence of NKG2D signaling in natural killer cells significantly improves ... a pivotal role for NK-cell NKG2D and granzyme B in the pathogenesis of ... ligands of NKG2D prevents natural killer cell-mediated fulminant hepatitis. ... and increased expression of natural killer group 2D ligands (NKG2D-L).



网页

图片

新闻

视频

更多 ▾

搜索工具

找到约 2,420,000 条结果 (用时 0.69 秒)

Google 学术: Role natural killer group 2D-ligand interactions in hepatitis B infection

Adaptive immune responses mediated by natural killer ... - Paust - 被引用次数: 73

Cis interactions of immunoreceptors with MHC and non ... - Held - 被引用次数: 57

The activating NKG2D ligand MHC class I-related ... - McCann - 被引用次数: 56

Natural Killer Cells in Liver Disease

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: Z Tian - 2013 - 被引用次数: 35 - 相关文章

Consistent with their roles in immune defense and surveillance, NK cells are widely ... on the NK cells and their interactions with the corresponding ligands expressed ... DCs can induce NK cell activation in a mouse model of HBV infection, which protein; NK: natural killer; NKG2D: NK cell group 2D; NKT: natural killer T ...

Klrk1 killer cell lectin-like receptor subfamily K, member 1 ...

www.ncbi.nlm.nih.gov/gene/27007 ▾ 翻译此页

2015年2月21日 - The absence of NKG2D signaling in natural killer cells significantly improves ... a pivotal role for NK-cell NKG2D and granzyme B in the pathogenesis of ... ligands of NKG2D prevents natural killer cell-mediated fulminant hepatitis. and increased expression of natural killer group 2D ligands (NKG2D-L).