

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 27163

Manuscript Type: Retrospective Study

**Impaired liver function attenuates liver regeneration and hypertrophy after portal vein embolization**

**12**  
Yumiko Kageyama, Takashi Kokudo, Katsumi Amikura, Yoshihiro Miyazaki,

Amane Takahashi, Hirohiko Sakamoto

### Match Overview

1	Internet 40 words crawled on 07-Jul-2009 <a href="http://radiographics.rsna.org">radiographics.rsna.org</a>	2%
2	CrossCheck 38 words Ogata. "Serum hyaluronan as a predictor of hepatic regeneration after hepatectomy in humans", <i>European Journal of Gastroenterology and Hepatology</i>	2%
3	CrossCheck 35 words Edris M. Alkozai. "Immediate Postoperative Low Platelet Count is Associated With Delayed Liver Function Recovery After Portal Vein Embolization", <i>Journal of Hepato-Biliary-Pancreatic Surgery</i>	2%
4	Internet 18 words crawled on 31-Mar-2010 <a href="http://lib.bioinfo.pl">lib.bioinfo.pl</a>	1%
5	CrossCheck 17 words Kokudo, Takashi, Kiyoshi Hasegawa, Junichi Arita, Satoshi Yamamoto, Junichi Kaneko, Nobuhisa Akamatsu, Yoshihiro Miyazaki, and Takashi Kokudo. "Serum hyaluronan as a predictor of hepatic regeneration after hepatectomy in humans", <i>European Journal of Gastroenterology and Hepatology</i>	1%
6	CrossCheck 14 words Tadatoshi Takayama. "Preoperative portal vein embolization: is it useful?", <i>Journal of Hepato-Biliary-Pancreatic Surgery</i>	1%

学术搜索

找到约 1,030 条结果 (用时0.09秒)

小提示：只搜索中文(简体)结果，可在 [学术搜索设置](#) 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

## Mechanisms of hepatic regeneration following portal vein embolization and partial hepatectomy: a review

Y Yokoyama, M Nagino, Y Nimura - World journal of surgery, 2007 - Springer

... portal venous flow velocity, 52, 53 biliary obstruction may impair hepatic regeneration following PVE or ... induced increases in gamma-aminobutyric (GABA) activity contribute to impaired regeneration in alcohol ... a methionine-choline-deficient diet, also found no impairment of liver ...

被引用次数: 140 相关文章 所有 9 个版本 引用

## Proliferative activity of intrahepatic colorectal metastases after preoperative hemihepatic portal vein embolization

N Kokudo, K Tada, M Seki, H Ohta, K Azekura... - ..., 2001 - Wiley Online Library

... the ligated shrinking lobe in rats. 24 Because TGF- $\beta$ -signal transduction is abnormal in approxi ... portal vein embolization improves prognosis after right hepatec- tomy for hepatocellular carcinoma in patients with impaired hepatic function. ... Vascularization of small liver metastases. ...

被引用次数: 277 相关文章 所有 9 个版本 引用

## Strategies for safer liver surgery and partial liver transplantation

PA Clavien, H Petrowsky... - New England Journal ..., 2007 - Mass Medical Soc

... Impairment of the hypertrophy induced by portal-vein obstruction that results from ... 77 These patients frequently present with severe cholestasis and impaired liver function due to ... however, cause inevitable ischemic injury that may impair liver regeneration after major hepatectomy ...

被引用次数: 608 相关文章 所有 8 个版本 引用

## Preoperative right portal vein embolization in patients with metastatic liver disease

B Barbaro, C Stasi, G Nuzzo, M Vellone... - Acta ..., 2003 - Wiley Online Library

... are strongly expressed in the ligated shrinking lobe in rats, but are abnormal in colorectal ... N, Yamamoto H. Immediate increase in arterial blood flow in embolized hepatic segments after ... Regeneration of the un-embolized liver parenchyma following portal vein embolization. ...

被引用次数: 73 相关文章 所有 8 个版本 引用

学术搜索

找到约 1,010 条结果 (用时0.06秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯小提示：只搜索中文(简体)结果，可在 [学术搜索设置](#) 指定搜索语言

## Mechanisms of hepatic regeneration following portal vein embolization and partial hepatectomy: a review

Y Yokoyama, M Nagino, Y Nimura - World journal of surgery, 2007 - Springer

... portal venous flow velocity, 52, 53 biliary obstruction may impair hepatic regeneration following PVE or ... induced increases in gamma-aminobutyric (GABA) activity contribute to impaired regeneration in alcohol ... a methionine-choline-deficient diet, also found no impairment of liver ...

被引用次数：140 相关文章 所有 9 个版本 引用 保存

## Proliferative activity of intrahepatic colorectal metastases after preoperative hemihepatic portal vein embolization

N Kokudo, K Tada, M Seki, H Ohta, K Azekura... - ..., 2001 - Wiley Online Library

... the ligated shrinking lobe in rats. 24 Because TGF- $\beta$ -signal transduction is abnormal in approxi ... portal vein embolization improves prognosis after right hepatectomy for hepatocellular carcinoma in patients with impaired hepatic function, ... Vascularization of small liver metastases. ...

被引用次数：282 相关文章 所有 10 个版本 引用 保存

## Strategies for safer liver surgery and partial liver transplantation

PA Clavien, H Petrowsky... - New England Journal ..., 2007 - Mass Medical Soc

... Impairment of the hypertrophy induced by portal-vein obstruction that results from ... 77 These patients frequently present with severe cholestasis and impaired liver function due to ... however, cause inevitable ischemic injury that may impair liver regeneration after major hepatectomy ...

被引用次数：627 相关文章 所有 10 个版本 引用 保存

## Preoperative right portal vein embolization in patients with metastatic liver disease

B Barbaro, C Stasi, G Nuzzo, M Vellone... - Acta ..., 2003 - Wiley Online Library

are strongly expressed in the ligated shrinking lobe in rats, but are abnormal in colorectal ... N

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 21,600 条结果 (用时 0.65 秒)

## Google 学术: Impaired liver function attenuates liver regeneration and hypertrophy after portal vein embolization

... hepatic regeneration following portal vein embolization ... - Yokoyama - 被引用次数: 144

... after preoperative hemihepatic portal vein embolization - Kokudo - 被引用次数: 287

Strategies for safer liver surgery and partial liver ... - Clavien - 被引用次数: 639

## Prediction of the Remnant Liver Hypertrophy Ratio after Preoperative ...

<https://www.karger.com/Article/FullText/356297> ▾ [翻译此页](#)

作者: Y Kasai - 2013 - 被引用次数: 5 - [相关文章](#)

Background: Portal vein embolization (PVE) is considered to improve the safety of major hepatectomy. Various conditions might affect remnant liver hypertrophy after PVE. ... planned hepatopancreatoduodenectomy, or poor functional reserve [3]. .... the liver had attenuated regenerative capacity even if followed by adequate ...

## Portal Vein Embolization: Chemotherapy and Its Effect on Liver ... - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) ▸ [NCBI](#) ▸ [Literature](#) ▸ [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: A Brouquet - 2008 - 被引用次数: 1 - [相关文章](#)

Keywords: Colorectal liver metastases, chemotherapy, hepatotoxicity, portal vein obstruction ... month prior to liver resection because it is alleged to impair liver hypertrophy of the ... liver function, and consequently surgical outcome following liver resection, ... Although the impact of bevacizumab on regeneration after major ...

缺少字词: attenuates

## Portal Vein Embolization: Liver Regeneration and the Atrophy ... - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) ▸ [NCBI](#) ▸ [Literature](#) ▸ [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)