

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 27263

Manuscript Type: Original Article

Prospective Study

Early mortality and rebleeding rate following acute variceal haemorrhage in patients with liver cirrhosis and Schistosomal periportal fibrosis: A clinical prospective comparison

Sara Elfadil Abbas Mohammed, Abdelmunem Eeltayeb Abdo, Hatim Mohamed Yousif Mudawi

Abstract

AIM: To investigate mortality and rebleeding rate and identify associated risk factors at 6 weeks and 5 days following acute variceal haemorrhage in patients with liver cirrhosis and Schistosomal periportal fibrosis.

METHODS: This is a prospective study conducted during the period from March to December 2014. Patients with portal hypertension presenting with acute variceal haemorrhage secondary to either liver cirrhosis(Group A) or Schistosomal periportal fibroses (Group B) presenting within 24 hours of the onset of the bleeding were enrolled in the study and followed for a period of 6 weeks. Analysis of data was done by Microsoft Excel and comparison between groups was done by Statistical Package of Social Sciences (SPSS) version 20 to calculate means and find the levels of statistical differences and define the mortality rates, the P value of

Match Overview

1	Internet 111 words crawled on 14-May-2011 sudanmedicaljournal.net	3%
2	CrossCheck 62 words Jake E. J. Krige, "Predictive Factors for Rebleeding and Death in Alcoholic Cirrhotic Patients with Acute Varices ..."	2%
3	Internet 55 words crawled on 11-Aug-2014 atuder.org.tr	2%
4	CrossCheck 45 words D'Amico, G. "Natural history and prognostic indicators ... survival in cirrhosis: A systematic review of 118 studies".	1%
5	CrossCheck 40 words Mudawi, H M Y, and K B Ibrahim. "Endoscopic variceal ... clerothorapy in patients with Symmers periportal fibrose"	1%
6	Internet 35 words crawled on 20-May-2016 www.ajtmh.org	1%
7	CrossCheck 28 words Portal Hypertension in the 21st Century, 2004.	1%
8	CrossCheck 25 words Maruyama, Hitoshi, and Arun J. Sanyal. "Portal Hyperten sion: Nonsurgical and Surgical Management", Schiff s ...	1%
9	CrossCheck 22 words Rudler, M., P. Cluzel, T. L. Corvec, H. Benosman, G. Rou sseau, T. Poynard, and D. Thabut. "Early-TIPSS placeme"	1%
	CrossCheck 20 words	1.0%



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 6,340 条结果 (用时 1.12 秒)

Google 学术: Early mortality and rebleeding following acute variceal haemorrhage in patients with liver cirrhosis and Schistosomal periportal fibrosis

... as indicators of variceal bleeding in patients with ... - Martins - 被引用次数: 40

Human schistosomiasis - Gryseels - 被引用次数: 1220

Hepatic schistosomiasis - Bica - 被引用次数: 89

Can somatostatin control acute bleeding from oesophageal varices in ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: S Chatterjee - 2004 - 被引用次数: 5 - 相关文章

2004年12月13日 - Management of patients with bleeding oesophageal varices ... and variceal bleeding in patients suffering from liver cirrhosis. We believe that the symptomatic use of somatostatin for variceal bleeding in Schistosoma mansoni infected ... ultrasound methodology in patients with severe periportal fibrosis.

[PDF] Review Article An overview of the treatment of oesophageal varices ...

www.smj.eg.net/journals/pdf/254.pdf ▾ 翻译此页

schistosomiasis following the extensive mass treatment ... main treatment for acute variceal bleeding is ... Primary prophylaxis against a first variceal bleed. In cirrhosis, the use of beta blockade has failed to prevent ... patients with schistosomal periportal fibrosis. Early: 20% mortality in future liver transplantation and as.

Randomized controlled trial of injection sclerotherapy for bleeding ...

onlinelibrary.wiley.com/doi/10.1002/bjs.1800700107/pdf ▾ 翻译此页

underwent surgery; 5 died (2 of recurrent bleeding) and 2 others ... third of patients with cirrhosis and oesophageal varices die ... The mortality rate of variceal bleeders treated only medi- ... our unit were subjected to early endoscopy after resuscitation. Those Pure schistosomal portal fibrosis (Symmers' or fine periportal)



Mortality and rebleeding following variceal haemorrhage in liver cirrhosis :



[全部](#) [图片](#) [新闻](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 26,700 条结果 (用时 0.58 秒)

Google 学术: Mortality and rebleeding following variceal haemorrhage in liver cirrhosis and periportal fibrosis

Liver cirrhosis - Schuppan - 被引用次数: 1009

... of variceal bleeding in patients with liver fibrosis due to ... - Richter - 被引用次数: 46

... history of extra-hepatic portal venous obstruction - WEBB - 被引用次数: 402

Variceal Recurrence, Rebleeding, and Survival After Endoscopic ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: JEJ Krige - 2006 - 被引用次数: 45 - [相关文章](#)

Despite control of **variceal bleeding**, survival at 5 years was only 26% because of ... unit with a particular interest in portal **hypertension** in Groote Schuur Hospital, Alcoholic **liver disease** is a major cause of morbidity and **mortality** worldwide.

缺少字词: [periportal](#)

Management of variceal and nonvariceal upper gastrointestinal ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: I Cremers - 2014 - 被引用次数: 20 - [相关文章](#)

Causes of upper gastrointestinal **bleeding** (UGIB) in **patients** with **liver cirrhosis** ... by virtue of portal **hypertension**, namely gastroesophageal varices and portal ... The overall **mortality** of **variceal bleeding** in **patients** with **cirrhosis** is between 10% ... **After** stopping the acute **bleeding**, if left untreated, 60% of these **patients** will ...

缺少字词: [periportal](#)

Oesophageal varices, schistosomiasis, and mortality among patients ...

bmcinfectdis.biomedcentral.com/articles/10.1186/1471-2334-14-303 ▾ [翻译此页](#)

作者: AA Chofle - 2014 - 被引用次数: 5 - [相关文章](#)

Upper gastrointestinal **bleeding** Schistosomiasis Tanzania **Mortality** ... Enrolled **patients** were followed for two months **after** the date of admission for **mansoni** infection and are at risk for **periportal fibrosis**,



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 26,500 条结果 (用时 0.84 秒)

Google 学术: Mortality and rebleeding following variceal haemorrhage in liver cirrhosis and periportal fibrosis

Liver cirrhosis - Schuppan - 被引用次数: 1011

... of variceal bleeding in patients with liver fibrosis due to ... - Richter - 被引用次数: 46

... history of extra-hepatic portal venous obstruction - WEBB - 被引用次数: 402

Variceal Recurrence, Rebleeding, and Survival After Endoscopic ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: JEJ Krige - 2006 - 被引用次数: 45 - 相关文章

Despite control of **variceal bleeding**, survival at 5 years was only 26% because of ... unit with a particular interest in portal **hypertension** in Groote Schuur Hospital, Alcoholic **liver disease** is a major cause of morbidity and **mortality** worldwide.

缺少字词: **periportal**

Natural history of portal hypertension in patients with cirrhosis. - NCBI

www.ncbi.nlm.nih.gov/pubmed/11565135 ▾ 翻译此页

作者: R de Franchis - 2001 - 被引用次数: 289 - 相关文章

In unselected **patients**, the incidence of **variceal bleeding** is about 20% to 30% ... 6% to 8% of **patients**; the 6-week **mortality** rate **after a variceal hemorrhage** is ... its prevalence parallels the severity of portal **hypertension** and **liver dysfunction**.

缺少字词: **periportal**

Cirrhosis and other liver disease in cystic fibrosis

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: T Flass - 2013 - 被引用次数: 28 - 相关文章

2012年12月20日 - CF related **liver disease** (CFLD) is a nonspecific term without a consistent ... Several