

**Name of journal:** *World Journal of Hepatology*

**ESPS Manuscript NO:** 27494

**Manuscript Type:** Original Article

**Basic Study**

**Performance of cold-preserved rat liver Microorgans as the biological component of a simplified prototype model of bioartificial liver**

1

### Match Overview

1	<b>Internet</b> 68 words crawled on 17-May-2016 <a href="http://www.medigraphic.com">www.medigraphic.com</a>	2%
2	<b>Internet</b> 54 words crawled on 08-Jul-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
3	<b>CrossCheck</b> 45 words Joaquín V. Rodríguez, "Construction and Performance of ... Minibioreactor Suitable as Experimental Bioartificial Liver",	1%
4	<b>CrossCheck</b> 29 words MCANULTY, J.F., "Nonesterified Fatty Acid Content of Rat ... t Kidney Cortex Slices after Warm Ischemia and Low Temp	1%
5	<b>CrossCheck</b> 18 words Dore, Maria P. "Tissue resonance interaction accurately c ... ects colon lesions: A double-blind pilot study", World Journ	<1%

Performance of cold-preserved rat liver Microorganism as the biological com

全部 图片 视频 新闻 地图 图书

找到约 25,800 条结果

不限语言

中文网页

简体中文网页

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Evaluation of polypropylene hollow-fiber prototype bioreactor for ...](#)

[www.ncbi.nlm.nih.gov/pubmed/23240809](http://www.ncbi.nlm.nih.gov/pubmed/23240809)

21 Feb 2013 ... (1)Division of Implant **Biology**, Tissue Culture Lab, Biomedical ... the functional **performance** of complex devices such as **bioartificial liver** (BAL).

[Recent advances in 2D and 3D in vitro systems using primary ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC3753504/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3753504/)

23 Aug 2013 ... Department of Pharmaceutical **Biology** and Biotechnology, University of ... a strict partition of protein and lipid **components** in the different plasma membrane ... The **rat** canalicular **liver** plasma membrane contains about two times more ..... Although all these different **models** are per se **artificial** and therefore ...

[Liver progenitor cell line HepaRG differentiated in a bioartificial liver ...](#)

[www.ncbi.nlm.nih.gov/pubmed/22719943](http://www.ncbi.nlm.nih.gov/pubmed/22719943)

18 Jun 2012 ... **Liver** progenitor cell line HepaRG differentiated in a **bioartificial liver** effectively supplies **liver** support to **rats** with acute **liver** failure. ... and assessed for their **hepatic** functionality in vitro and in a **rat model** of acute **liver** failure.

[\[PDF\] final report - World Technology Evaluation Center](#)

[www.wtec.org/te/final/te\\_final.pdf](http://www.wtec.org/te/final/te_final.pdf)

Performance of cold-preserved rat liver Microorganism as the biological compon



全部 图片 视频 新闻 购物 地图 图书

找到约 29,400 条结果

时间不限  
过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果  
精确匹配

[Liver progenitor cell line HepaRG differentiated in a bioartificial liver ...](#)  
[www.ncbi.nlm.nih.gov/pubmed/22719943](http://www.ncbi.nlm.nih.gov/pubmed/22719943)

18 Jun 2012 ... Liver progenitor cell line HepaRG differentiated in a bioartificial liver effectively supplies liver support to rats with acute liver failure. ... and assessed for their hepatic functionality in vitro and in a rat model of acute liver failure.

[Recent advances in 2D and 3D in vitro systems using primary ...](#)  
[www.ncbi.nlm.nih.gov/pmc/articles/PMC3753504/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3753504/)

23 Aug 2013 ... The possibilities and limitations of the most useful liver in vitro systems are .... a strict partition of protein and lipid components in the different plasma membrane ... content than the basolateral rat liver plasma membrane (Meier et al. .... Although all these different models are per se artificial and therefore ...

[Microengineered cell and tissue systems for drug screening and ...](#)  
[www.ncbi.nlm.nih.gov/pmc/articles/PMC4494128/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4494128/)

30 Mar 2015 ... Because so many drug failures have involved direct liver toxicity or other organ toxicity ... These "on-a-chip" tissue models may be able to mimic the ... cold-preservation injury; and c) liver toxicity such as acetaminophen, copper, .... Gebhardt et al. showed that addition of RL-ET-14 cells, a rat liver cell line ...

[Engineering a bioartificial liver prototype using cell loaded ...](#)  
<https://www.brighton.ac.uk/~engineering-a-bioartificial-liver-prototype.aspx>



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 28,800 条结果 (用时 0.71 秒)

显示的是以下查询字词的结果: Performance of cold-preserved rat liver **Microorganism** as the biological component of a simplified prototype model of bioartificial liver

仍然搜索: Performance of cold-preserved rat liver Microorganisms as the biological component of a simplified prototype model of bioartificial liver

Liver progenitor cell line HepaRG differentiated in a bioartificial liver ...

[www.ncbi.nlm.nih.gov/pubmed/22719943](http://www.ncbi.nlm.nih.gov/pubmed/22719943) ▾ 翻译此页

作者: GA Nibourg - 2012 - 被引用次数: 24 - 相关文章

2012年6月18日 - Liver progenitor cell line HepaRG differentiated in a **bioartificial liver** effectively supplies **liver** support to **rats** with acute **liver** failure. ... and assessed for their **hepatic** functionality in vitro and in a **rat model** of acute **liver** failure.

缺少字词: performance cold preserved microorganism biological component simplified prototype

Recent advances in 2D and 3D in vitro systems using primary ... - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾

作者: P Godoy - 2013 - 被引用次数: 306 - 相关文章

2013年8月23日 - The possibilities and limitations of the most useful **liver** in vitro systems are .... a strict partition of protein and lipid **components** in the different plasma membrane ... content than the basolateral **rat liver** plasma membrane (Meier et al. .... Although all these different **models** are per se **artificial** and therefore ...

Microengineered cell and tissue systems for drug screening and ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > Journal List > HHS Author Manuscripts - 翻译此页

作者: OB Usta - 2015 - 被引用次数: 5 - 相关文章

2015年3月30日 - Because so many drug failures have involved direct **liver** toxicity or other organ toxicity