



29588-Review

Quotes Excluded
Bibliography Excluded12%
SIMILAR

1

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 29588

Manuscript Type: Original Article

Retrospective Study

Is cirrhosis associated with lower odds of ischemic stroke: A nationwide analysis?

Abhinav Goyal, Kshitij Chatterjee, Nishi Shah², Shailender Singh

Abstract

AIM

To determine the association between cirrhosis and ischemic stroke in a large

Match Overview



1 Internet 28 words
crawled on 30-Sep-2015
www.science.gov 1%

2 Crossref 25 words
Kolte, Dhaval, Sahil Khera, Wilbert S. Aronow, Marjan Mujib, Chandrasekar Palanišwamy, Ali Ahmed, William H. Frish 1%

3 Crossref 24 words
Kocher, Keith E., Justin B. Dimick, and Brahmajee K. Nallamothu. "Changes in the Source of Unscheduled Hospitaliza 1%

4 Crossref 20 words
"Sunday, 30 August 2009", *European Heart Journal*, 09/02/2009 1%

5 Crossref 18 words
Kumar, Nilay, Rohan Khera, Ambarish Pandey, and Neetika Garg. "Racial Differences in Outcomes after Acute Isch 1%

6 Crossref 13 words
Chiou, W.-Y., C.-M. Chang, K.-C. Tseng, S.-K. Hung, H.-Y. Lin, Y.-C. Chen, Y.-C. Su, C.-W. Tseng, S.-J. Tsai, M.-S. L 1%

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 81,600 条结果 (用时 0.71 秒)

Does Hepatitis C Virus Infection Increase Risk for Stroke? A ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: CC Liao - 2012 - 被引用次数: 68 - 相关文章

2012年2月20日 - This study evaluates the risk of **stroke** in **association** with chronic hepatitis C ... for potential **associated** factors including HCV infection, age, sex, **low-income** status, ... Patients with HCV infection may progress to **cirrhosis** and ... diabetes (ICD-9-CM 250), **ischemic** heart disease (ICD-9-CM 410-414) and ...

Increased Risk of Fracture and Postfracture Adverse Events in Patients ...

care.diabetesjournals.org/content/37/8/2246 - [翻译此页](#)

作者: CC Liao - 2014 - 被引用次数: 21 - 相关文章

Adjusted hazard ratios (HRs) and 95% CIs of fracture **associated** with ... and 2010 calculated adjusted **odds** ratios (ORs) and 95% CIs of adverse events with 95% CIs for risk of fracture after diabetes, adjusting for age, sex, **low income**, ... **ischemic** heart disease, hyperlipidemia, **stroke**, liver **cirrhosis**, osteoporosis, and ...

Factors Associated With In-Hospital Mortality After - Stroke

stroke.ahajournals.org/content/37/2/440.full.pdf ▾ [翻译此页](#)

作者: BT Bateman - 2006 - 被引用次数: 125 - 相关文章

Stroke Patients. An **Analysis** of the **Nationwide** Inpatient Sample 1999 to 2002. Brian T. ... a minority of patients who present with acute **ischemic stroke** are treated with monary disease, renal disease, chronic liver disease/**cirrhosis**, non- metastatic solid higher stroke volume predicted **lower odds** of in-hospital mortality.

Association between alcohol and cardiovascular disease: Mendelian ...

www.bmj.com/content/349/bmj.g4164 ▾ [翻译此页](#)

作者: MV Holmes - 2014 - 被引用次数: 131 - 相关文章

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 84,700 条结果 (用时 0.54 秒)

Absolute and Relative Contraindications to IV rt-PA for Acute Ischemic ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: JE Fugate - 2015 - 被引用次数: 8 - [相关文章](#)

One large multicenter study pooled **analysis** of MRI data from patients receiving IV ... criterion for the **National** Institute of Neurological Disorders and **Stroke** (NINDS) trials. The current AHA/American **Stroke Association** guidelines accept IV rtPA ... 5.3 higher **odds** of mortality (95% CI 1.8-15.5), and 68% **lower probability** of ...

Psoriasis and comorbidities: links and risks - NCBI - National Institutes ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

2014年4月17日 - A systematic review and **meta-analysis** reviewed cardiovascular risk in patients ... Mild psoriasis was **associated** with a significantly increased risk of MI (relative ... found a higher prevalence of ischemic heart disease (**odds** ratio [OR] 1.78; ... and 5.96 for severe psoriasis patients (P<0.05).23 **Ischemic stroke** ...

Factors Associated With In-Hospital Mortality After - Stroke

stroke.ahajournals.org/content/37/2/440.full.pdf ▾ [翻译此页](#)

作者: BT Bateman - 2006 - 被引用次数: 127 - [相关文章](#)

Stroke Patients. An **Analysis** of the **Nationwide** Inpatient Sample 1999 to 2002. Brian T. ... a minority of patients who present with acute **ischemic stroke** are treated with ... monary disease, renal disease, chronic liver disease/**cirrhosis**, non- metastatic solid higher stroke volume predicted **lower odds** of in-hospital mortality.

Association between alcohol and cardiovascular disease: Mendelian ...

www.bmj.com/content/349/bmj.g4164 ▾ [翻译此页](#)

作者: MV Holmes - 2014 - 被引用次数: 142 - [相关文章](#)

2014年7月10日 - Design Mendelian randomisation **meta-analysis** of 56 epidemiological studies. ...

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 77,200 条结果 (用时 0.76 秒)

Does Hepatitis C Virus Infection Increase Risk for Stroke? A ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: CC Liao - 2012 - 被引用次数: 69 - 相关文章

2012年2月20日 - This study evaluates the risk of **stroke** in **association** with chronic hepatitis C ... for potential **associated** factors including HCV infection, age, sex, **low-income** status, ... Patients with HCV infection may progress to **cirrhosis** and ... diabetes (ICD-9-CM 250), **ischemic** heart disease (ICD-9-CM 410-414) and

Liver cirrhosis, other liver diseases, and risk of hospitalisation for ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: H Grønbaek - 2008 - 被引用次数: 37 - 相关文章

2008年5月24日 - In total, 3,522 cases were available for **analyses**, of which 2,987 (85%) ... We computed **odds** ratios (OR) for ICH among hospitalised patients with ... Both alcoholic and non-alcoholic **cirrhosis** were **associated** with an High alcohol intake increases the risk of all **stroke** subtypes, **ischemic** and hemorrhagic, ...

Psoriasis and comorbidities: links and risks - NCBI - National Institutes ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: C Ni - 2014 - 被引用次数: 52 - 相关文章

2014年4月17日 - A systematic review and meta-**analysis** reviewed cardiovascular risk in patients ... Mild psoriasis was **associated** with a significantly increased risk of MI (relative ... found a higher prevalence of ischemic heart disease (**odds** ratio [OR] 1.78; ... and 5.96 for severe psoriasis patients (P<0.05).23
Ischemic stroke ...

Safety of statins: an update - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: M Hu - 2012 - 被引用次数: 17 - 相关文章

The differences in safety risk are likely to be **related** to the statin dosage, the ... In a meta-**analysis** of 49