

Match Overview

1	Internet 34 words crawled on 27-Jul-2016 f1000.com	1%
2	Internet 33 words crawled on 22-Jun-2015 home.coqui.net	1%
3	Internet 18 words crawled on 12-May-2015 dgmc.dsdev.co.za	<1%
4	CrossCheck 15 words El-Guindi, Mohamed Abdel-Salam, Mostafa Mohamed Si ra, Ahmad Mohamed Sira, Tahany Abdel-Hameed Sale	<1%
5	CrossCheck 15 words G. Casaccia. "Biliary atresia associated with multiple u elated anomalies: what about it?", Pediatric Surgery Inter	<1%
6	CrossCheck 12 words Feldman, Amy G., and Cara L. Mack. "Biliary Atresia : C nical Lessons Learned", Journal of Pediatric Gastroente	<1%
7	Internet 11 words crawled on 09-Nov-2012 http://www.ora	<1%

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 26316

Manuscript Type: Review

Biliary atresia: Where do we stand now?

Krishna Kumar G. Biliary atresia: Where are we now?

Krishna Kumar G

[全部](#) [新闻](#) [图片](#) [视频](#) [地图](#) [更多 ▾](#) [搜索工具](#)

找到约 8,600 条结果 (用时 0.92 秒)

Biliary Atresia | National Institute of Diabetes and Digestive and ...

<https://www.niddk.nih.gov/health-information/.../biliary-atresia/.../facts.aspx> ▾ [翻译此页](#)

Perinatal **biliary atresia** is much more common and **does** not become evident until 2 to 4 weeks after birth. Some infants As a result, most infants with **biliary atresia now** survive. Progress in ... What are clinical trials, and are they right for **you**?

Biliary Atresia - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)作者: MD Bassett - 2008 - [被引用次数: 72](#) - [相关文章](#)

Extrahepatic **biliary atresia** (EHBA), an inflammatory sclerosing cholangiopathy ... When this initial surgery **does** not restore bile flow, liver transplantation **can** be life of other forms of pediatric liver disease, however, is only **now** being realized. Liver biopsy is often considered the gold **standard** for the diagnosis of EHBA.

Biliary Atresia. Symptoms of Biliary Atresia. Patient | Patient

patient.info/doctor/biliary-atresia ▾ [翻译此页](#)

Biliary Atresia is also known as extrahepatic ductopenia. ... Type I: common bile duct atresia with patent proximal ducts. ... Bile lakes **can** develop in the liver at any time after surgery and could be a source of ... Survival is **now** over 90% in the UK. BMA MOMA Awards winners The Information **Standard** Hon Code Certified.

Biliary Atresia - Causes of Biliary Atresia - Biliary Atresia Symptoms ...

www.liver.ca/liver-disease/types/biliary-atresia.aspx ▾ [翻译此页](#)

Biliary atresia begins in early infancy and causes damage to the liver. ... **DONATE NOW** ... Unless bile

[全部](#) [新闻](#) [图片](#) [视频](#) [地图](#) [更多 ▾](#) [搜索工具](#)

找到约 8,600 条结果 (用时 0.92 秒)

Biliary Atresia | National Institute of Diabetes and Digestive and ...

<https://www.niddk.nih.gov/health-information/.../biliary-atresia/.../facts.aspx> ▾ [翻译此页](#)

Perinatal **biliary atresia** is much more common and **does** not become evident until 2 to 4 weeks after birth. Some infants As a result, most infants with **biliary atresia now** survive. Progress in ... What are clinical trials, and are they right for **you**?

Biliary Atresia - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)作者: MD Bassett - 2008 - [被引用次数: 72](#) - [相关文章](#)

Extrahepatic **biliary atresia** (EHBA), an inflammatory sclerosing cholangiopathy ... When this initial surgery **does** not restore bile flow, liver transplantation **can** be life of other forms of pediatric liver disease, however, is only **now** being realized. Liver biopsy is often considered the gold **standard** for the diagnosis of EHBA.

Biliary Atresia. Symptoms of Biliary Atresia. Patient | Patient

patient.info/doctor/biliary-atresia ▾ [翻译此页](#)

Biliary Atresia is also known as extrahepatic ductopenia. ... Type I: common bile duct atresia with patent proximal ducts. ... Bile lakes **can** develop in the liver at any time after surgery and could be a source of ... Survival is **now** over 90% in the UK. BMA MOMA Awards winners The Information **Standard** Hon Code Certified.

Biliary Atresia - Causes of Biliary Atresia - Biliary Atresia Symptoms ...

www.liver.ca/liver-disease/types/biliary-atresia.aspx ▾ [翻译此页](#)

Biliary atresia begins in early infancy and causes damage to the liver. ... **DONATE NOW** ... Unless bile

[全部](#)[图片](#)[新闻](#)[视频](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 9,330 条结果 (用时 0.69 秒)

Biliary Atresia | National Institute of Diabetes and Digestive and ...

<https://www.niddk.nih.gov/health-information/.../biliary-atresia/.../facts.aspx> ▾ 翻译此页

Perinatal **biliary atresia** is much more common and **does** not become evident until 2 to 4 weeks after birth. Some infants As a result, most infants with **biliary atresia now** survive. Progress in ... What are clinical trials, and are they right for **you**?

Biliary Atresia - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov ▸ [NCBI](#) ▸ [Literature](#) ▸ [PubMed Central \(PMC\)](#) ▾ 翻译此页

作者: MD Bassett - 2008 - 被引用次数: 72 - 相关文章

Extrahepatic **biliary atresia** (EHBA), an inflammatory sclerosing cholangiopathy ... When this initial surgery **does** not restore bile flow, liver transplantation **can** be life of other forms of pediatric liver disease, however, is only **now** being realized. Liver biopsy is often considered the gold **standard** for the diagnosis of EHBA.

Biliary Atresia. Symptoms of Biliary Atresia. Patient | Patient

patient.info/doctor/biliary-atresia ▾ 翻译此页

Biliary Atresia is also known as extrahepatic ductopenia. ... Bile lakes **can** develop in the liver at any time after surgery and could be a source of recurrent infection. I bet **you're** gonna love this game :) Play with 3 million Players **now!** ... health 2015 BMA MOMA Awards winners The Information **Standard** Hon Code Certified.

Biliary Atresia - A SAGES Wiki Article

www.sages.org/wiki/biliary-atresia/ ▾ 翻译此页

作者: J Goedeke - 相关文章

Type I: **atresia** of the common **bile** duct (10% of patients) ... At surgery, a cholangiogram (gold **standard** in the diagnosis of BA) may be performed ... The trial is **now** closed and final results **will** be published in 2014 (Study ID: NCT00204684).