

23505-Review
BY ERGENEKON KARAGOZ

Quotes Excluded
Bibliography Excluded

8%
SIMILAR

Name of journal: *World Journal of Hepatology*

ESPS Manuscript NO: 23505

Manuscript Type: LETTER TO THE EDITOR


Non-Invasive evaluation of ²liver fibrosis by ARFI and APRI in chronic hepatitis C

Ergenekon Karagoz, Coskun Ozturker, Ali Kemal Sivrioglu

Abstract

In a previous issue of the *World Journal of Gastroenterology*, we have read the article by Li *et al* with great interest. We would like to thank the authors for their comprehensive contribution. However, it is our wish to make minor criticism over

Match Overview



2 matches

- 1** **CrossCheck** 32 words
Frulio, Nora, Hervé Trillaud, Paul Perez, Julien Asselineau, Marianne Vandenhende, Mojgan Hessamfar, Fabrice Bonn 6%
- 2** **Internet** 10 words
crawled on 17-Jun-2015
www.bashh.org 2%

Non-Invasive evaluation of liver fibrosis by ARFI and APRI in chronic hepatitis

全部

图片

视频

新闻

购物

地图

图书

找到约 8,310 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: Non-Invasive evaluation of liver fibrosis by ARFI and APRI in chronic hepatitis C](#)

[Liver Fibrosis in Viral Hepatitis: Noninvasive ...](#) - Friedrich-Rust - 被引用次数: 496

[... with failure of liver stiffness measurement using ...](#) - Foucher - 被引用次数: 367

[... in the noninvasive assessment of chronic hepatitis C ...](#) - Lupsor - 被引用次数: 243

[Liver fibrosis evaluation by ARFI and APRI in chronic hepatitis C](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4110585/ ▼

28 Jul 2014 ... Liver fibrosis evaluation by ARFI and APRI in chronic hepatitis C ... be used as a noninvasive diagnostic method for evaluating liver fibrosis[9].

[Non-invasive diagnosis of liver fibrosis in chronic hepatitis C](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3961992/ ▼

21 Mar 2014 ... Non-invasive diagnosis of liver fibrosis in chronic hepatitis C of noninvasive markers of liver fibrosis was evaluated by calculating the ... APRI also proved to be a valuable tool in hemodialysis patients with Nevertheless, TE was better than ARFI for predicting the presence of liver cirrhosis and fibrosis ...

[Non-invasive assessment of liver fibrosis in chronic hepatitis C](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3090550/ ▼

20 Jan 2011 ... Keywords: Chronic hepatitis C, Liver fibrosis, Non-invasive, Transient ...



Non-Invasive evaluation of liver fibrosis by ARFI and APRI in chronic hep



全部

新闻

视频

图片

更多

搜索工具

找到约 8,300 条结果 (用时 0.56 秒)

Google 学术: Non-Invasive evaluation of liver fibrosis by ARFI and APRI in chronic hepatitis C

Liver Fibrosis in Viral Hepatitis: Noninvasive ... - Friedrich-Rust - 被引用次数: 496

... with failure of liver stiffness measurement using ... - Foucher - 被引用次数: 367

... in the noninvasive assessment of chronic hepatitis C. ... - Lupsor - 被引用次数: 243

Liver fibrosis evaluation by ARFI and APRI in chronic ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▼ 翻译此页

作者: SM Li - 2014 - 被引用次数: 2 - 相关文章

2014年7月28日 - Liver fibrosis evaluation by ARFI and APRI in chronic hepatitis C ... be used as a noninvasive diagnostic method for evaluating liver fibrosis[9].

Non-invasive diagnosis of liver fibrosis in chronic hepatitis C

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▼ 翻译此页

作者: L de Lucca Schiavon - 2014 - 被引用次数: 18 - 相关文章

2014年3月21日 - Non-invasive diagnosis of liver fibrosis in chronic hepatitis C of noninvasive markers of liver fibrosis was evaluated by calculating the ... APRI also proved to be a valuable tool in hemodialysis patients with Nevertheless, TE was better than ARFI for predicting the presence of liver cirrhosis and fibrosis

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 8,560 条结果 (用时 0.75 秒)

Google 学术: Non-Invasive evaluation of liver fibrosis by ARFI and APRI in chronic hepatitis C

Liver Fibrosis in Viral Hepatitis: Noninvasive ... - Friedrich-Rust - 被引用次数: 500

... with failure of liver stiffness measurement using ... - Foucher - 被引用次数: 368

... in the noninvasive assessment of chronic hepatitis C. ... - Lupsor - 被引用次数: 244

Liver fibrosis evaluation by ARFI and APRI in chronic ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: SM Li - 2014 - 被引用次数: 3 - 相关文章

2014年7月28日 - Liver fibrosis evaluation by ARFI and APRI in chronic hepatitis C ... be used as a noninvasive diagnostic method for evaluating liver fibrosis[9].

Non-invasive diagnosis of liver fibrosis in chronic hepatitis C

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: L de Lucca Schiavon - 2014 - 被引用次数: 18 - 相关文章

2014年3月21日 - Non-invasive diagnosis of liver fibrosis in chronic hepatitis C of noninvasive markers of liver fibrosis was evaluated by calculating the ... APRI also proved to be a valuable tool in hemodialysis patients with Nevertheless, TE was better than ARFI for predicting the presence of liver cirrhosis and fibrosis ...

Non-invasive assessment of liver fibrosis in chronic hepatitis C

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: L Castera - 2011 - 被引用次数: 36 - 相关文章

2011年1月20日 - Keywords: Chronic hepatitis C, Liver fibrosis, Non-invasive, Transient